



MAGLITE®
FLASHLIGHTS



PHILOSOPHY



We believe the spirit and character of the company is most clearly defined and expressed by our founder, owner and president Anthony Maglica. Each flashlight is a result of his passion for fine engineering and craftsmanship. An experimental machinist by training and a manufacturing innovator by practice, Mr. Maglica has guided his company's growth from a one-man machine shop in 1955 to an enterprise that employs hundreds of dedicated employees. But his work does not stop there. Mr. Maglica continues his commitment to quality by continually improving upon the product that bears his name.



Mag Instrument is proud to be a leader in the current renaissance in American manufacturing. Mr. Maglica himself, a fervent believer in the importance of manufacturing in the United States, insists that Mag remain a U.S.A. Manufacturer. He has dedicated himself to proving that American products can excel in the global marketplace by using technology to continually improve quality and reduce costs. Over the last 3 ½ decades, Mr. Maglica's innovations have enabled Mag Instrument to offer consumers a consistently better value than the competition.

ONE MAN'S ABIDING COMMITMENT

Every flashlight made by Mag Instrument, Inc., represents one man's abiding commitment to product quality, and to the cause of keeping flashlight-industry manufacturing jobs in America.

A champion of free enterprise and U.S.-based manufacturing, Anthony Maglica is the president of Mag Instrument, Inc. and the creator of the MAGLITE® flashlight, now an icon of classic American design.

Armed with only his talent, his determination and his reverence for hard work, Tony Maglica set out in pursuit of the American Dream when he founded Mag Instrument in 1955. When he went on to design and manufacture a product that revolutionized an industry, he realized that dream in full. In his ongoing pursuit of innovative technology, quality products, design and the customer service to back them up, Mr. Maglica has found a strategy that not only creates worldwide demand for his own company's products, but can also, he believes, help other American companies to build worldwide demand for their products while preserving American manufacturing jobs.

TURN YOUR LIGHT ON AMERICA®

Our new slogan – Turn Your Light On America® -- expresses faith in our country and its people. America is still the greatest country in the world and Americans are still the most caring, resilient, resourceful, talented, innovative and entrepreneurial people on Earth. But in dark times we can tend to lose sight of that. So it's time to remind ourselves who we are, what we have, and what we can achieve. Let's turn on our lights -- and let them shine on America.



37 Years and Counting

Everyone has their own reason for choosing a Maglite® flashlight. Maybe your dad kept one in the truck, or you know someone who carried one on the force. It could be that you're looking for the latest LED technology, or you want the dependability that can only come from an American Made product.

Whatever reason you have for choosing a Maglite® flashlight, you'll be glad you did.

Made in America since 1979, MagLite® flashlights are carried by thousands of law enforcement officers, emergency responders, military service men and women and ordinary people around the world. Every one of them has their own MagStory, and a few of them have even shared them.

Now, it's time to write yours. Let's get started by finding the perfect Maglite® flashlight.

MAGLITE®
FLASHLIGHTS



WELCOME to the NEW MAGLITE.COM

New Online Experience Available Now.

TURN YOUR LIGHT ON AMERICA™


Years and Counting

Everyone has their own reason for choosing a MAGLITE® flashlight. Maybe your first night in the backcountry or your first time with a child on the beach. It could be that you're looking for the latest LED technology, or you want Built in America dependability.

Whatever reason you have for choosing MAGLITE®, you'll be glad you did.

A U.S.A. manufacturer since 1979, Mag Instrument makes flashlights that are certified for thousands of law enforcement officers, emergency responders, military service members and military families around the world. Every one of them has their own MagLite, and a lot of them love their MagLite.

Mag Instrument has 100,000,000+ LED flashlights in stock and ready to ship.



MAGLITE® ML300L™ 3-Cell D LED Flashlight

\$70.50

Availability: In Stock

Color: Black Blue Red Silver

Packaging: Blister Chipboard

Combs: None

QUANTITY 1 **ADD TO CART**

Explore MAG Products. Download Product Information.

MAGLAB

READ THE STORY

THE NEW MAGLITE® ML300L™ LED 3-CELL FLASHLIGHT IS THE LIGHT FOR ALL YOUR NEEDS.

MINI MAGLITE® 2-CELL AAA LED

THERE WHEN YOU NEED US - BE PREPARED FOR WEATHER RELATED EMERGENCIES

Proud Sponsor of the National Breast Cancer Foundation

Maglite® Online News. Find out in the new MAGLAB.

BUILT IN AMERICA

KEY FACTS ABOUT MAG INSTRUMENT'S MANUFACTURING

- Mag Instrument has always been proudly manufactured in the U.S.A.
- Every Mag Instrument flashlight uses precision-machined components.
- Every single production employee is a U.S. citizen.
- Every Mag Instrument flashlight, no matter how small, is made in America.

Maglite® Built in America. Our Commitment to American Manufacturing. Find out more in the new MAGHISTORY.

MAGLITE SUPPORT

MAGLITE DOCS: Product manuals, technical writing guides, warranty info and product repair info for your MagLite flashlight.

FAQS: Get answers to the most frequently asked questions by other MagLite users and your MagLite flashlight.

WARRANTY: Some MagLite is made in Mexico for the US, but the design and our industry leading warranty is right here.

FIND A SERVICE CENTER: Based on an Internet search for your location, we will find the nearest service center near you.

CONTACT MAGLITE SUPPORT: Email us at support@maglite.com or call us at 1-800-541-5415.

Maglite® Support. Troubleshooting guides, product manual downloads, warranty information and more.

SOCIAL MEDIA

facebook

Mag-Lite is on Facebook. To connect with Mag-Lite, sign up for Facebook today.

TURN YOUR LIGHT ON AMERICA

MAG LITE

995 TWEETS 158 FOLLOWING 607 FOLLOWERS 302 PUBLISHED

MAGLITE (@MAGLITE) Our 1st #MAGLITEMonday

Outdoor Channel #OUTDOORChannel Enter our #GearUpOn15 Sweepstakes from @MAGLITE. bit.ly/1Dwms2

173 Photos and videos

YouTube

MAGLITE

Home Videos Playlists Channels Statistics About

all activities

MAGLITE uploaded a video

MAGLITE LED Flashlights by MAGLITE 6:29 video 174 views Maglite - The Last Light - Press It Along

MAGLITE uploaded a video

Maglite LED Flashlights by MAGLITE 6:29 video 152 views Maglite - The Last Light - Press It Along

Popular channels

- LZ SMX
- The Cinema Guy BMX
- BikeRadar
- Global Cycling Net
- Global Mountain B...
- Bobby Bender



CONTENTS







■	MAGLAB	5
■	FEATURES AND BENEFITS	7-8
■	CHOOSING THE RIGHT FLASHLIGHT	9-10
■	FULL SIZE LED	
	Maglite® D-Cell	11-12
	ML300L™	
	ML300LX™	
■	MID SIZE LED	
	ML25LT™	14
	ML100™	15-16
	ML50L™	
	ML50LX™	
■	COMPACT LED	
	Solitaire®	17-18
	Mini Maglite® AAA	
	Mini Maglite® AA	
	Mini Maglite® PRO®	
	Mini Maglite® PRO+®	
	XL50®	19-20
	XL200®	
■	TACTICAL LED	21-22
	MAG-TAC® Crowned Bezel	
	MAG-TAC® Plain Bezel	
■	RECHARGEABLE LED	23-24
	MAG-TAC®	
	ML125™	
	Mag Charger® LED	
■	FULL SIZE Incandescent	25-26
	Maglite® D-Cell	
■	MID SIZE Incandescent	27-28
	Maglite® C-Cell	
	ML25IT™	
■	COMPACT Incandescent	29-30
	Solitaire®	
	Mini Maglite® AAA	
	Mini Maglite® AA	
■	ACCESSORIES	31-32
■	COMPARE LED	33-34
■	COMPARE Incandescent	35-36
■	IN THE COMMUNITY	37
■	MERCHANDISING	38

Flashlight Performance Testing – The ANSI Standard

In 2009, the American National Standards Institute, in cooperation with the National Electrical Manufacturers Association, published a standard called the ANSI/NEMA FL 1-2009 Flashlight Basic Performance Standard. The ANSI Standard has become widely accepted in the portable lighting industry because it affords a practical way to make “apples-to-apples” comparisons among different flashlights.

Although the ANSI Standard is not mandatory, Mag Instrument has chosen to follow it. That is why, on our product packaging, in our product literature, and on the website, we display certain flashlight performance data in the form of an “ANSI Strip,” so called because it uses the officially-designated ANSI logos and reports data taken in the ANSI-prescribed way. The ANSI Standard defines four basic performance categories, and prescribes official logos for displaying results. The following table lists the categories, and for each one indicates the unit of measure, the official logo, and the basic meaning of the category:

CATEGORY	UNIT	ANSI FL-1 ICON	SHORT EXPLANATION
Beam Distance	Meters		<i>A measure of how far away the flashlight will usefully light up an object when its beam is optimally focused (sometimes called “Throw”)</i>
Peak Beam Intensity	Candela		<i>Tells how intense the light is in the brightest part of the flashlight's beam when optimally focused (sometimes called “Beam Candlepower”)</i>
Run Time	Hours / Minutes		<i>A test of how long the flashlight will continuously operate before an “end point” (roughly 10% of initial light output) is reached</i>
Light Output	Lumens		<i>Indicates how much total light (“luminous flux”) the lamp or LED generates, without regard to direction or the flashlight's beam quality or configuration</i>

Light Output versus Beam Distance

Judging from questions and comments we receive, the distinction between Light Output and Beam Distance is a source of some confusion. It is important to understand that these two concepts – Light Output and Beam Distance – deal with quite distinct characteristics which, surprisingly to many people, don't necessarily go hand in hand. A flashlight can have a very high Light Output (measured in lumens), and yet have a very short Beam Distance (measured in meters). And the opposite can also be true: A flashlight can have a very modest output in lumens and yet can be remarkably effective in lighting up an object very far away.

Why is this possible? Because Light Output is simply a raw measure of the rate at which a light source generates light – i.e., how many photons, how much “luminous flux,” the source generates per second. It tells nothing about how well or poorly that light is gathered and directed. Beam Distance, on the other hand, is a measure of the maximum distance from which an optimally focused flashlight will cast a useful amount of light on a target. The ANSI Standard effectively defines a “useful level of light” by prescribing that the Beam Distance is the maximum distance at which the flashlight will produce ¼ lux of light. A quarter of a lux can roughly be described as the light level provided by a full moon in an open field on a clear night. That's not as bright as day, but it is bright enough to see by – a good, standard, working definition of a “useful level of light.”

So while a flashlight's Light Output – its “lumen rating” – tells you nothing at all about how good or bad a job the flashlight does

at forming a useful beam of light, the flashlight's “Beam Distance” rating is all about its ability to form light into a useful beam and send it in a useful direction. “Beam Distance” thus strongly correlates to a flashlight's optical quality; whereas Light Output has nothing whatsoever to do with beam-forming optics. In fact, to get a high Light Output score, a flashlight would not even need to have a reflector or lens, at all!

Optics Matter

Since the beginning, Mag Instrument has prided itself on its beam-forming optics -- the quality of its precision-designed and precision-crafted reflectors, and the versatility of its spot-to-flood beam focusing mechanism. High-quality optics help a flashlight to direct light in a useful way without excessive power consumption – something that the “brute force” approach of maximizing lumen output cannot do.

Optics and Run Time

High-quality optics can also play a role in slowing battery consumption and prolonging Run Time. As LED technology continues to advance, the number of watts of power consumed per lumen of light generated goes down; but it is still true to say that the more lumens you want, the faster you will consume battery power. So it is still true, and probably always will be true, that excellent beam-forming optics will enhance a flashlight's ability to deliver useful light while avoiding the need for enormous lumen output and correspondingly fast battery drain.



FEATURES AND BENEFITS

General for all Maglite® flashlights

- All Maglite® flashlights feature a high intensity adjustable beam.



- Design balanced optics for maximum performance



- Anodized inside and out for better corrosion resistance and durability



- High-grade rubber seals in every size flashlight



- Precision machined high-strength aluminum alloy cases



- All Mag® incandescent flashlights include a spare lamp safely secured inside the tail cap.




- Water-Resistant (**Rating: IPX7 for Solitaire® & AAA LED, IPX4 all others**)
- Backed by Mag Instrument's renowned warranty service. Limited lifetime warranty in the Western Hemisphere; ten-year limited warranty elsewhere. See product packaging for details.
- All Mag® flashlights are designed and manufactured in the U.S.A. Some foreign parts/components/accessories are used. See individual product package labels for details.



Activity-Based

function sets Strobe (flashes 12 times per second), Eco and Momentary On/Off (stays on only while the switch button is held down).

(Fig.1)



Because not all of these functional modes are equally important to every user, we've organized them into four different function sets (menus) – so that you can personalize your flashlight to suit your needs, configuring it for quickest access to the functions you need most. As Figure 2 shows, there are four function sets – General (the default function set), Outdoor, Law Enforcement and Tactical – each of which offers a choice of three different functional modes, in different orders of priority. To custom-configure the flashlight, the user selects one of the four available function sets. Within that set, the user invokes the desired function by Mag Instrument's familiar "QuickKlik™" method.

(Fig.2)

Function Set	1 GENERAL (Default)	2 OUTDOOR	3 LAW ENFORCEMENT	4 TACTICAL
1 CLICK	Full Power	Full Power	Momentary	Momentary
2 CLICKS	Low Power	Low Power	Full Power	Full Power
3 CLICKS	Eco	Strobe	Eco	Strobe

Candle Mode

Mini Maglite® AA/AAA, ML25LT™ and ML25IT™ flashlights convert quickly to a free standing candle mode, for convenient, hands-free light whenever you need it!



- Step 1:** Unscrew flashlight head
- Step 2:** Place head down on table
- Step 3:** Set flashlight into head



Multi-Mode

Some of our flashlights are simple on-off flashlights. Others, however, allow the user to choose from a variety of functional modes. Some let the user choose between “High” and “Low” power settings, and/or choose “SOS” or “Blink” or “Strobe,” and/or offer a “Momentary On/Off” setting at which the light only stays on as long as the switch button is held down. Still other Multi-Mode flashlights offer continuously variable power, variable strobe rates, and other unique features. See individual product descriptions for details.



Quick Focus™

An advanced, fast-handling beam focus system adjusts across the full range of focal settings in about a ¼ turn of the head.
(MAG CHARGER®, ML300L™, ML300LX™, ML50L™, ML50LX™)

QuickFocus™



Benefits of an LED Rechargeable Flashlight

While the initial cost of a rechargeable battery is significant, it is engineered to withstand up to a thousand charge/discharge cycles and, in the hands of a frequent flashlight user, should easily produce a net saving in lifetime operating costs, versus buying the equivalent number of replacement alkaline batteries. And for those who prefer the flexibility of dual power, we offer the MAGLITE® ML125® – designed to operate either on the supplied NiMH rechargeable battery or on standard C-cell Alkalines.



“QuickClik™” Electronic Switch

Most of our LED flashlights have electronic switches that offer a wider range of functions than typical mechanical-switch flashlights. Our push button electronic switches all embody the fast and easy “QuickClik™” method of choosing a functional mode (e.g., High Power, Low Power, Strobe, etc.) by rapidly clicking the switch a corresponding number of times. And with the simplicity of fewer moving parts, electronic switches tend to be more reliable than mechanical switches.

QuickClik™
electronic switch

Waterproof/Water Resistant

These symbols mean that the flashlight has passed the “Water Resistant” test prescribed by the ANSI Standard, which tracks the IPX4 standard for “water resistance” developed by the International Electrotechnical Commission (IEC). This means that after 5 minutes of spraying, from all directions, by strong jets of water, none of the five tested samples suffered any harmful leakage of water, and all five test-sample flashlights remained fully operational when checked 5 minutes after, and again 30 minutes after, the spraying.



Water Resistant

These symbols mean that the flashlight has passed the “1-Meter Waterproof” test prescribed by the ANSI Standard, which tracks the IEC’s IPX7 standard. This means that after 30 minutes of submersion at a depth of one meter, none of the five tested samples suffered any harmful leakage of water, and all five test-sample flashlights remained fully operational when checked 5 minutes after, and again 30 minutes after, the submersion.



Waterproof



ECO Mode™

Some of our newest-generation flashlights feature an ECO mode – an ultra-low-power-drain mode that, thanks to excellent flashlight optics, still provides useful light while greatly extending run time. This feature will prove especially useful in prolonged emergencies, and in outdoor activities like cave exploring and extended wilderness trekking.

ECO MODE™



Spot to Flood Beam Focusing

Adjust the beam’s focus as you wish, simply by rotating the flashlight’s head.

SPOT TO FLOOD

National Tactical Officers Association



Used by permission of the National Tactical Officers Association, this logo indicates that the referenced product has achieved “Recommended” status under the NTOA’s Member Tested & Recommended Program, based on field-testing and scoring by tactical police officers. The NTOA is the

leading organization serving the law enforcement special operations community.

The following products achieved NTOA recommended status: ML300L™ (pg.12), ML300LX™ (pg.12), XL50® (pg.19), XL200® (pg.20), MAG-TAC® CR123 (pg.22), MAG-TAC® Rechargeable (pg.23) and MagCharger® LED Rechargeable System (pg.24).

Recycle



Mag Instrument, Inc. is a proud participant in the RBRC (Rechargeable Battery Recycling Corporation). By recycling your used rechargeable batteries through Mag Instrument’s Battery Recycling Program, you are helping to create a cleaner and safer environment for generations to come. For more information about the RBRC visit www.rbrc.com

CHOOSING THE RIGHT FLASHLIGHT

Full Size *D-Cell*



Mag offers 7 different LED, and 5 different incandescent, flashlights in the full size (D-cell battery) range. In brightness they range from 27 to 625 lumens, in length from about 9.125 to 19.5 inches, in weight (with batteries) from about 20 to 50 oz., with head diameters of 2 ¼ inches. Run times range from 6.75 to 117 hours. Functionally, they range from the simple on-off operation of the MAGLITE® D-cell incandescents to the multi-functionality of the LED models, most of which feature a multi-mode electronic switch and offer the user a choice among different sets of functions – so that each particular user can custom-configure the flashlight for quickest access to the functions he or she expects to use most. And, like all MAG® flashlights, they feature beam adjustability by rotating the head, as well as rugged machined anodized aluminum construction.

Mid Size *C-Cell*



Mag offers 8 different LED, and 3 different incandescent, flashlights in the mid-size (C-cell battery) range. In brightness they range from 31 to 611 lumens, in length from about 6 ½ to 12 ¼ inches, in weight (with batteries) from about 11 to 22 oz., and in head diameter from 1.7 to 2 ¼ inches. Run times range from 2 to 153 hours. Functionally, they range from the simple on-off operation of the MAGLITE® C-cell incandescents to the multi-functionality of the LED models, most of which feature a multi-mode electronic switch and offer the user a choice among different sets of functions – so that each particular user can custom-configure the flashlight for quickest access to the functions he or she expects to use most. And, like all MAG® flashlights, they feature beam adjustability by rotating the head, as well as rugged machined anodized aluminum construction.

Compact



Mag offers 8 different LED, and 3 different incandescent, flashlights in compact (AAA or AA battery) size. In brightness they range from 2 to 272 lumens, in length from 3 ¼ to 6 ½ inches, in weight (with batteries) from about ¾ oz. to 4 ¼ oz., and in diameter from ½ to 1 inch, with run times from 1.5 hr. to an amazing 218 hr. Functionally, they range from the simple on-off operation of the SOLITAIRE® keychain light and MINI MAGLITE® 2AAA pocket-clippable flashlight to the multi-functionality of our slightly larger compacts – culminating with the XL200® 3AAA LED flashlight. With one of the world's most advanced flashlight interfaces, the XL200® offers an amazing variety of functions including motion-controlled variable power level and strobe rate.

Tactical



Mag offers the non-rechargeable MAG-TAC® tactical flashlight in two versions – plain and crowned bezel. Designed with input from military and police tactical users, these flashlights both operate on high-energy CR123 lithium batteries and produce over 300 lumens. They have multiple functions, user-selectable by “quick-clicking” the tailcap switch.

Also popular as a tactical flashlight is the MAGLITE® XL200®, a 3AAA-cell light that generates 172 lumens, features one of the world’s most advanced functional interfaces, and, with its 5-inch length and 1-inch diameter, fits ideally in the palm of the hand.



Rechargeable

Mag offers 4 different LED rechargeable flashlights. The largest and brightest (643 lumens, nearly 13 inches long and weighing 28 oz. with battery) is the new LED version of the long-renowned MAG CHARGER® flashlight. It operates on a Nickel Metal Hydride (NiMH) battery and has a multi-mode electronic switch, offering the user a choice among different sets of functions – so that each particular user can custom-configure the flashlight for quickest access to the functions he or she expects to use most.

Mag also offers two different versions (one with crowned bezel, one with plain bezel) of the MAG-TAC® rechargeable flashlight – a rugged, extreme-performance (over 500 lumens) tactical flashlight powered by a high-energy-density, fast-charging Lithium Iron Phosphate (LiFePO4) battery. The MAG-TAC® rechargeable offers an array of operating modes selectable via a tailcap switch.

For the user who prefers a dual-power option, there is the MAGLITE® ML125® flashlight, which can operate either with the supplied NiMH rechargeable battery or with three C-cell disposable alkaline batteries. It also features user-configurable function sets.

And, like all MAG® flashlights, our rechargeables feature beam adjustability by rotating the head, as well as rugged machined anodized aluminum construction.



Collectible

With stunning colors, premium anodizing, and a unique American Flag motif, these specially-decorated MAGLITE® and MINI MAGLITE® flashlights make treasured gifts – or they can put the exclamation point on your own Mag® flashlight collection.

FULL SIZE LED



MAGLITE® LED 2 and 3-Cell D Flashlights



The Maglite® flashlight, renowned for its quality, durability, and reliability, is now available with the new MAG-LED Technology. Designed for professional and consumer use, Maglite® LED flashlights build on the experience in craftsmanship, engineering, and advanced technology evident in all Mag flashlights.

The Maglite® flashlight is internationally accepted as the Professional Flashlight. Built tough enough to last a lifetime, its durability and innovative features now combined with the new MAG-LED Technology make the Maglite® LED flashlight a technologically advanced lighting instrument. Available in 2 and 3 Cell D size.

2D			
Type	Full Size	Length	10 in. / 254 mm
Lumens	168 lm	Run Time, High	6h45min
Barrel Diameter	1.562 in. / 39.67 mm	Head Diameter	2.25 in. / 57.15 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	23 oz. / 652.04g	Blister Size	12.88 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	10 H x 2.25 W x 2.25 D in.
Drop Resistance	1m		
Technology	LED		



Blister pack



Chipboard box




3D			
Type	Full Size	Length	12.344 in. / 313 mm
Lumens	168 lm	Run Time, High	80h
Barrel Diameter	1.562 in. / 39.67 mm	Head Diameter	2.25 in. / 57.15 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	30 oz. / 850.49g	Blister Size	14.88 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	12.38 H x 2.25 W x 2.25 D in.
Drop Resistance	1m		
Technology	LED		



MAGLITE® ML300L™

2 and 3-Cell D Flashlights



2D

Type	Full Size	Length	9.125 in. / 231.77 mm
Lumens	524 lm	Run Time, High/Low/Eco	6h30min/20h/69h
Barrel Diameter	1.55 in. / 38.1 mm	Head Diameter	2.25 in. / 57.15 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	20oz. / 566.99g	Blister Size	13 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	9.44 H x 2.16 W x 2.16 D in.
Drop Resistance	1m		
Technology	LED		



3D


Type	Full Size	Length	11.75 in. / 298.45 mm
Lumens	625 lm	Run Time, High/Low/Eco	16h/77h/117h
Barrel Diameter	1.55 in. / 38.1 mm	Head Diameter	2.25 in. / 57.15 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	26.4 oz. / 748.43g	Blister Size	14.91 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	11.78 H x 2.16 W x 2.16 D in.
Drop Resistance	1m		
Technology	LED		

MAGLITE® ML300LX™

2 and 3-Cell D Flashlights



- Aggressive Knurled Design
- Stealth Matte Finish



2D

Type	Full Size	Length	9.125 in. / 231.77 mm
Lumens	524 lm	Run Time, High/Low/Eco	6h30min/20h/69h
Barrel Diameter	1.55 in. / 38.1 mm	Head Diameter	2.25 in. / 57.15 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	20oz. / 566.99g	Blister Size	13 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	9.44 H x 2.16 W x 2.16 D in.
Drop Resistance	1m		
Technology	LED		



3D

Type	Full Size	Length	11.75 in. 298.45 mm
Lumens	625 lm	Run Time, High/Low/Eco	16h/77h/117h
Barrel Diameter	1.55 in. / 38.1 mm	Head Diameter	2.25 in. / 57.15 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	26.4 oz. / 748.43g	Blister Size	14.91 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	11.78 H x 2.16 W x 2.16 D in.
Drop Resistance	1m		
Technology	LED		

Function Sets for ML300L™ and ML300LX™

Function Set	1 GENERAL (Default)	2 OUTDOOR	3 LAW ENFORCEMENT	4 TACTICAL
1 CLICK	Full Power	Full Power	Momentary	Momentary
2 CLICKS	Low Power	Low Power	Full Power	Full Power
3 CLICKS	Eco	Strobe	Eco	Strobe

Whether you're a professional using a flashlight for work or security, an outdoor enthusiast who takes it camping, or an occasional user wanting it for emergencies at home or on the road, our New ML300L™ or ML300LX™ D-cell LED is The Light For All Your Needs.

With the familiar "QuickClick™" system users can, within the "General" function set, choose Full Power (maximum Lumens): Low Power (up to 143 Lumens); or Eco Mode - a super power saving mode that yields up to 58 Lumens with greatly extended run-time. As seen to the right, there are three additional function sets - Outdoor; Law Enforcement; and Military - each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

2D ML300L™ / ML300LX™

FL 1 STANDARD						
366m	524 LUMENS	33573cd	1m	6h30min	20h	69h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME	

3D ML300L™ / ML300LX™

FL 1 STANDARD						
406m	625 LUMENS	41200cd	1m	16h	77h	117h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME	

* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

MID SIZE LED



BRIGHT. COMPACT. INDUSTRIAL STRENGTH.

MAGLITE® ML25LT™

2 and 3-Cell C Flashlights

The New Maglite® ML25LT™ LED C-Cell Flashlight

Ultra bright light in a sleek compact quality design.



- Simple twist head (ON/OFF - Focus)
- Focusing beam - turn head further to adjust from SPOT to FLOOD
- Rugged machined aluminum construction
- Candle Mode

FL 1 STANDARD *					
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT	DROP RESISTANT

2C			
Type	Mid Size	Length	6.632 in. / 168.45 mm
Lumens	177 lm	Run Time	2h
Barrel Diameter	1.2 in. / 30.48 mm	Head Diameter	1.7 in. / 43.18 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	11.2 oz. / 317.51g	Blister Size	8.87 H x 4.87 W x 1.75 D in.
Water-Resistant	Yes	Chipboard Box Size	6.68 H x 1.71 W x 1.71 D in.
Drop Resistance	1m		
Technology	LED		



FL 1 STANDARD *					
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT	DROP RESISTANT

3C			
Type	Mid Size	Length	8.6 in. / 218.44 mm
Lumens	173 lm	Run Time	18h
Barrel Diameter	1.2 in. / 30.48 mm	Head Diameter	1.7 in. / 43.18 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	14.4 oz. / 408.23g	Blister Size	11 H x 5 W x 1.75 D in.
Water-Resistant	Yes	Chipboard Box Size	8.62 H x 1.71 W x 1.71 D in.
Drop Resistance	1m		
Technology	LED		

Candle Mode




* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

MID SIZE LED



MAGLITE® ML100® 2 and 3-Cell C Flashlights



Designed for optimum light output, the new MAGLITE® ML100® LED flashlights deliver performance oriented features in a sleeker compact design. Available in either 2 or 3 Cell C size, these advanced lighting instruments are driven by next-generation MAG-LED Technology.

Now with more features...amazingly bright and longer battery life than ever before. PERSONALIZE for QUICK ACCESS to your PREFERRED FUNCTIONS Full Power, Power Save (25%), Strobe (12/sec), SOS (Int'l Morse Code), Momentary On/Off.

	Function Set 1	Function Set 2	Function Set 3	Function Set 4
•1 CLICK	Full Power	Full Power	Momentary	Momentary
••2 CLICKS	Power Save	Power Save	Full Power	Full Power
•••3 CLICKS	Strobe	SOS Signal	Power Save	Strobe



2C




3C

Type	Mid Size	Length	9.135 in. / 232.029 mm
Lumens	137 lm	Run Time, High/Low	13h/48h
Barrel Diameter	1.199 in. / 30.455 mm	Head Diameter	1.977 in. / 50.216 mm
Batteries	(Alkaline) Included	Rechargeable	No
Weight With Batteries	15.2 oz. / 430.912g	Blister Size	12.96 H x 4.93 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	9.31 H x 1.97 W x 1.97 D in.
Drop Resistance	1m		
Technology	LED		



Type	Mid Size	Length	11.104 in. / 282.042 mm
Lumens	137 lm	Run Time, High/Low	37h / 78h
Barrel Diameter	1.199 in. / 30.455 mm	Head Diameter	1.977 in. / 50.216 mm
Batteries	(Alkaline) Included	Rechargeable	No
Weight With Batteries	18.4 oz. / 521.631g	Blister Size	14.88 H x 4.93 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	11.31 H x 1.97 W x 1.97 D in.
Drop Resistance	1m		
Technology	LED		



MAGLITE® ML50L™

2 and 3-Cell C Flashlights



2C

Type	Mid Size
Lumens	490 lm
Barrel Diameter	1.2 in. / 30.48 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	12.72oz. / 360.61g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	8.184 in. / 207.87 mm
Run Time, High/Low/Eco	15h/29h/112h
Head Diameter	1.977 in. / 50.22 mm
Rechargeable	No
Blister Size	13 H x 5 W x 2 D in.
Chipboard Box Size	8.34 H x 1.97 W x 1.97 D in.



3C

Type	Mid Size
Lumens	611 lm
Barrel Diameter	1.2 in. / 30.48 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	16oz. / 453.59g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED


Length	10.154 in. / 257.912 mm
Run Time, High/Low/Eco	16h/42h/153h
Head Diameter	1.977 in. / 50.22 mm
Rechargeable	No
Blister Size	13 H x 5 W x 2 D in.
Chipboard Box Size	10.28 H x 1.97 W x 1.97 D in.

MAGLITE® ML50LX™

2 and 3-Cell C Flashlights



- Aggressive Knurled Design
- Stealth Matte Finish



2C

Type	Mid Size
Lumens	490 lm
Barrel Diameter	1.2 in. / 30.48 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	12.72oz. / 360.61g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	8.184 in. / 207.87 mm
Run Time, High/Low/Eco	15h/29h/112h
Head Diameter	1.977 in. / 50.22 mm
Rechargeable	No
Blister Size	13 H x 5 W x 2 D in.
Chipboard Box Size	8.34 H x 1.97 W x 1.97 D in.



3C

Type	Mid Size
Lumens	611 lm
Barrel Diameter	1.2 in. / 30.48 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	16oz. / 453.59g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	10.154 in. / 257.912 mm
Run Time, High/Low/Eco	16h/42h/153h
Head Diameter	1.977 in. / 50.22 mm
Rechargeable	No
Blister Size	13 H x 5 W x 2 D in.
Chipboard Box Size	10.28 H x 1.97 W x 1.97 D in.

With the familiar "QuickClick™" system users can, within the "General" function set, choose Full Power (maximum Lumens): Low Power (up to 113 Lumens: 2-Cell); or Eco Mode - a super power saving mode that yields up to 23 Lumens (2-Cell) with greatly extended run-time.

There are three additional function sets – Outdoor; Law Enforcement; and Military – each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers.

The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

Function Sets for ML50L™ and ML50LX™

Function Set	1 GENERAL (Default)	2 OUTDOOR	3 LAW ENFORCEMENT	4 TACTICAL
	Full Power	Full Power	Momentary	Momentary
	Low Power	Low Power	Full Power	Full Power
	Eco	Strobe	Eco	Strobe

Or if you prefer a flashlight with all the same technical and performance specifications and all the same functional possibilities but an Aggressive Knurled Design and a Stealth Matte Finish, you can choose the new Maglite® ML50LX™ model.

2C ML50L™ / ML50LX™						
299m	490 LUMENS	22400cd	1m	15h	29h	112h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME	

3C ML50L™ / ML50LX™						
339m	611 LUMENS	28760cd	1m	16h	42h	153h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME	

* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

COMPACT LED



MAGLITE® Solitaire® LED 1-Cell AAA Flashlight





Type	Compact	Length	3.187 in. / 81 mm
Lumens	47 lm	Run Time	1h45min
Barrel Diameter	.5 in. / 12.70 mm	Head Diameter	.5 in. / 12.70 mm
Battery	(Alkaline) Included	Rechargeable	No
Weight With Batteries	.8 oz. / 22.67g	Blister Size	6.50 H x 4.88 W x .80 D in.
Water-Resistant	Yes	Pres. Box Size	3.66 H x 2.25 W x .91 D in.
Drop Resistance	2m		
Technology	LED		



A Keychain-Size Flashlight with Big-Light Power.

That describes our Maglite® Solitaire® LED Flashlight. It features the classic look of our original Solitaire® flashlight introduced in 1988. And it works in the same simple way – just twist the head to turn on, turn off and focus spot to flood.

But thanks to a new, state-of-the-art LED light engine, you get something you just wouldn't expect to see coming out of a flashlight so small: A blast of power that can light up an object at the far end of the parking lot.



Presentation Box



MINI MAGLITE® AAA LED 2-Cell AAA Flashlight





Type	Compact	Length	5 in. / 127 mm
Lumens	111 lm	Run Time	2h45min
Barrel Diameter	.5 in. / 12.70 mm	Head Diameter	.75 in. / 19 mm
Batteries	(Alkaline) Included	Rechargeable	No
Weight With Batteries	1.73 oz. / 49.04g	Blister Size	8.88 H x 4.88 W x 1.06 D in.
Water-Resistant	Yes	Pres. Box Size	6.66 H x 2.25 W x 1.25 D in.
Drop Resistance	2m		
Technology	LED		



Small, Simple, But Scorchingly Bright.

The Mini Maglite® AAA LED Flashlight. The heir to the original Mini Maglite® 2AAA flashlight launched 25 years ago, this newest member of the family features the same classic look and size and the same simple operation just twist the head to turn it on, turn it off and focus the beam. But thanks to a latest-generation LED light engine, it produces a beam whose intensity is nothing short of amazing from a pocket-clippable flashlight that's not much bigger than a penlight.




Presentation Box



MINI MAGLITE® AA LED

2-Cell AA Flashlight




Type	Compact
Lumens	97 lm
Barrel Diameter	.709 in. / 18 mm
Batteries	(Alkaline) Included
Weight With Batteries	4.15oz. / 117.75g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	6.607 in. / 167.8 mm
Run Time, High/Low	11h/32h
Head Diameter	1 in. / 25.4 mm
Rechargeable	No
Blister Size	11 H x 5 W x 1.31 D in.
Pres. Box Size	7.375 H x 3.125 W x 1.125 D in.



FL 1 STANDARD					
145m	97 LUMENS	5253cd	1m	11h	32h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME



Blister pack



Presentation box



MINI MAGLITE® PRO® LED

2-Cell AA Flashlight




Type	Compact
Lumens	272 lm
Barrel Diameter	.709 in. / 18 mm
Batteries	(Alkaline) Included
Weight With Batteries	4.15 oz. / 117.75g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	6.607 in. / 167.8 mm
Run Time, High	2h30min
Head Diameter	1 in. / 25.4 mm
Rechargeable	No
Blister Size	11 H x 5 W x 1.31 D in.
Pres. Box Size	7.375 H x 3.125 W x 1.125 D in.



FL 1 STANDARD					
163m	272 LUMENS	6613 cd	2h30m	1m	
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT	DROP RESISTANT



Blister pack




Presentation box



MINI MAGLITE® PRO+® LED

2-Cell AA Flashlight




Type	Compact
Lumens	245 lm
Barrel Diameter	.709 in. / 18 mm
Batteries	(Alkaline) Included
Weight With Batteries	4.15 oz. / 117.75g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	6.607 in. / 167.8 mm
Run Time, High/Low	2h15min/27h
Head Diameter	1 in. / 25.4 mm
Rechargeable	No
Blister Size	11 H x 5 W x 1.31 D in.
Pres. Box Size	7.375 H x 3.125 W x 1.125 D in.



FL 1 STANDARD					
150m	245 LUMENS	5600cd	1m	2h15m	27h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME



Blister pack



Presentation box



The Mini Maglite® LED flashlight delivers performance oriented features in a sleek compact design. This advanced lighting instrument is driven by the next generation of MAG-LED technology. The Multi-Mode Electronic switch offers two different power settings - a maximum-power setting that yields maximum brightness and a 25% power setting to conserve battery power for reading at night, or for a prolonged emergency. Also includes 4 Selectable Modes: High Power, Low Power (25%), Blink Mode (Blinks approx. once a sec.) and SOS.


The iconic look of our original Mini Maglite® 2AA flashlight, introduced more than a quarter-century ago, is still seen in this newest member of the family. So is that same classic simplicity of function. But there's one big difference: A state of the art LED light engine for unprecedented performance.

Features the same iconic beauty that has made Mini Maglite® the world's most recognizable lighting instrument for a quarter-century. And it has the same renowned, high-precision optics that the MAGLITE® brand has always stood for. But there's a "PLUS" (two, actually): (1) The PRO+® offers new, powerful electronics, driving the state-of-the-art LED light engine to an impressive lumen output at the "high" setting and (2) The PRO+® lets the user choose between two output levels - one for maximum brightness, the other to conserve power.

COMPACT LED



MAGLITE® XL50® 3-Cell AAA Flashlight



Delivers user-friendly, performance oriented features in a sleek, tactical design

- Easy to use
- Powerful Projecting LED Beam
- Pushbutton tail cap switch
- Compact, Pocket Size Design

Type	Compact
Lumens	200 lm
Barrel Diameter	1 in. / 25.4 mm
Batteries	(Alkaline) Included
Weight With Batteries	3.68 oz. / 104g
Water-Resistant	Yes
Drop Resistance	1m
Technology	LED

Length	4.8 in. / 121.92 mm
Run Time, High/Low	6h45min/25h
Head Diameter	1 in. / 25.4 mm
Rechargeable	No
Blister Size	8.88 H x 4.88 W x 1.38 D in.
Pres. Box Size	6.625 H x 3.125 W x 1.125 D in.



Presentation box




Driven by the next generation of MAG-LED® technology, the XL50® provides a focusable beam plus three basic functions invoked by the QuickClik™ method, using the tailcap switch:

- > Turn on with one • QuickClik™ for 100% Power ... turn off with a single click.
- > Turn on with two •• QuickClicks™ for 25% Power ... turn off with a single click.
- > Turn on with three ••• QuickClicks™ for an Emergency Strobe ... off with a single click.



FL 1 STANDARD				HIGH	LOW*
224m	200 LUMENS	12533cd	1m	6h45min	25h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME



Our XL Series 3AAA LED flashlights, like all other Maglite® flashlights, have heads that rotate to provide adjustable beam focusing. They also provide multiple functions, invoked by our familiar "QuickClick™" method.

The design features a cluster of three batteries inserted side-by-side (rather than one-behind-the-other) within a wide-diameter barrel. And we placed a clickable pushbutton switch in the tail cap—all of which makes for an extremely fast-handling light with a short, easily grippable profile suitable for pocket, pack or belt.



TACTICAL PACK
Includes Lens Holder/Anti-Roll Device, Color Lens Set and Pocket Clip and premium alkaline batteries.

Available for XL200® and XL50®.



MAGLITE® XL200® 3-Cell AAA Flashlight



The newest member of our XL Series of compact LED flashlights, the XL200®, offers a rich array of advanced functions. Using the tail cap switch, the user can invoke any of five functions; and an inertial switch responds when the user rotates the flashlight to make output adjustments. For a full demonstration, see our demo video at www.maglite.com.

The remarkably versatile XL200® can:


- Turn on and adjust continuously between bright and dim – and remember the user's choice the next time the light is turned on.
- Produce a strobe whose rate is user-adjustable from fast to slow – and remember the setting from use to use.
- Assume a "Nite Lite™" mode: The light comes on bright, gradually dimming to darkness. Then it just waits – ready to come on instantly if touched or moved.
- Enter a silent signal mode – producing visible International Morse Code signals (short and long flashes = "dots and dashes"), which the user controls by rotating the light.
- Produce a continuous, automatic flashing "SOS" signal.

In addition, the XL200® has a "Lockout" feature to prevent accidental activation.



Type	Compact	Length	4.8 in. / 121.92 mm
Lumens	172 lm	Run Time, High/Low	2h30min/218h
Barrel Diameter	1 in. / 25.4 mm	Head Diameter	1 in. / 25.4 mm
Batteries	(Alkaline) Included	Rechargeable	No
Weight With Batteries	3.68 oz. / 104g	Blister Size	8.88 H x 4.88 W x 1.38 D in.
Water-Resistant	Yes	Pres. Box Size	6.625 H x 3.125 W x 1.125 D in.
Drop Resistance	1m		
Technology	LED		

FL 1 STANDARD				HIGH	LOW*
138m	172 LUMENS	4737 cd	WATER RESISTANT	1m	2h30min / 218h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT	RUN TIME



* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

TACTICAL LED




In developing the MAG-TAC® LED flashlight, we aimed to produce an advanced lighting tool that, in appearance, build quality and performance, would rival tactical flashlights costing several times more.

Designed with extensive input from military and police tactical users and consultants, yet suitable for civilian use.


The result is the first Mag flashlight to use extreme-performance lithium CR123 batteries - a rugged, fast-handling, "fist-grabbable" flashlight that achieves truly stunning performance for its size.

MAG-TAC® 2-Cell CR123 Flashlight Crowned Bezel



Designed with extensive input from military tactical consultants, yet suitable also for civilian use, this crowned-bezel version of the MAG-TAC® LED flashlight comes with a detachable pocket clip and features three modes: Momentary (in which the light stays on only while the switch button is being pressed); Full Power for a dazzling, 320-lumen beam that can light up an object two football fields away; and Strobe for a high-energy 12 Hz strobe that can disorient an opponent. All functions are selectable through Mag Instrument's tail cap-switch-activated "QuickClick™" mode selector.

Type	Tactical	Length	5.275 in. / 133.98 mm
Lumens	320 lm	Run Time, High	4h
Barrel Diameter	1.050 in. / 26.67 mm	Head Diameter	1.050 in. / 26.67 mm
Batteries	(CR123) Included	Rechargeable	No
Weight With Batteries	4.8 oz. / 136g	Blister Size	8.88 H x 4.88 W x 1.38 D in.
Water-Resistant	Yes		
Drop Resistance	2m		
Technology	LED		




FL 1 STANDARD

193m BEAM DISTANCE	320 LUMENS	9267cd PEAK BEAM INTENSITY	4h RUN TIME	WATER RESISTANT	2m DROP RESISTANT
-----------------------	---------------	-------------------------------	----------------	-----------------	----------------------


* IPX4 Water Resistant

MAG-TAC® 2-Cell CR123 Flashlight Plain Bezel



Designed with extensive input from police tactical users, yet suitable also for civilian use, this plain-bezel version of the MAG-TAC® LED flashlight comes with a detachable pocket clip and features three modes: Two power levels (Full Power for extreme brightness and Power Save for prolonged battery life) plus a Momentary mode (in which the light stays on only while the switch button is being pressed) all selectable through Mag Instrument's tail cap-switch-activated "QuickClick™" mode selector.

Type	Tactical	Length	5.203 in. / 133.98 mm
Lumens	310 lm	Run Time, High/Low	4h/17h
Barrel Diameter	1.050 in. / 26.67 mm	Head Diameter	1.050 in. / 26.67 mm
Batteries	(CR123) Included	Rechargeable	No
Weight With Batteries	4.8 oz. / 136g	Blister Size	8.88 H x 4.88 W x 1.38 D in.
Water-Resistant	Yes		
Drop Resistance	2m		
Technology	LED		



FL 1 STANDARD

182m BEAM DISTANCE	310 LUMENS	8293cd PEAK BEAM INTENSITY	WATER RESISTANT	2m DROP RESISTANT	4h HIGH RUN TIME	17h LOW RUN TIME
-----------------------	---------------	-------------------------------	-----------------	----------------------	---------------------	---------------------

* IPX4 Water Resistant

* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

RECHARGEABLE LED



MAG-TAC® Rechargeable System



Plain Bezel



Black



An advanced lighting tool powered by a high capacity Lithium Iron Phosphate (LiFePO4) rechargeable battery engineered for long service life with a 2.5 hr. charge time. Along with superior build quality and performance, this crowned-bezel version of the MAG-TAC® LED rechargeable flashlight comes with a detachable pocket clip and a USB powered mountable charging base. The charging base can be powered by the included 12V adapter or 120V converter, or by any other charging source that complies with the USB 2.0 Standard. Also, 4 Functions selectable through Mag Instrument's tail cap-switch-activated "QuickKlik™" mode selector. Momentary, Full Power - 543 Lumens (Crowned) 533 Lumens (Plain) @ 2.5 hr. runtime, Power Save - 112 Lumens @ 4 hr. 15 min. runtime, Strobe.



Crowned

Type	Rechargeable	Length	5.80 in. / 147.57 mm
Lumens	543 lm	Run Time, High/Low	2h30m/4h
Barrel Diameter	1.050 in. / 26.67 mm	Head Diameter	1.050 in. / 26.67 mm
Battery	(LiFePO4) Included	Rechargeable	Yes
Weight With Batteries	5.5 oz. / 155.9g	Chipboard Box Size	9.41 H x 5.12 W x 2.187 D in.
Water-Resistant	Yes		
Drop Resistance	2m		
Technology	LED		



Chipboard box



Plain


Type	Rechargeable	Length	5.70 in. / 147.57 mm
Lumens	533 lm	Run Time, High/Low	2h30m/4h
Barrel Diameter	1.050 in. / 26.67 mm	Head Diameter	1.050 in. / 26.67 mm
Battery	(LiFePO4) Included	Rechargeable	Yes
Weight With Batteries	5.5 oz. / 155.9g	Chipboard Box Size	9.41 H x 5.12 W x 2.187 D in.
Water-Resistant	Yes		
Drop Resistance	2m		
Technology	LED		



181m	543 LUMENS	FL 1 STANDARD 8171cd	WATER RESISTANT	2m	HIGH 2h30min	LOW 4h15min
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY		DROP RESISTANT	RUN TIME	

178m	533 LUMENS	FL 1 STANDARD 7878cd	WATER RESISTANT	2m	HIGH 2h30min	LOW 4h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY		DROP RESISTANT	RUN TIME	

Mag Charger® LED Rechargeable System



With the familiar "QuickClik™" system users can, within the "General" function set, choose Full Power (643 Lumens); Low Power (148 Lumens); or Eco Mode - Featuring improved recharging efficiency and a super power saving mode that yields up to 66 lumens with greatly extended run-time. There are three additional function sets Outdoor; Law Enforcement; and Military each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

Type	Rechargeable	Length	12.812 in. / 325.42 mm
Lumens	643 lm	Run Time, High/Low/Eco	4h/17h/37h
Barrel Diameter	1.5 in. / 38.1 mm	Head Diameter	2.25 in. / 57.15 mm
Battery	(NiMH) Included	Rechargeable	Yes
Weight With Batteries	28 oz. / 794g	Chipboard Box Size	14 H x 7 W x 4 D in.
Water-Resistant	Yes		
Drop Resistance	1m		
Technology	LED		



FL 1 STANDARD		HIGH	LOW	ECO *
407m	643 LUMENS	41400cd	1m	4h
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT	DROP RESISTANT
		RUN TIME		

ML125® Rechargeable System



The Maglite® ML125® can be CUSTOM-CONFIGURED for fastest access to the particular user's most-frequently-used functions. Four different function sets are available (General, Outdoor, Law Enforcement and Military). Using Mag's familiar QuickClik™ system the user can, within the chosen function set, access different functional modes in different sequences. Five different functional modes are available (in different sequences depending on the chosen function set): Full Power, PowerSave; Momentary On/Off; Strobe; and SOS Signal. The ML125® is a DUAL-POWER flashlight. It will operate on the environmentally friendly NiMH rechargeable battery that is supplied or, alternatively, it can run on three C-cell alkaline batteries. Some owners use both, powering the flashlight with alkalines while the NiMH battery is recharging in the supplied charging cradle.

Type	Rechargeable	Length	11.104 in. / 282.042 mm
Lumens	186 lm	Run Time, High/Low	8h30min/30h
Barrel Diameter	1.199 in. / 30.455 mm	Head Diameter	1.977 in. / 50.216 mm
Battery	(NiMH) Included	Rechargeable	Yes
Weight With Batteries	18.4oz. / 521.631g	Chipboard Box Size	9.125 H x 14.125 W x 2.5 D in.
Water-Resistant	Yes		
Drop Resistance	1m		
Technology	LED		



FL 1 STANDARD		HIGH	LOW
258m	186 LUMENS	16725cd	1m
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT
		DROP RESISTANT	
		RUN TIME	

With NiMH battery

FL 1 STANDARD		HIGH	LOW
273m	193 LUMENS	18581cd	1m
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT
		DROP RESISTANT	
		RUN TIME	

With Alkaline batteries



* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.


FULL SIZE INCANDESCENT



MAGLITE® D Flashlights

2, 3, 4, 5, 6-Cell D

Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® D-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.



Type	Full Size	Length	10 in. / 254 mm
Lumens	27 lm	Run Time, High	8h30min
Barrel Diameter	1.562 in. / 39.67 mm	Head Diameter	2.25 in. / 57 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	23 oz. / 674g	Blister Size	12.88 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	10 H x 2.25 W x 2.25 D in.
Drop Resistance	N/A		
Technology	(Xenon) Incandescent		



Type	Full Size	Length	12.344 in. / 313 mm
Lumens	45 lm	Run Time, High	10h
Barrel Diameter	1.562 in. / 39.67 mm	Head Diameter	2.25 in. / 57 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	30 oz. / 856g	Blister Size	14.88 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	12.38 H x 2.25 W x 2.25 D in.
Drop Resistance	N/A		
Technology	(Krypton) Incandescent		

2D

FL 1 STANDARD *

BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

3D

FL 1 STANDARD *

BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Blister pack



Chipboard box



Spare Lamp in Tail Cap



Blister pack



Chipboard box





4D

FL 1 STANDARD				
267m	98 LUMENS	17900cd	9h30min	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Type	Full Size
Lumens	98 lm
Barrel Diameter	1.562 in. / 39.67 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	36 oz. / 1043g
Water-Resistant	Yes
Drop Resistance	N/A
Technology	(Xenon) Incandescent



Length	14.719 in. / 375 mm
Run Time, High	9h30min
Head Diameter	2.25 in. / 57 mm
Rechargeable	No
Blister Size	16.88 H x 5 W x 2.25 D in.
Chipboard Box Size	14.75 H x 2.25 W x 2.25 D in.



5D

FL 1 STANDARD				
312m	151 LUMENS	24400cd	9h15min	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Type	Full Size
Lumens	151 lm
Barrel Diameter	1.562 in. / 39.67 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	43 oz. / 1233g
Water-Resistant	Yes
Drop Resistance	N/A
Technology	(Xenon) Incandescent



Length	17.125 in. / 434 mm
Run Time, High	9h15min
Head Diameter	2.25 in. / 57 mm
Rechargeable	No
Blister Size	19.25 H x 5 W x 2.25 D in.
Chipboard Box Size	17.19 H x 2.25 W x 2.25 D in.



6D

FL 1 STANDARD				
295m	136 LUMENS	21850cd	11h	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Type	Full Size
Lumens	136 lm
Barrel Diameter	1.562 in. / 39.67 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	50 oz. / 1417g
Water-Resistant	Yes
Drop Resistance	N/A
Technology	(Krypton) Incandescent



Length	19.5 in. / 495 mm
Run Time, High	11h
Head Diameter	2.25 in. / 57 mm
Rechargeable	No
Blister Size	21.50 H x 5 W x 2.25 D in.
Chipboard Box Size	19.56 H x 2.25 W x 2.25 D in.

MID SIZE INCANDESCENT



MAGLITE® C Flashlights 2, 3, 4-Cell C



2C

Type	Mid Size	Length	8.937 in. / 227 mm
Lumens	31 lm	Run Time, High	4h15min
Barrel Diameter	1.25 in. / 31.75 mm	Head Diameter	2.25 in. / 57 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	15 oz. / 445g	Blister Size	11 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	9 H x 2.25 W x 2.25 D in.
Drop Resistance	N/A		
Technology	(Xenon) Incandescent		

FL 1 STANDARD *				
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Spare Lamp in Tail Cap



Black



Blister pack



Chipboard box



Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® C-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.

3C

Type	Mid Size	Length	10.875 in. / 276 mm
Lumens	45 lm	Run Time, High	4h
Barrel Diameter	1.25 in. / 31.75 mm	Head Diameter	2.25 in. / 57 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	19 oz. / 541g	Blister Size	12.88 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	10.94 H x 2.25 W x 2.25 D in.
Drop Resistance	N/A		
Technology	(Krypton) Incandescent		

FL 1 STANDARD *				
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

4C

Type	Mid Size	Length	12.812 in. / 325 mm
Lumens	105 lm	Run Time, High	4h
Barrel Diameter	1.25 in. / 31.75 mm	Head Diameter	2.25 in. / 57 mm
Batteries	(Alkaline) Not Included	Rechargeable	No
Weight With Batteries	22 oz. / 637g	Blister Size	14.88 H x 5 W x 2.25 D in.
Water-Resistant	Yes	Chipboard Box Size	12.88 H x 2.25 W x 2.25 D in.
Drop Resistance	N/A		
Technology	(Xenon) Incandescent		

FL 1 STANDARD *				
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

MAGLITE® ML25IT™

2, 3-Cell C Flashlights

The New Maglite® ML25IT™ C-Cell Flashlight
Sleek compact quality design.



- Simple twist head (ON/OFF - Focus)
- Focusing beam - turn head further to adjust from SPOT to FLOOD
- Rugged machined aluminum construction
- Candle Mode

FL 1 STANDARD				
163m	30 LUMENS	6616 cd	3h30min	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Type	Mid Size
Lumens	30
Barrel Diameter	1.2 in. / 30.48 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	11.2 oz. / 317.51g
Water-Resistant	Yes
Drop Resistance	N/A
Technology	(Xenon) Incandescent

2C

Length	6.632 in. / 168.45 mm
Run Time, High	3h30min
Head Diameter	1.7 in. / 43.18 mm
Rechargeable	No
Blister Size	8.87 H x 4.87 W x 1.75 D in.
Chipboard Box Size	6.68 H x 1.71 W x 1.71 D in.



FL 1 STANDARD				
222m	63 LUMENS	12435 cd	3h15min	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT

Type	Mid Size
Lumens	63
Barrel Diameter	1.2 in. / 30.48 mm
Batteries	(Alkaline) Not Included
Weight With Batteries	14.4 oz. / 408.23g
Water-Resistant	Yes
Drop Resistance	N/A
Technology	(Xenon) Incandescent


3C

Length	8.6 in. / 218.44 mm
Run Time, High	3h15min
Head Diameter	1.7 in. / 43.18 mm
Rechargeable	No
Blister Size	11 H x 5 W x 1.75 D in.
Chipboard Box Size	8.62 H x 1.71 W x 1.71 D in.

Candle Mode



Spare Lamp in Tail Cap




Blister pack



Chipboard box



COMPACT INCANDESCENT



Spot to Flood




Candle Mode



Spare Lamp in Tail Cap



MAGLITE® Solitaire® 1-Cell AAA Flashlight



Weighing less than one ounce (with battery) and about three inches in length, the Solitaire 1-Cell AAA flashlight offers the same precision engineering and craftsmanship found in every Maglite® flashlight. With its unique shape, the Solitaire® flashlight fits conveniently into pockets, purses, attache cases, etc.

Type	Compact	Length	3.187 in. / 81 mm
Lumens	2 lm	Run Time, High	3h45min
Barrel Diameter	.5 in. / 12.70 mm	Head Diameter	.5 in. / 12.70 mm
Battery	(Alkaline) Included	Rechargeable	No
Weight With Batteries	.8 oz. / 22.67g	Blister Size	6.50 H x 4.88 W x .80 D in.
Water-Resistant	Yes	Pres. Box Size	3.66 H x 2.25 W x .91 D in.
Drop Resistance	1m		
Technology	(Xenon) Incandescent		

FL 1 STANDARD *

BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT	DROP RESISTANT



Blister pack



Presentation box



MINI MAGLITE® AAA 2-Cell AAA Flashlight




Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® flashlight. Now an icon of classic American design, and famous around the world for its brightness, quality, durability, and dependability. The Mini Maglite® 2-Cell AAA flashlight has all the same features and functions as the Mini Maglite® AA flashlight in a smaller, lighter version for ease of use and storage.

Type	Compact	Length	5 in. / 127 mm
Lumens	9 lm	Run Time, High	2hr30min
Barrel Diameter	.5 in. / 12.70 mm	Head Diameter	.75 in. / 19 mm
Batteries	(Alkaline) Included	Rechargeable	No
Weight With Batteries	1.73oz. / 49.04g	Blister Size	8.88 H x 4.88 W x 1.06 D in.
Water-Resistant	Yes	Pres. Box Size	6.66 H x 2.25 W x 1.25 D in.
Drop Resistance	1m		
Technology	(Xenon) Incandescent		

FL 1 STANDARD *

BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT	DROP RESISTANT



Blister pack



Presentation box



MINI MAGLITE® AA 2-Cell AA Flashlight




Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® AA flashlight. Now an icon of classic American design, and famous around the world for its brightness, quality, durability, and dependability.

Type	Compact	Length	5.75 in. / 146 mm
Lumens	14 lm	Run Time, High	5h15min
Barrel Diameter	.719 in. / 18 mm	Head Diameter	1 in. / 25.4 mm
Batteries	(Alkaline) Included	Rechargeable	No
Weight With Batteries	3.78 oz. / 107.16g	Blister Size	8.88 H x 4.88 W x 1.38 D in.
Water-Resistant	Yes	Pres. Box Size	6.66 H x 3.25 W x 1.25 D in.
Drop Resistance	1m		
Technology	(Xenon) Incandescent		

FL 1 STANDARD *

BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	RUN TIME	WATER RESISTANT	DROP RESISTANT



Blister pack



Blister Holster pack




















Presentation box



* Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

ACCESSORIES

Quality and dependability are the hallmarks of all our Maglite® flashlights. We insist upon the same quality and dependability for every accessory, designed to work in conjunction with the flashlight to deliver optimum performance.

	Traffic Wand (A)	Accessory Pack (B)	Leather Belt Holder (C)	Black Nylon Full Flap Holster (D)	UCP Camo Nylon Full Flap Holster (E)	Black Leather Holster (F)	Mounting Brackets (G)	NVG/ Infra-Red Lens (H)	Replacement Lamp (I)
 Solitaire® Incandescent									•
 Mini Maglite® AA Incandescent		•		•	•	•	•	•	•
 Mini Maglite® AAA Incandescent				•					•
 Mini Maglite® AA LED / Pro, Pro+		•		•	•	•	•	•	
 Mini Maglite® AAA LED				•					
 Maglite® C-Cell	•		•				•	•	•
 Maglite® D-Cell Incandescent	•	•	•				•	•	•
 Maglite® D-Cell LED	•	•	•				•		
 Mag Charger® LED	•		•						
 ML300L™ ML300LX™	•		•				•		
 ML100®			•				•		
 ML50L™ ML50LX™			•				•		
 MAG-TAC®				•					
 XL50®/XL200®				•					
 MAG-TAC® RECHARGEABLE				•					
 ML125®			•				•		
 ML25IT™ ML25LT™			•				•		



Traffic Wand Kits

Red (ASXX798)
White (ASXX808)
Yellow (ASXX508)

A



D-Cell Leather Belt Holder Plain (ASXD036)
Basketweave (ASXD056) (not shown)
C-Cell Leather Belt Holder Plain (ASXC046) (not shown)

C

Maglite® C-Cell mounting bracket (ASXCAT6)
Maglite® D-Cell mounting bracket (ASXD026)
Mini Maglite® 2-Cell AA mounting bracket (AM2A496) (not shown)



G



Black Nylon Full Flap Holsters



MAG-TAC® (AG2L016)



XL50® / XL200® (XLXXX-A3046)



Mini Maglite® 2-Cell AA (AM2A056). Also available for Mini Maglite® 2-Cell AAA (AM3A026)



Mini Maglite® LED 2-Cell AA (AP2X136)

2-Cell AA Accessory Pack (AM2A016)

Includes: Red, Blue, and Clear lenses, anti-roll device/lens holder, Wrist lanyard, and Pocket clip



B



UCP Camo Nylon Full Flap Holsters



Mini Maglite® 2-Cell AA (AM2A886)



Mini Maglite® LED 2-Cell AA (AP2X106)

E

F




Black Leather Holster Mini Maglite® 2-Cell AA Flashlight (AM2A026)

D-Cell Accessory Pack (ASXX376)

Includes a rubber anti-roll device/lens holder; Red, Blue and Clear lenses, and two D-Cell mounting brackets. (Anti-roll device and lenses also fit C-Cell flashlights)



I



Mag® Night Vision Green (NVG) Lenses block Infra-Red light while transmitting visible light. Mag® Infra-Red Lenses block 99-100% of the visible light from our flashlights allowing for a maximum of Infra-Red output while remaining extremely covert. These lenses tremendously improve the image received by night vision goggles, Starlight, Infra-Red and night vision scopes without showing your light source.

Not compatible with LED Flashlights.



H

COMPARE LED



	Solitaire® LED 1-cell AAA	Mini Maglite® LED 2-cell AAA	Mini Maglite® LED 2-cell AA	Mini Maglite® PRO® 2-cell AA	Mini Maglite® PRO+® 2-cell AA	XL50® 3-cell AAA	XL200® 3-cell AAA	MAG-TAC® Crowned 2-cell CR123	MAG-TAC® Plain 2-cell CR123	MAG-TAC® Rechargeable Crowned	MAG-TAC® Rechargeable Plain
Type	Compact	Compact	Compact	Compact	Compact	Compact	Compact	Tactical	Tactical	Rechargeable	Rechargeable
Beam	61m	116m	145m	163m	150m	224m	138m	193m	182m	181m	178m
Lumens	47	111	97 / 23	272	245 / 35	200 / 34	172 / 24	320	310 / 57	543 / 112	533 / 114
Run Time	1h45min	2h45min	11h 32h	2h30min	2h15min 27h	6h45min 25h	2h30min 218h	4h	4h 17h	2h30min 4h5min	2h30min 4h
Water Resistant	Yes-IPX7	Yes-IPX7	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4
Drop Resistance	2m	2m	1m	1m	1m	1m	1m	2m	2m	2m	2m
Technology	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
Length	3.187 in. 81mm	5 in. 127mm	6.607 in. 167.8mm	6.607 in. 167.8mm	6.607 in. 167.8mm	4.8 in. 121.92mm	4.8 in. 121.92mm	5.275 in. 133.98mm	5.203 in. 133.98mm	5.80 in. 147.57mm	5.70 in. 147.57mm
Barrel Diameter	.5 in. 12.70mm	.5 in. 12.70mm	.709 in. 18mm	.709 in. 18mm	.709 in. 18mm	1 in. 25.4mm	1 in. 25.4mm	1.05 in. 26.67mm	1.05 in. 26.67mm	1.05 in. 26.67mm	1.05 in. 26.67mm
Head Diameter	.5 in. 12.70mm	.75 in. 19mm	1 in. 25.4mm	1 in. 25.4mm	1 in. 25.4mm	1 in. 25.4mm	1 in. 25.4mm	1.05 in. 26.67mm	1.05 in. 26.67mm	1.05 in. 26.67mm	1.05 in. 26.67mm
Batteries	AAA Alkaline	AAA Alkaline	AA Alkaline	AA Alkaline	AA Alkaline	AAA Alkaline	AAA Alkaline	CR123	CR123	LiFePO4	LiFePO4
Weight with Batteries	.800 oz.	1.730 oz.	4.150 oz.	4.150 oz.	4.150 oz.	3.68 oz.	3.68 oz.	4.8 oz.	4.8 oz.	5.5 oz.	5.5 oz.
Rechargeable										✓	✓
Activity Based Function Set											
Electronic Switch						✓	✓	✓	✓	✓	✓
Multi-Mode			✓		✓	✓	✓	✓	✓	✓	✓
Hands-Free Candle Mode	✓	✓	✓	✓	✓						
ECO Mode											
NTOA						✓	✓	✓	✓	✓	✓









MAG CHARGER® Rechargeable	Maglite® 2-cell D LED	Maglite® 3-cell D LED	ML300L™ 2-cell D	ML300L™ 3-cell D	ML300LX™ 2-cell D	ML300LX™ 3-cell D	ML25LT™ 2-cell C	ML25LT™ 3-cell C	ML50L™ 2-cell C	ML50L™ 3-cell C	ML50LX™ 2-cell C	ML50LX™ 3-cell C	ML125® 3-cell C
Rechargeable	Full Size	Full Size	Full Size	Full Size	Full Size	Full Size	Mid Size	Mid Size	Mid Size	Mid Size	Mid Size	Mid Size	Rechargeable
407m	412m	412m	366m	406m	366m	406m	319m	309m	299m	339m	299m	339m	258m
643 148 66	168	168	524 143 58	625 130 58	524 143 58	625 130 58	177	173	490 113 23	611 105 20	490 113 23	611 105 20	186
4h	6h45min	80h	6h30min	16h	6h30min	16h	2h	18h	15h	16h	15h	16h	8h30min
17h			20h	77h	20h	77h			29h	42h	29h	42h	
37h			69h	117h	69h	117h			112h	153h	112h	153h	
Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4
1m	1m	1m	1m	1m	1m	1m	1m	1m	1m	1m	1m	1m	1m
LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
12.812 in. 325.42mm	10 in. 254mm	12.344 in. 313mm	9.125 in. 231.77mm	11.75 in. 298.45mm	9.125 in. 231.77mm	11.75 in. 298.45mm	6.632 in. 168.45mm	8.6 in. 218.44mm	8.184 in. 207.87mm	10.154 in. 257.912mm	8.184 in. 207.87mm	10.154 in. 257.912mm	11.104 in. 282.042mm
1.5 in. 38.1mm	1.562 in. 39.67mm	1.562 in. 39.67mm	1.55 in. 38.1mm	1.55 in. 38.1mm	1.55 in. 38.1mm	1.55 in. 38.1mm	1.2 in. 30.48mm	1.2 in. 30.48mm	1.2 in. 30.48mm	1.2 in. 30.48mm	1.2 in. 30.48mm	1.2 in. 30.48mm	1.199 in. 30.455mm
2.25 in. 57.15mm	2.25 in. 57.15mm	2.25 in. 57.15mm	2.25 in. 57.15mm	2.25 in. 57.15mm	2.25 in. 57.15mm	2.25 in. 57.15mm	1.7 in. 43.18mm	1.7 in. 43.18mm	1.977 in. 50.22mm	1.977 in. 50.22mm	1.977 in. 50.22mm	1.977 in. 50.22mm	1.977 in. 50.216mm
NiMH	D Alkaline	D Alkaline	D Alkaline	D Alkaline	D Alkaline	D Alkaline	C Alkaline	C Alkaline	C Alkaline	C Alkaline	C Alkaline	C Alkaline	NiMH or C Alkaline
28 oz.	23 oz.	30 oz.	20 oz.	26.4 oz.	20 oz.	26.4 oz.	11.2 oz.	14.4 oz.	12.72 oz.	16 oz.	12.72 oz.	16 oz.	18.4 oz.
✓													✓
✓			✓	✓	✓	✓			✓	✓	✓	✓	
✓			✓	✓	✓	✓			✓	✓	✓	✓	✓
							✓	✓					
✓			✓	✓	✓	✓			✓	✓	✓	✓	
✓			✓	✓	✓	✓							

* Performance figures are estimates, final ANSI test results are pending. Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

COMPARE INCANDESCENT



	Solitaire® 1-Cell AAA	Mini Maglite® 2-Cell AAA	Mini Maglite® 2-Cell AA	Maglite® 2-Cell C	Maglite® 3-Cell C	Maglite® 4-Cell C
Type	Compact	Compact	Compact	Mid Size	Mid Size	Mid Size
Beam 	20m	31m	96m	223m	274m	266m
Lumens 	2	9	14	31	45	105
Run Time 	3h45min	2h31min	5h15min	4h15min	4h	4h
Water Resistant 	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4
Drop Resistance 	1m	1m	1m	N/A	N/A	N/A
Technology	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent
Length	3.187 in. 81mm	5 in. 127mm	5.75 in. 146mm	8.937 in. 227mm	10.875 in. 276mm	12.812 in. 325mm
Barrel Diameter	.5 in. 12.70mm	.5 in. 12.70mm	.719 in. 18mm	1.25 in. 31.75mm	1.25 in. 31.75mm	1.25 in. 31.75mm
Head Diameter	.5 in. 12.70mm	.75 in. 19mm	1 in. 25.4mm	2.25 in. 57mm	2.25 in. 57mm	2.25 in. 57mm
Batteries	AAA Alkaline	AAA Alkaline	AA Alkaline	C Alkaline	C Alkaline	C Alkaline
Weight with Batteries	.8 oz. / 24g	1.73 oz. / 49.04g	3.78 oz. / 107.16 g	15 oz. / 445g	19 oz. / 541g	22 oz. / 637g
Rechargeable	No	No	No	No	No	No
Hands-Free Candle Mode 	✓	✓	✓			



ML25IT™ 2-Cell C	ML25IT™ 3-Cell C	Maglite® 2-Cell D	Maglite® 3-Cell D	Maglite® 4-Cell D	Maglite® 5-Cell D	Maglite® 6-Cell D
Mid Size	Mid Size	Full Size	Full Size	Full Size	Full Size	Full Size
163m	222m	206m	254m	267m	312m	295m
30	63	27	45	98	151	136
3h30min	3h15min	8h30min	10h	9h30min	9h15min	11h
Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4	Yes-IPX4
N/A	N/A	N/A	N/A	N/A	N/A	N/A
Incandescent	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent
6.632 in. 168.45mm	8.6 in. 218.44mm	10 in. 254mm	12.344 in. 313mm	14.719 in. 375mm	17.125 in. 434mm	19.5 in. 495mm
1.2 in. 30.48mm	1.2 in. 30.48mm	1.562 in. 39.67mm	1.562 in. 39.67mm	1.562 in. 39.67mm	1.562 in. 39.67mm	1.562 in. 39.67mm
1.7 in. 43.18mm	1.7 in. 43.18mm	2.25 in. 57mm	2.25 in. 57mm	2.25 in. 57mm	2.25 in. 57mm	2.25 in. 57mm
C Alkaline	C Alkaline	D Alkaline	D Alkaline	D Alkaline	D Alkaline	D Alkaline
11.2 oz. / 317.51g	14.4 oz. / 408.23g	23 oz. / 674g	30 oz. / 856g	36 oz. / 1043g	43 oz. / 1233g	50 oz. / 1417g
No	No	No	No	No	No	No
✓	✓					

* Performance figures are estimates, final ANSI test results are pending. Under Mag Instrument's Continuous Product Improvement strategy, we do make in-line changes to existing products that can impact performance. The ANSI test results shown here are current as this catalog goes to press. Consult product packaging/labeling for any updated performance figures.

IN THE COMMUNITY



Did you know there is going to be a National Law Enforcement Museum?

Overview

In 2000, a law (P.L. 106-492) passed by the United States Congress

and signed by President Clinton authorized a national law enforcement museum to be built on federal property in Washington, D.C. The museum will be privately funded and will be developed, constructed, owned and operated by the National Law Enforcement Officers Memorial Fund (NLEOMF) — the same nonprofit organization that built and now oversees the National Law Enforcement Officers Memorial. Building and exhibit designs are being finalized. Precious artifacts that reflect the work of law enforcement, past and present, are being collected. And the “A Matter of Honor” fundraising campaign is underway. The museum will reach a broad and diverse audience, with attendance expected to be as high as half a million visitors a year, including 40,000 students on class trips.

The Need

The need for a museum first became evident soon after the National Law Enforcement Officers Memorial was completed and there was a keen interest expressed by many visitors in learning the stories behind the thousands of officers memorialized. In 1993, a small Memorial Visitors Center was established near the monument. By 1997, the museum vision had grown and


the NLEOMF decided to make the creation of a “Smithsonian-like law enforcement museum” its number one long-term objective. The museum’s mission is to increase public support for law enforcement and to promote law enforcement safety.

Dating back to the first fatality in 1792, more than 17,000 officers have sacrificed their lives in the line of duty. Yet despite the dangers and other difficulties of the job, there are more than 800,000 federal, state and local law enforcement officers serving proudly today in communities across America, putting their lives on the line for the safety and protection of others. It is an incredible story of service and sacrifice that, for the most part, has gone untold. As a result, many Americans continue to take our police officers for granted. The National Law Enforcement Museum will help to generate a better understanding and appreciation of the vital contributions our law officers have made to our nation.

“Clearly, the courage and sacrifice displayed by our law enforcement officers is having a profound and positive effect on our society,” declared Senator Ben “Nighthorse” Campbell after the museum legislation passed. “Establishing this museum is the least we can do to honor them and ensure that their stories of heroism and sacrifice are never forgotten.”

The Site

The museum will be located in the heart of our Nation’s Capital in a historic setting called Judiciary Square (400 block of E Street, NW).



Appropriately, the museum site is directly across the street from the National Law Enforcement Officers Memorial, which was established in 1991. This property is surrounded by court buildings, the original City Hall for the District of Columbia, and the National Building Museum. This is a thriving area of downtown Washington that already attracts millions of tourists each year.



Maglite® Proud to help.

In the spirit of continuing Mag’s commitment, Mag Instrument is now both a Founding Partner of the National Law Enforcement Museum and a Founding Member of the NLEOMF, and has been a Sterling Circle Member of the NLEOMF since 2002.

For more information: please visit www.maglite.com.



NATIONAL FALLEN FIREFIGHTERS ASSOCIATION

The United States Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to remember America’s™ fallen firefighters through a variety of activities. Since 1992, the tax-exempt, nonprofit Foundation has developed and expanded programs to honor our fallen fire heroes and assist their families and coworkers.

The Foundation is a 501(c)3 nonprofit organization, located in Emmitsburg, Maryland. It is registered as a corporation in the State of Maryland. The Foundation receives funding through private donations from individuals, organizations, corporations, and foundations.



Mag Instrument is a proud sponsor of **the National Breast Cancer Foundation.**

The NBCF Mission Statement:

“The National Breast Cancer Foundation mission is to save lives by increasing awareness of breast cancer through education and by providing mammograms for those in need”

Press Release

“Just about everybody has a friend, a co-worker or a relative, if not an immediate family member, who has been challenged by this disease,” said Tony Maglica, Founder and President of Mag Instrument. “And it doesn’t just affect the patient. One case touches many lives. So we wanted to help do something about breast cancer.”

MERCHANDISING



Blister Pack Compact Size

(1 Flashlight with Batteries)
Shown: (1) Mini Maglite® PRO® LED Flashlight Holster Blister Pack



Blister Combo Pack

(1 Flashlight with Batteries and Accessories)
Shown: (1) Maglite® XL50® LED Flashlight Tactical Blister Pack



Blister Pack Full Size

(1 Flashlight)
Shown: (1) Maglite® LED 3D Flashlight



Presentation Box

(1 Flashlight with Batteries)
Shown: (1) Mini Maglite® AAA LED Flashlight



Chipboard Display Box

(1 Flashlight)
Shown: (1) Maglite® 2D Flashlight



Chipboard Display Gift Box

(1 Flashlight Kit)
Shown: (1) MAG-TAC® Rechargeable Crowned Head LED Flashlight Kit



Product Tray

(6 Flashlights)
Shown: (6) Maglite® Solitaire® LED Flashlights



Clip Strip Blister Packs

(12 Flashlights)
Shown: (12) Maglite® Solitaire® LED Flashlights



Sidekick Display

(12 Total Flashlights)
Shown: (12) Mini Maglite® PRO® LED Flashlights



Nested Display

(24 Total Flashlights)
Shown: (24) Maglite® ML300L™ LED 2D Flashlights



Floor Display

(24 Total Flashlights)
Shown: (9) Mini Maglite® AAA LED Flashlights
(9) Mini Maglite® PRO® AA LED Flashlights
(6) Maglite® ML300L™ 2D LED Flashlights



©2016 MAG INSTRUMENT, INC. • 2001 South Hellman Ave., Ontario, CA 91761
909-947-1006 • 800-289-6241 • www.maglite.com • email: salesdesk@magmail.com

