

SITOR FUSE-LINK FOR SEMICONDUCTOR PROTECTION 315A AR, AC 690V, DC 700V SIZE 000, BRACKETS 80MM



Figure similar

| Model | | |
|--|----|----------------------|
| product brand name | | SETRON |
| Design of an identification indicator | | front indicator |
| Design of the fuse link | | SITOR, LV HRC design |
| General technical data | | |
| Size of fuse system / acc. to DIN EN 60269-1 | | NH000 |
| Operating class of the fuse link | | aR |
| circuit-breaker / Design | | 3NE |
| Varying load factor (WL) | | 0.85 |
| Supply voltage / at DC | V | 440 |
| Switching capacity | | |
| Switching capacity current | | |
| • at DC / acc. to IEC 60947-2 / rated value | kA | 50 |
| • acc. to IEC 60947-2 / rated value | kA | 200 |
| Dissipation | | |
| Power loss [W] | | |
| • for rated value of the current / at AC / in hot operating state / per pole | W | 54 |

- maximum

| | |
|---|----|
| W | 54 |
|---|----|

Electricity

| | | |
|---|---|-----|
| rated current I _n / IEC, DIN/VDE / at 40 Cel | A | 315 |
| Current / at AC / rated value | A | 315 |

Mechanical Design

| | | |
|--------------------------|--|--------------------------|
| Mounting position | | Any, preferably vertical |
|--------------------------|--|--------------------------|

Environmental conditions

| | | |
|-------------------------------|----|-------------------------------------|
| Ambient temperature | | |
| • minimum | °C | -20 |
| • maximum | °C | 50 |
| Environmental category | | -20 to +50 at 95% relative humidity |

Certificates

| | | |
|--------------------------|--|---|
| Equipment marking | | |
| • acc. to DIN EN 61346-2 | | F |
| • acc. to DIN EN 81346-2 | | F |

General Product Approval



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NE87311>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NE87311/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NE87311

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

12.04.2016