



FP-108 C 6 Inch 162 x 150 x 55 mm



DIMENSION : mm



PERFORMANCE




SPECIFICATIONS

MODEL NO.	VOLT	FREQUENCY (Hz)	AIR (CFM)	VOLUME (M ³ /Min)	Current (A)	POWER (W)	SPEED (RPM)	STATIC PRESSURE (INCH-H ₂ O)	NOICE (dBA)
FP-108C	100/120 VAC	50/60	210/250	5.9/7.0	0.5/0.45	38/35	2700/300	0.63/0.79	50/45
	220/240 VAC	50/60	210/250	5.9/7.0	0.5/0.45	32/31	2700/300	0.63/0.79	50/45


FP-108 E 6 Inch 172 x 51 mm



DIMENSION : mm



PERFORMANCE



SPECIFICATIONS


MODEL NO.	VOLT	FREQUENCY (Hz)	AIR (CFM)	VOLUME (M ³ /Min)	Current (A)	POWER (W)	SPEED (RPM)	STATIC PRESSURE (INCH-H ₂ O)	NOICE (dBA)
FP-108-E (S-1)	110/120 VAC	50/60	190/235	5.40/6.6	0.50/0.45	38/35	2800/3100	0.63/0.79	50/45
	220/240 VAC	50/60	190/235	5.40/6.6	0.23/0.21	32/31	2800/3100	0.63/0.79	50/45

FP-108 EX 6 Inch 172 x 150 x 51 mm


MARS



DIMENSION : mm



PERFORMANCE



SPECIFICATIONS

MODEL NO.	VOLT	FREQUENCY (Hz)	AIR (CFM)	VOLUME (M ³ /Min)	Current (A)	POWER (W)	SPEED (RPM)	STATIC PRESSURE (INCH-H ₂ O)	NOICE (dBA)
FP-108EX (S-1)	110/120 VAC	50/60	190/235	5.40/6.6	0.50/0.45	38/35	2800/3100	0.63/0.79	50/45
	220/240 VAC	50/60	190/235	5.40/6.6	0.23/0.21	32/31	2800/3100	0.63/0.79	50/45