

THE NEXT GENERATION



MAGLITE® Directory

CONTENTS

Maglite® LED Technology	4	Maglite® ML100™	9	Mini Maglite® AA	13
Mini Maglite® 2 AA LED	5	Maglite® ML125 Rechargeable	10	Maglite® C-Cell & D-Cell	14-15
Maglite® XL50 LED	6	Maglite® Incandescent	11	MagCharger® V3	16
Maglite® XL200 LED	7	Solitaire®	12	Maglite® & Victorinox Gift Sets	17
Maglite® LED 2 & 3 D-Cell	8	Mini Maglite® AAA	13	Maglite® Accessories	18



ABOUT MAGLITE®

Mag Instrument is dedicated to the highest standards of quality and integrity. Each Mag Instrument flashlight represents a culmination of more than 20 years of research, development and continuous state-of-the-art refinement in every precision feature.

We believe the spirit and character of the company is most clearly defined and expressed by the founder, owner and president Anthony Maglica. Each flashlight is a result of his obsession with fine engineering, craftsmanship and his commitment to perfection.

Today Maglite® is at the forefront of design and innovation.

MAGLITE® LED TECHNOLOGY

MAG-LED™ Technology is the result of a quest to produce a light source that would not only incorporate longer battery life and superior performance, but would also have the same durability, reliability and superior performance Maglite® flashlights are known for.

Today's MAG-LED™ range incorporates ground-breaking technology and user led design to offer the customer a torch suited to a range of activities whether you are embarking on an expedition, camping with the family or using a torch in a professional capacity.

MAG-LED™ Benefits:

- Selectable modes and motion control beam adjustment
- A Projecting Beam that focuses simply by rotating the head
- Balanced Optics™ provide a focusing LED, optimised to produce a powerful beam
- Intelligent Energy Source Management (patent pending) balancing an optimum high brightness with extended battery life

PLUS: All of the quality features professionals and consumers expect from a Maglite® flashlight:

- Rugged, machined aluminium construction with knurled design
- Anodised inside and out for improved corrosion resistance
- Water and shock resistant
- Limited Lifetime Warranty

ANSI Icon Reference:



Light Output

Light Output is the total luminous flux. It is the total quantity of emitted overall light energy as measured by an integrating the entire angular output of the portable light source. Light output in this standard is expressed in units of lumens.

Beam Distance

Beam distance is defined as the distance from the device at which the light beam is 0.25 lux (0.25 lux is approximately the equivalent of the light emitted from the full moon "on a clear night in an open field").

Run Time

Run Time is defined as the duration of time from the initial light output value – defined as 30 seconds after the point the device is first turned on – using fresh batteries, until the light output reaches 10% of the initial value.

Peak Beam Intensity

Peak beam intensity is the maximum luminous intensity typically along the central axis of a cone of light. The value is reported in candela and does not change with distance.

Water Resistant

Water splashed against the device from any direction shall have no harmful effects. An apparatus is used to spray water from all directions at specified water pressure, direction, and duration as described in ANSI/IEC 60529, Section 14.2.4 for IPX4 evaluation. All test samples shall function normally immediately after the test and 30 min after the test.

Impact Resistance

Impact resistance is the degree to which a device resists damage from dropping on a solid surface. Products are dropped with all intended additions: batteries, elastic, tethers, hand straps, etc. Each sample is dropped 6 times using impact orientations that approximate a cube.

*All Maglite® flashlights are tested by an independent laboratory

MINI MAGLITE® AA LED

See Demo at
www.maglite.com



The Mini Maglite® LED is crafted after the legendary Mini Maglite® flashlight, an icon of classic American design, famous around the world. Built tough enough to last a lifetime.

The Mini Maglite® LED 2-Cell AA torch features a multi-mode electronic switch, providing the following settings with a simple twist of the head:

- SOS
- Blink
- 100% Power
- 25% Power

The Benefits Include:

- A Projecting Beam that focuses simply by rotating the head
- Balanced Optics™ provide a focusing 3 Watt LED, optimised to produce a powerful beam
- Intelligent Energy Source Management (patent pending) balancing an optimum high brightness with extended battery life
- Candle Mode – unscrew flashlight head, place head down on stable flat surface and set flashlight barrel into head

2 AA Holster Blister Pack Includes: Mini Maglite® LED 2-Cell AA Flashlight, black polypropylene belt holster & two AA Cell Duracell alkaline batteries.

2 AA Presentation Box Includes: Mini Maglite® LED 2-Cell AA Flashlight, black presentation box & two AA Cell Duracell alkaline batteries.

PRODUCT INFORMATION	
Overall Length	6.607in 167.8mm
Barrel Diameter	0.709in 18mm
Head Diameter	1in 25.4mm
Weight without Battery	2.4oz 68.04g
Weight with Battery	4.15oz 117.75g
Energy Management	✓
Balanced Optics	✓
Projecting Beam	✓
Focusing Beam	✓
Batteries Required	x2 AA size alkaline

Colour Guide

The Mini Maglite® LED flashlight is available in the following colours:



Product Codes:

Blister Packed with Holster:


BLACK – SP2201H | RED – SP2203H | BLUE – SP2211H | GREY – SP2209H

Presentation Box:

BLACK – SP22017 | RED – SP22037 | BLUE – SP22117 | GREY – SP22097

MAGLITE® XL50 LED

See Demo at
www.maglite.com



Maglite® XL50™ LED flashlight; a user-friendly, performance oriented torch, featuring a push-button tail cap switch with 3 selectable modes, driven by the next generation MAG-LED® technology.

Modes:

1. Quick Click: High Power
2. Quick Clicks: 25% Power
3. Quick Clicks: Emergency Safety Strobe

The Benefits Include:

- Compact, Pocket Size design
- 'Spot-to-Flood' Adjustable LED Beam
- Durable, Rugged, Machined Aluminium Case
- Anodized for Corrosion Resistance and Durability
- Intelligent Energy Source Management – Continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life
- Powered by three AAA alkaline batteries (included)
- Individually Serial Numbered

PRODUCT INFORMATION	
Overall Length	4.8in 121.92mm
Barrel Diameter	1in 25.4mm
Head Diameter	1in 25.4mm
Weight without Battery	2.08oz 59g
Weight with Battery	3.68oz 104g
Energy Management	✓
Balanced Optics	✓
Projecting Beam	✓
Focusing Beam	✓
Batteries Required	x3 AAA size alkaline

Colour Guide

The Maglite® XL50 LED flashlight is available in the following colour:



Black

Product Codes:

Blister Packed:


BLACK: XL50-S3016

Presentation Box:

BLACK: XL50-S3017

MAGLITE® XL200 LED

ULTRA BRIGHT



Introducing the all-new Maglite® XL200™ LED Flashlight. The newest member of the XL™ series offers five basic, easy to use functions plus advanced features and the stunning brightness of a Next-Generation LED.

By the simple 'Quick Click' method introduced with the popular Maglite® XL50™ flashlight, the XL200™ lets the user select the desired function. Also includes motion-controlled variable power level and blink rate.

Modes:

1. Quick Click: High power
 2. Quick Clicks: Strobe Mode
 3. Quick Clicks: Nite Lite™ Mode
 4. Quick Clicks: Signal Mode
 5. Quick Clicks: SOS Mode
- Plus lockout mode to avoid accidental operation

The Benefits Include:

- Compact, Pocket Size design
- 'Spot-to-Flood' Adjustable LED Beam
- Durable, Rugged, Machined Aluminium Case
- Anodized for Corrosion Resistance and Durability
- Powered by three AAA alkaline batteries (included)
- Individually Serial Numbered

PRODUCT INFORMATION	
Overall Length	4.8in 121.92mm
Barrel Diameter	1in 25.4mm
Head Diameter	1in 25.4mm
Weight without Battery	2.08oz 59g
Weight with Battery	3.68oz 104g
Balanced Optics	✓
Projecting Beam	✓
Focusing Beam	✓
Batteries Required	x3 AAA size alkaline

Colour Guide

The Maglite® XL200 LED flashlight is available in the following colour:



Black

Product Codes:

Blister Packed:

BLACK: XL200-S3016

Presentation Box:

BLACK: XL200-S3017

MAGLITE® LED 2 & 3 D-CELL



The Maglite® flashlight, renowned for its quality, durability, and reliability, is now available with the new MAG-LED™ Technology.

Designed for professional and consumer use, Maglite® LED flashlights build on the experience in craftsmanship, engineering, and advanced technology evident in all Mag® flashlights. The Maglite® flashlight is internationally accepted as the Professional Flashlight.® Built tough enough to last a lifetime, its durability and patented features now combined with the new MAG-LED™ Technology make the Maglite® LED flashlight a technologically advanced lighting instrument.


Available In 2 & 3 Cell D Size, The Benefits Include:

- A Powerful Projecting Beam that focuses simply by rotating the head
- Balanced Optics,™ combining a highly refined reflector with a quality LED, for a brilliant adjustable beam
- Intelligent Energy Source Management balancing high brightness with extended battery life

PRODUCT INFORMATION	2 D-CELL	3 D-CELL
Overall Length	10in 254mm	12-11/32in 313mm
Barrel Diameter	1-9/16in 39.67mm	1-9/16in 39.67mm
Head Diameter	2-1/4in 57.00mm	2-1/4in 57.00mm
Weight without Battery	14oz 402g	15oz 445g
Weight with Battery	23oz 674g	30oz 856g
Energy Management	✓	✓
Balanced Optics	✓	✓
Projecting Beam	✓	✓
Focusing Beam	✓	✓
Batteries Required	x2 D size alkaline	x3 D size alkaline

Colour Guide

The Maglite® 2 D-Cell flashlight is available in the following colours:



The Maglite® 3 D-Cell flashlight is available in the following color:



Product Codes:

2 D-Cell Blister Packed:

BLACK – ST2D016 | RED – ST2D036 | BLUE – ST2D116 | GREY – ST2D096

3 D-Cell Blister Packed:

BLACK – ST3D016

MAGLITE® ML100™



2 C-CELL MAGLITE® ML100 FLASHLIGHT

23571cd
307m
137 LUMENS
1m
HIGH
13h
LOW
48h

3 C-CELL MAGLITE® ML100 FLASHLIGHT

23393cd
306m
137 LUMENS
1m
HIGH
37h
LOW
78h

PRODUCT INFORMATION	ML100 2 C-CELL	ML100 3 C-CELL
Overall Length	9.135in 232.029mm	11.104in 282.042mm
Barrel Diameter	1.199in 30.455mm	1.199in 30.455mm
Head Diameter	1.977in 50.216mm	1.977in 50.216mm
Weight without Battery	10.4oz 294.835g	11.2oz 317.514g
Weight with Battery	15.2oz 430.912g	18.4oz 521.631g
Energy Management	✓	✓
Balanced Optics	✓	✓
Projecting Beam	✓	✓
Focusing Beam	✓	✓
Batteries Required	x2 C size alkaline	x3 C size alkaline

The MAG-LED® ML100 flashlight combines the Maglite beauty, reliability and beam adjustment with powerful new electronics. Designed for optimum light output, the new Maglite® ML100™ LED flashlights deliver performance oriented features in a sleeker compact design. Available in either 2 or 3 Cell C size, these advanced lighting instruments are driven with the next generation of MAG-LED® Technology.

User Configurable Functions Include:

- Full Power
- Power Save (25%)
- Strobe (12/sec)
- SOS (Int'l Morse Code)
- Momentary On/Off

Use the flashlight just as it comes out of the package (see Function Set 1 – Standard) or personalise it to suit your own habits of use by choosing one of the other Function Sets in the chart shown below:

	FUNCTION SET 1	FUNCTION SET 2	FUNCTION SET 3	FUNCTION SET 4
1 CLICK	Full Power	Full Power	Momentary	Momentary
2 CLICKS	Power Save	Power Save	Full Power	Full Power
3 CLICKS	Strobe	SOS Signal	Power Save	Strobe

The Benefits Include:

- Sealed at both ends with high-grade rubber o-rings
- Rugged, Machined Aluminium Case
- Anodized inside and out for improved corrosion resistance
- Intelligent Energy Source Management – continuously monitors the balance between high brightness and efficient power usage
- Newly designed reflector mathematically matched to a purpose-built premium quality LED module, yielding high output intensity for any chosen power setting
- The new multi-function electronic switch offers the user more options and versatility than ever before allowing for prolonged battery life
- Like all Maglite® flashlights the ML100™ has a beam that focuses with a twist of the head

Colour Guide

The Maglite® ML100 flashlight is available in the following colour:



Black

Product Codes:

ML100 2 C-Cell Blister Packed:


BLACK: ML100-S2DX6

ML100 3 C-Cell Blister Packed:

BLACK: ML100-S3DX6

MAGLITE® ML125 RECHARGEABLE

Uses either



Batteries

MAGLITE® ML125 RECHARGEABLE FLASHLIGHT		18581cd		16725cd
		273m		258m
		193 LUMENS		186 LUMENS
		1m		1m
		HIGH		HIGH
		25h		8h 30m
	LOW		LOW	
	72h		30h	
	ALKALINE BATTERY		RECHARGEABLE BATTERY	



Designed for optimum light output, the new Maglite® ML125™ LED flashlight delivers performance oriented features in a sleeker compact design.

Runs on either an environmentally friendly NiMH Rechargeable Battery Pack or (3) C-Cell alkaline Batteries. Includes Portable Battery Charger, AC Converter and NiMH Battery Pack.

User Configurable Functions Include:

- Full Power
- Power Save (25%)
- Strobe (12/sec)
- SOS (Int'l Morse Code)
- Momentary On/Off

Use the flashlight just as it comes out of the package (see Function Set 1 – Standard) or personalise it to suit your own habits of use by choosing one of the other Function Sets in the chart shown below:

	FUNCTION SET 1	FUNCTION SET 2	FUNCTION SET 3	FUNCTION SET 4
1 CLICK	Full Power	Full Power	Momentary	Momentary
2 CLICKS	Power Save	Power Save	Full Power	Full Power
3 CLICKS	Strobe	SOS Signal	Power Save	Strobe

The Benefits Include:

- Sealed at both ends with high-grade rubber o-rings
- Rugged, Machined Aluminium Case
- Anodized inside and out for improved corrosion resistance
- Intelligent Energy Source Management - continuously monitors the balance between high brightness and efficient power usage
- Newly designed reflector mathematically matched to a purpose-built premium quality LED module, yielding high output intensity for any chosen power setting
- The new multi-function electronic switch offers the user more options and versatility than ever before allowing for prolonged battery life

Colour Guide

The Maglite® ML125 flashlight is available in the following colour:



Black

Product Codes:

ML125 Boxed:
BLACK: ML125-35014

PRODUCT INFORMATION	
Overall Length	11.104in 282.042mm
Barrel Diameter	1.199in 30.455mm
Head Diameter	1.977in 50.216mm
Weight without Battery	11.2oz 317.514g
Weight with Battery	18.4oz 521.631g
Energy Management	✓
Balanced Optics	✓
Projecting Beam	✓
Focusing Beam	✓
Batteries Required	x3 C-Cell size alkaline or supplied NiMH rechargeable battery pack



MAGLITE INCANDESCENT

The introduction of the first Maglite® flashlight in 1979 set a new standard for quality, durability and design in the torch industry. Today these original design features still work and have been continually improved to provide customers with a product that offers the following benefits:

- Precision machined high strength aircraft aluminium alloy cases
- High intensity light beam
- Linear focusing spot to flood beam with the twist of a wrist
- Spare Krypton bulb safely secured in the tail cap
- Maximum corrosion resistance and durability
- Plated contacts with the finest metals to enhance conductivity, reduce oxidation and increase durability
- Manufactured in the USA and protected by a lifetime guarantee
- High grade rubber 'O' rings ensure that a Maglite® is water and shock resistant


SOLITAIRE®



Less than an ounce and three inches in length, the Solitaire® offers the same precision engineering found in every Maglite®. Using only a single AAA battery, its focusing beam is surprisingly bright for such a small flashlight. A spare Solitaire® bulb is included in the tail cap along with an Energizer® alkaline battery and a sturdy key lead which facilitates the use of the key and light beam in the same direction. Ideal for the handbag or suitcase.

Colour Guide

The Solitaire® flashlight is available in the following colours:



PRODUCT INFORMATION	
Overall Length	3.2in 81.28mm
Barrel Diameter	0.5in 12.7mm
Weight without Battery	0.45oz 12.76g
Weight with Battery	0.85oz 24.38g
Batteries Required	1 x AAA

Product Codes:

Blister Pack:

BLACK – K3A016 | RED – K3A036 | SILVER – K3A106 | BLUE – K3A116
GREY – K3A096

Presentation Box:

BLACK – K3A012 | RED – K3A032 | SILVER – K3A102 | BLUE – K3A112
GREY – K3A092 | MIDNIGHT BLUE – K3AFD2

MINI MAGLITE® AAA

All the features that make the Mini Maglite® AAA flashlight a marvel of engineering can be found in our Mini Maglite® AAA version as well. Equally impressive is the fact that the Mini Maglite® AAA has a beam equal to that of many larger flashlights. (This is due in part to its superior optics and custom reflector.) The Mini Maglite® AAA comes with its own Energizer® alkaline batteries and a removable clip. It fits easily into a pocket or small purse.



Colour Guide

The Mini Maglite® AAA flashlight is available in the following colours:



Product Codes:

Blister Pack:

BLACK – M3A016 | RED – M3A036 | SILVER – M3A106
 BLUE – M3A116 | GREY – M3A096

Presentation Box:

BLACK – M3A012 | RED – M3A032 | SILVER – M3A102
 BLUE – M3A112 | GREY – M3A092

PRODUCT INFORMATION

Overall Length	4.9in 126.57mm
Barrel Diameter	0.5in 12.7mm
Weight without Battery	0.93oz 26.37g
Weight with Battery	1.72oz 49.04g
Batteries Required	2 x AAA

MINI MAGLITE® AA

The iconic flashlight that changed the industry forever. Until the Mini Maglite® flashlight was introduced, no one thought it possible that a flashlight this compact could be so powerful.

PRODUCT INFORMATION

Overall Length	5.7in 146.56mm
Barrel Dia	
Weight wi	
Weight wi	
Batteries	



Colour Guide

The Mini Maglite® AA flashlight is available in the following colours:



Products Codes:

Blister Pack:

BLACK – M2A016 | RED – M2A036 | SILVER – M2A106
 BLUE – M2A116 | GREY – M2A096 | CAMO – M2A026

Presentation Box:

BLACK – M2A01L | RED – M2A03L | SILVER – M2A10L
 BLUE – M2A11L | GREY – M2A09L | PINK – M2AKYL
 MIDNIGHT BLUE – M2AFDL | CAMO – M2A02L

MAGLITE® C-Cell & D-Cell



MAGLITE® C-CELL FLASHLIGHT

MAGLITE® 2 C-CELL FLASHLIGHT	MAGLITE® 3 C-CELL FLASHLIGHT	MAGLITE® 4 C-CELL FLASHLIGHT
12820cd	18757cd	23030cd
226m	274m	303m
20 LUMENS	45 LUMENS	74 LUMENS
4h	4h	4h 15m

MAGLITE® D-CELL FLASHLIGHT

MAGLITE® 2 D-CELL FLASHLIGHT	MAGLITE® 3 D-CELL FLASHLIGHT	MAGLITE® 4 D-CELL FLASHLIGHT	MAGLITE® 5 D-CELL FLASHLIGHT	MAGLITE® 6 D-CELL FLASHLIGHT
13150cd	16280cd	17693cd	23090cd	21850cd
229m	254m	265m	304m	295m
19 LUMENS	45 LUMENS	72 LUMENS	113 LUMENS	136 LUMENS
10h	10h	10h	11h	11h


From the earliest beginnings of the company, Maglite® have designed products for those who demand more from a flashlight than just a simple source of light. Because Maglite® understand a flashlight is more than simply the sum of its parts. It is a complex working relationship between lamp, reflector, and power source.

Only Maglite® offers a truly balanced and efficient lighting system. What's more, a Maglite® is designed tough enough to last a lifetime. Which is precisely why more police, security, emergency, medical and fire professionals around the world have come to rely on Maglite® C and D-Cell flashlights.

All C-Cell Flashlights are supplied in blister packs with D-Cell flashlights available in blister packs or boxed.

Colour Guide

The Maglite® C-Cell and D-Cell flashlights are available in the following colours:



Product Codes:

C-Cell Blister Packed:

2C BLACK – S2C016 | 3C BLACK – S3C016 | 4C BLACK – S4C016

D-Cell

2D Blister Packed:

BLACK – S2D016 | RED – S2D036 | SILVER – S2D106 | BLUE – S2D116

2D Boxed:

BLACK – S2D015 | RED – S2D035 | SILVER – S2D105 | BLUE – S2D115

3D Blister Packed:

BLACK – S3D016 | RED – S3D036 | SILVER – S3D106 | BLUE – S3D116 | GREY – S3D096

3D Boxed:

BLACK – S3D015 | RED – S3D035 | BLUE – S3D115

4D Blister Packed:

BLACK – S4D016 | RED – S4D036

4D Boxed:

BLACK – S4D015

5D Blister Packed:

BLACK – S5D016

5D Boxed:

BLACK – S5D015

6D Blister Packed:

BLACK – S6D016

6D Boxed:

BLACK – S6D015

PRODUCT INFORMATION		
2 C-CELL	Overall Length	8.9in 227mm
	Barrel Diameter	1.25in 31.75mm
	Weight without Battery	10.9oz 311.84g
	Weight with Battery	15.7oz 445.09g
	Batteries Required	2 x C Cell
3 C-CELL	Overall Length	11.02in 280mm
	Barrel Diameter	1.25in 31.75mm
	Weight without Battery	11.9oz 340.19g
	Weight with Battery	19.1oz 541.48g
	Batteries Required	3 x C Cell
4 C-CELL	Overall Length	14.9in 370mm
	Barrel Diameter	1.25in 31.75mm
	Weight without Battery	12.9oz 368.54g
	Weight with Battery	22.4oz 637.86g
	Batteries Required	4 x C Cell

PRODUCT INFORMATION		
2 D-CELL	Overall Length	9.9in 253mm
	Barrel Diameter	1.55in 39.37mm
	Weight without Battery	14.1oz 402.56g
	Weight with Battery	23.8oz 674.72g
	Batteries Required	2 x D Cell
3 D-CELL	Overall Length	12.4in 317mm
	Barrel Diameter	1.55in 39.37mm
	Weight without Battery	15.6oz 445.09g
	Weight with Battery	30.1oz 856.16g
	Batteries Required	3 x D Cell
4 D-CELL	Overall Length	14.7in 374mm
	Barrel Diameter	1.55in 39.37mm
	Weight without Battery	17.5oz 496.12g
	Weight with Battery	36.7oz 1043.26g
	Batteries Required	4 x D Cell
5 D-CELL	Overall Length	17in 434mm
	Barrel Diameter	1.55in 39.37mm
	Weight without Battery	19.3oz 547.15g
	Weight with Battery	43.4oz 1233.20g
	Batteries Required	5 x D Cell
6 D-CELL	Overall Length	19.4in 495mm
	Barrel Diameter	1.55in 39.37mm
	Weight without Battery	21.1oz 598.18g
	Weight with Battery	50oz 1417.48g
	Batteries Required	6 x D Cell

MAGCHARGER® V3



The ultimate lighting tool! This masterpiece of engineering can be mounted into a 360 degree charging ring so the MagCharger® can be recharged easily in any position.

The MagCharger® flashlight combines famous Maglite design, reliability and beam-adjustability with a powerful Halogen lamp.

The Benefits Include:

- State of the art optical reflector - A high-tech metallic reflector, combined with a tempered glass lens that delivers superior optical performance
- Durable Sleek black finish, hard-anodizing inside and out for improved durability
- O-ring sealed throughout for resistance to weather and harsh environmental conditions
- Fit and Finish Precision machined high-strength aluminium alloy case – Individually serial numbered for identification
- NiMH Rechargeable Battery – Environmentally friendly
- Easily replaced high intensity halogen lamp
- Aluminium contact rings allow charging in any position

Includes: MagCharger® Flashlight, Charging Cradle, NiMH Rechargeable Battery Pack, (2) Mounting Brackets, 120 Volt Converter, Mobile Power Adapter (12 Volt) and a backup Halogen lamp stored in the tail cap.

PRODUCT INFORMATION

Overall Length	12.5in 319.79mm
Barrel Diameter	1.55in 39.37mm
Weight without Battery	17.9oz 510.29g
Weight with Battery	31.9oz 907.18g
Batteries Required	N/A

Colour Guide

The MagCharger® V3 is available in the following colour:



Black

Product Codes:

Boxed:

BLACK – RN4019

MAGLITE® & VICTORINOX GIFT SETS

We offer gift sets that combine the unique Maglite® torch with the high quality Victorinox Classic Swiss Army Knife in an attractive presentation box.

MAGLITE® SOLITAIRE & VICTORINOX CLASSIC SD SET

Product Codes:

BLACK – K3A652 | RED – K3A732



MAGLITE® AA & VICTORINOX CLASSIC SD SET

Product Codes:

BLACK – M2A65L | RED – M2A73L



MAGLITE® SOLITAIRE & VICTORINOX SWISS CARD SET

Product Codes:

JELLY RED – K3A0300T | JELLY BLUE – K3A1122T | JELLY ONYX – K3A0133T



MAGLITE® ACCESSORIES

SOLITAIRE®, AAA, AA & XL



MINI MAGLITE AA & AAA BULB
Product Code: LM2A001



SOLITAIRE AAA BULB
Product Code: LK3A001



MINI MAGLITE ACCESSORY KIT AA
Product Code: AM2A011



MAGLITE XL HOLSTER
Product Code: BMXLP



MINI MAGLITE AA NYLON HOLSTER
Product Code: AM2A051



MINI MAGLITE AA HOLSTER PLAIN LEATHER
Product Code: AM2A021



MINI MAGLITE AA RED LENS
Product Code: 108000046R



NIGHT VISION INFRARED LENS & HOLDER
Product Code: 1008000614

(Above lenses are suitable for AA & XL models)

C-CELL & D-CELL




D ACCESSORY KIT
Product Code: ASXX376



D CELL HOLSTER
Product Code: VMAGH0LO



D BELT HOLDER PLAIN LEATHER
Product Code: ASXD031



D BELT HOLDER BASKET WEAVE LEATHER
Product Code: ASXD051



D AUTO CLAMP (2)
Product Code: ASXD021



YELLOW WAND D
Product Code: ASXX08B



RED WAND D
Product Code: ASXX07B



WHITE WAND D
Product Code: ASXX09B



C BELT HOLDER PLAIN LEATHER
Product Code: ASXC041

WHITE STAR REPLACEMENT BULBS



2 CELL WHITE STAR KRYPTON BULB (PK 2)
Product Code: LWSA201

3 CELL WHITE STAR KRYPTON BULB (PK 2)
Product Code: LWSA301

4 CELL WHITE STAR KRYPTON BULB (PK 2)
Product Code: LWSA401

5 CELL WHITE STAR KRYPTON BULB (PK 2)
Product Code: LWSA501

6 CELL WHITE STAR KRYPTON BULB (PK 2)
Product Code: LWSA601

MAGNUM STAR XENON REPLACEMENT BULBS



2 CELL MAGNUM STAR XENON BULB
Product Code: LMSA201

3 CELL MAGNUM STAR XENON BULB
Product Code: LMSA301

4 CELL MAGNUM STAR XENON BULB
Product Code: LMSA401

5 CELL MAGNUM STAR XENON BULB
Product Code: LMSA501

6 CELL MAGNUM STAR XENON BULB
Product Code: LMSA601

MAGCHARGER®



MagCharger Replacement Bulb
Product Code: LR00001



MAGLITE®

**FOR PROFESSIONALS,
BY PROFESSIONALS.**