

MAGLITE | Europe  
maglite.eu

 **MAGLITE**<sup>®</sup>

# ENGINEERED TO LIGHT UP YOUR LIFE<sup>™</sup>

CATALOG  
2021/22


Manufactured in Ontario, California, U.S.A. since 1979



**10** YEAR  
limited WARRANTY  
 **MAGLITE**<sup>®</sup>




[www.maglite.eu](http://www.maglite.eu)



# MAGLITE®

## ENGINEERED TO LIGHT UP YOUR LIFE™

### A U.S.A.



### Manufacturer



## CONTENT

# Maglite® Catalog 2021/22

### Maglite® LED: RECHARGEABLES

ML150LR(X)™	LiFePO4 battery	08 - 09
ML150LRS(X)™	LiFePO4 battery	10 - 11
MAG-TAC®	LiFePO4 battery	12 - 13
ML125®	NiMH or 3 Cell - C	14 - 15

### Maglite® LED: D - Cells

ML300LX™	2   3.....Cell - D	16 - 19
ML300L™	2   3.....Cell - D	20 - 25
	.....4   6.....Cell - D	26 - 29

### Maglite® LED: C - Cells

ML25LT™	2   3.....Cell - C	30 - 33
ML50LX™	2   3.....Cell - C	34 - 37
ML50L™	2   3.....Cell - C	38 - 41
ML100®	2   3.....Cell - C	42 - 45

### Maglite® LED: CR123 - Cells

MAG-TAC®	2.....Cell - CR123	46 - 47
----------	--------------------	---------

### Maglite® LED: AA - Cells

Mini Maglite® Pro®+	2.....Cell - AA	48 - 51
Mini Maglite® Pro®	2.....Cell - AA	52 - 54
Mini Maglite® Pro® Combo	2.....Cell - AA	55
Mini Maglite®	2.....Cell - AA	56 - 58
Mini Maglite® Combo	2.....Cell - AA	59

### Maglite® LED: AAA - Cells

Solitaire®	1.....Cell - AAA	60 - 63
Mini Maglite®	2.....Cell - AAA	64 - 67
XL50®	3.....Cell - AAA	68 - 69
XL50® Tactical	3.....Cell - AAA	70 - 71
XL200®	3.....Cell - AAA	72 - 73
XL200® Tactical	3.....Cell - AAA	74 - 75



**MAGLITE**<sup>®</sup>   
A USA MANUFACTURER

## CONTENT

# Maglite<sup>®</sup> Catalog 2021/22

Maglite Spectrum Series<sup>®</sup>: **BLUE** | **GREEN** | **RED** | **WARM WHITE LED**

<b>BLUE LED</b> .....	1   2   3 Cell - AAA   AA.....	76 - 77
<b>GREEN LED</b> .....	1   2   3 Cell - AAA   AA.....	78 - 79
<b>RED LED</b> .....	1   3 Cell - AAA.....	80 - 81
<b>WARM WHITE LED</b> .....	1   2   3 Cell - AAA   AA.....	82 - 83

Maglite<sup>®</sup> **GERBER<sup>®</sup> Packs LED:** .....84 - 85

Solitaire <sup>®</sup> + US1 Knife.....	1.....	Cell - AAA
Mini Maglite <sup>®</sup> + US1 Knife.....	2.....	Cell - AAA
XL50 <sup>®</sup> + SB Knife.....	3.....	Cell - AAA
ML50LX <sup>™</sup> + Multi-Tool.....	2.....	Cell - C

Maglite<sup>®</sup> **SABRE<sup>®</sup> Packs LED:** .....86 - 87

Solitaire <sup>®</sup> + Alarm.....	1.....	Cell - AAA
Mini Maglite <sup>®</sup> Pro <sup>®</sup> + Alarm.....	2.....	Cell - AA

Maglite<sup>®</sup> **VICTORINOX<sup>®</sup> Packs:** + Classic Knife .....88 - 89

Solitaire <sup>®</sup> .....	1.....	Cell - AAA
Mini Maglite <sup>®</sup> .....	2.....	Cell - AAA
Mini Maglite <sup>®</sup> .....	2.....	Cell - AA

Maglite<sup>®</sup> **SAFETY Packs LED:** + **RED** wand.....90 - 91

Mini Maglite <sup>®</sup> .....	2.....	Cell - AA
ML25LT <sup>™</sup> .....	2.....	Cell - C
ML50L <sup>™</sup> .....	2.....	Cell - C
ML300L <sup>™</sup> .....	2.....	Cell - D

Maglite<sup>®</sup> **OUTDOOR Packs LED:** + **WHITE** wand..... 94 - 95

Mini Maglite <sup>®</sup> .....	2.....	Cell - AA
ML25LT <sup>™</sup> .....	2.....	Cell - C
ML50L <sup>™</sup> .....	2.....	Cell - C
ML300L <sup>™</sup> .....	2.....	Cell - D





# CONTENT

## Maglite® Catalog 2021/22

**Maglite® Classic Incandescent: D - Cells**

Maglite® .....2 | 3.....Cell - D.....96 - 103  
 .....4 | 5.....Cell - D.....104 - 107  
 .....6..... Cell - D.....108 - 109

**Maglite® Classic Incandescent: C - Cells**

ML25IT™ .....2 | 3.....Cell - C.....110 - 113

**Maglite® Classic Incandescent: AA - Cells**

Mini Maglite® .....2.....Cell - AA.....114 - 118  
 Mini Maglite® Combo.....2.....Cell - AA.....119

**Maglite® Classic Incandescent: AAA - Cells**

Solitaire® .....1.....Cell - AAA.....120 - 123  
 Mini Maglite® .....2.....Cell - AAA.....124 - 127

**Maglite® REPLACEMENT Lamps**.....128 - 129

**Maglite® ACCESSORIES:**

Mini Maglite® .....130 - 133  
 MAG-TAC® .....134 - 135  
 ML150LR(X)™ | ML150LRS(X)™ .....136 - 139  
 Cell - C Maglite® flashlights.....140 - 141  
 Cell - D Maglite® flashlights.....142 - 143  
 Several Maglite® flashlights.....144 - 145

**Maglite® Spare Parts**

several Maglite® spare parts .....on request

**Maglite® INDEX: Flashlights**.....146 - 147  
**Maglite® INDEX: Model no.**.....148 - 149

**Maglite® NATION - SERVICE & CONTACT:** .....150 - 151  
**Maglite® Notes**.....152 - 153  
**Maglite® ICON METHODOLOGY - THANK YOU**.....150 - 151

Technical and color specifications subject to change without prior notice. Errors, omissions and misprints excepted. © MAGLITE® Europe 2021.  
 In our latest catalogue, we present the flashlight 2021 range by MAG Instrument, Inc. (MAGLITE®).  
 You can find extensive information on all of our products on our website at [maglite.eu/](http://maglite.eu/).com

# ML150LR(X)<sup>TM</sup> LED Rechargeable

HIGH 458m	HIGH 52555cd	FL 1 STANDARD 1m
LOW 1,082 LUMENS	LOW 138 LUMENS	ECO 25 LUMENS
3hr15min	18hr	79hr



accessories & parts

<b>Size:</b>	27,1 cm x 3,0 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	439 grams	<b>Battery:</b>	LiFePO4 rechargeable battery
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Lifetime Tough® anodized aluminum body with QuickFocus™, Spot to Flood in about ¼ turn of the head, QuickClik® electronic switching to select from 5 operating modes, customizable for quickest access to each user's preferred modes.

Flashlight Features: Advanced heat sink improves brightness and power management, User-friendly QuickClik® interface, customizable for fast access to each user's preferred functions – High, Low, Eco, 12 Hz Strobe, Momentary On/Off.

Rechargeable Battery Features: Lithium Iron Phosphate (LiFePO4) chemistry for improved safety & performance, long service life – up to 2.000 charge/discharge cycles

Charging Cradle Features: Fully charges dead battery in 2,5 hrs. and to 80% in 30 minutes, cradle securely clamps light even in rough conditions, cannot overcharge battery, supplied with AC and DC adapters.

# ML150LR(X)<sup>TM</sup> LED Rechargeable

<b>Colors</b>		<b>Black gloss</b>	<b>Black matte</b>
<b>Coardboard Packaging*</b>	Article no.	ML150LR-4019	ML150LRX-4019
	EAN-Code	038739850528	038739850993
<b>+ accessories included</b>		charging unit, LiFePO4 battery, 230V converter, 12Volt DC	charging unit, LiFePO4 battery, 230V converter, 12Volt DC



<b>Packaging information:</b>	<b>Volume</b>	<b>Measurements (cm)</b>	<b>Weight (g)</b>
Single unit*:	1	29,85 x 9,21 x 16,51	1.043,26
Case pack*:	-	-	-
Master pack*:	-	-	-

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The ML150LR™ LED flashlight is covered by U.S. Patent Nos. 7,125,140; 7,566,149; 8,210,710; 8,240,874; 8,366,290; 8,482,209; 8,960,949; 9,060,407; 9,255,696; 9,435,523; 9,453,625; 9,488,361; 9,494,285; 9,494,308; 9,549,454; 9,644,806; 9,671,102; 9,759,414; and 9,801,256. The charging cradle is covered by U.S. Patent No. 9,812,880. The LED module is covered by U.S. Patent No. D625,847. Flashlight designed and manufactured in U.S.A.; flashlight includes some imported components; battery pack made in China; charging cradle assembled in U.S.A. of U.S. and imported parts; 12 volt power cord assembled in U.S.A. of imported parts; 120 volt A/C converter made in China.  
The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscriptions extending around the heads of all Mag® flashlights are trademarks of Mag Instrument, Inc. The circumferential inscription on the head of every flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the shape, style and overall appearance trademarks of Mag® flashlights and for circumferential inscription trademarks of Mag® flashlights include Nos. 1,808,998; 2,074,795; 2,687,693; 2,745,460; 2,765,978 and 2,765,979. The pair of bands encircling the barrel of the ML150LR™ flashlight is a registered trademark of Mag Instrument, Inc., per U.S. Trademark Registration No. 5,116,742. ©2018 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# ML150LRS(X)<sup>TM</sup> LED Rechargeable

HIGH 391m	HIGH 38267cd	FL 1 STANDARD 1m
819 LUMENS	139 LUMENS	33 LUMENS
2hr	9hr30min	15hr



accessories & parts

<b>Size:</b>	21 cm x 4,9 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	320 grams	<b>Battery:</b>	LiFePO4 rechargeable battery
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Lifetime Tough® anodized aluminum body with QuickFocus™, Spot to Flood in about ¼ turn of the head, QuickClik® electronic switching to select from 5 operating modes, customizable for quickest access to each user's preferred modes.

Flashlight Features: Advanced heat sink improves brightness and power management, User-friendly QuickClik® interface, customizable for fast access to each user's preferred functions – High, Low, Eco, 12 Hz Strobe, Momentary On/Off.

Rechargeable Battery Features: Lithium Iron Phosphate (LiFePO4) chemistry for improved safety & performance, long service life – up to 2.000 charge/discharge cycles

Charging Cradle Features: Fully charges dead battery in 2.5 hrs. and to 80% in 30 minutes, cradle securely clamps light even in rough conditions, cannot overcharge battery, supplied with AC and DC adapters.

# ML150LRS(X)<sup>TM</sup> LED Rechargeable

<b>Colors</b>		<b>Black gloss</b>	<b>Black matte</b>
<b>Coardboard Packaging*</b>	Article no.	ML150LRS-4019	ML150LRSX-4019
	EAN-Code	038739851228	038739850764
<b>+ accessories included</b>		charging unit, LiFePO4 battery, 230V converter, 12Volt DC	charging unit, LiFePO4 battery, 230V converter, 12Volt DC



<b>Packaging information:</b>	<b>Volume</b>	<b>Measurements (cm)</b>	<b>Weight (g)</b>
Single unit*:	1	21 x 4,9 x 4,9	320
Case pack*:	-	-	-
Master pack*:	-	-	-

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The ML150LR™ LED flashlight is covered by U.S. Patent Nos. 7,125,140; 7,566,149; 8,210,710; 8,240,874; 8,366,290; 8,482,209; 8,960,949; 9,060,407; 9,255,696; 9,435,523; 9,453,625; 9,488,361; 9,494,285; 9,494,308; 9,549,454; 9,644,806; 9,671,102; 9,759,414; and 9,801,256. The charging cradle is covered by U.S. Patent No. 9,812,880. The LED module is covered by U.S. Patent No. D625,847. Flashlight designed and manufactured in U.S.A.; flashlight includes some imported components; battery pack made in China; charging cradle assembled in U.S.A. of U.S. and imported parts; 12 volt power cord assembled in U.S.A. of imported parts; 120 volt A/C converter made in China.  
The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscriptions extending around the heads of all Mag® flashlights are trademarks of Mag Instrument, Inc. The circumferential inscription on the head of every flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the shape, style and overall appearance trademarks of Mag® flashlights and for circumferential inscription trademarks of Mag® flashlights include Nos. 1,808,998; 2,074,795; 2,687,693; 2,745,460; 2,765,978 and 2,765,979. The pair of bands encircling the barrel of the ML150LR™ flashlight is a registered trademark of Mag Instrument, Inc., per U.S. Trademark Registration No. 5,116,742. ©2018 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAG-TAC® LED Rechargeable




**Size:** 14,7 cm x 2,6 cm  
**Weight with batteries:** 156 grams  
**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 4 modes: Full, Low, Momentary, Strobe  
**Battery:** LiFePO4 rechargeable battery  
**Warranty:** 10 years (limited)

An advanced lighting tool powered by a high capacity Lithium Iron Phosphate (LiFePO4) rechargeable battery engineered for long service life with a 2,5 hr. charge time. Along with superior build quality and performance, this crowned- and plain bezel versions of the MAG-TAC® LED rechargeable flashlight comes with a detachable pocket clip and a USB powered mountable charging base. The charging base can be powered by the included 12V adapter or 120V converter, or by any other charging source that complies with the USB 2.0 Standard. Also, 4 Functions selectable through Mag Instrument's tail cap-switch-activated QuickClik® mode selector. Momentary, Full Power, Power Save, Strobe.

# MAG-TAC® LED Rechargeable

Colors	Crowned	Plain	
Article no.	TRM4RA4	TRM4RE4	
Coardboard Packaging*	EAN-Code 038739680200	038739680279	
+ accessories included	charging base, LiFePO4 battery, 230V conv., 12Volt DC, USB cable	charging base, LiFePO4 battery, 230V conv., 12Volt DC, USB cable	
<b>Packaging information:</b>	<b>Volume</b>	<b>Measurements (cm)</b>	<b>Weight (g)</b>
Single unit*:	1	5,56 x 13,18 x 23,81	498,95
Case pack*:	3	25,24 x 14,61 x 18,89	1.723,65
Master pack*:	18	60,96 x 25,4 x 38,1	12.042,87

**Please note**  
 Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The MAG-TAC® LED Rechargeable flashlight is covered by U.S. Patent Nos. 7,986,112; 8,210,710; 8,240,874 and 8,482,209. Other patents pending on the flashlight and charging base. The LED Module is covered by U.S. Patents 7,896,112 and D625,847. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,400, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
 Saline 14  
 78628 Rottweil  
 Germany

**Mag Instrument, Inc.**  
 2001 South Hellmann Avenue  
 Ontario, CA91761  
 U.S.A.



# ML125® LED Rechargeable



accessories & parts

**Size:** 28,2 cm x 3,1 cm

**Weight with batteries:** 521 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: Full, Low, Momentary, Strobe, SOS

**Battery:** NiMH rechargeable battery

**Warranty:** 10 years (limited)

The Maglite® ML125® can be CUSTOM-CONFIGURED for fastest access to the particular user's most-frequently-used functions. Four different function sets are available (General, Outdoor, Law Enforcement and Military). Using Mag's familiar QuickClik® system the user can, within the chosen function set, access different functional modes in different sequences. Five different functional modes are available (in different sequences depending on the chosen function set): Full Power, PowerSave; Momentary On/Off; Strobe; and SOS Signal. The ML125® is a DUAL POWER flashlight. It will operate on the environmentally friendly **NiMH rechargeable battery** that is supplied or, alternatively, it can **run on three C-cell alkaline batteries**. Some owners use both, powering the flashlight with alkalines while the NiMH battery is recharging in the supplied charging cradle.

# ML125® LED Rechargeable

## Colors

Black



## Coardboard Packaging\*

Article no. ML125-35014  
EAN-Code 038739830070

+ accessories included

charging base,  
NiMH battery,  
230V converter



## Packaging information:

Single unit\*:  
Case pack\*:  
Master pack\*:

## Volume

1  
1  
15

## Measurements (cm)

22,86 x 35,56 x 5,72  
35,88 x 22,86 x 6,35  
70,49 x 33,66 x 38,1

## Weight (g)

1.147,59  
1.147,59  
18.393,16

## Please note

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in U.S.A.; battery pack made in China; charging cradle assembled in U.S.A. of U.S. and imported parts; 120 volt A/C converter made in China. The Mag-Lite® ML125® LED flashlight is covered by U.S. Patent Nos.: 7,264,372; 7,334,914; 7,344,269; 8,210,710; 8,240,874; 8,395,066; 8,482,209 and 8,507,819. The charging cradle is covered by U.S. Patent No. D620,883. The LED Module is covered by U.S. Patent Nos. 7,986,112; 8,847,520 and D625,847. Other patents pending on the flashlight and LED Module. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

## Maglite Europe GmbH & Co.KG

Saline 14  
78628 Rottweil  
Germany

## Mag Instrument, Inc.

2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# MAGLITE® ML300LX™ LED 2-Cell D

FL 1 STANDARD				
323m	487 LUMENS	26139cd	WATER RESISTANT	
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY		
FL 1 STANDARD		HIGH	LOW	ECO
1m	6h30min	101h	260h	
DROP RESISTANT	RUN TIME			



accessories & parts

<b>Size:</b>	23,1 cm x 5,7 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	567 grams	<b>Battery:</b>	2x D
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Whether you're a professional using a fl ashlight for work or security, an outdoor enthusiast who takes it camping, or an occasional user wanting it for emergencies at home or on the road, the ML300LX™ D-cell LED is The Light For All Your Needs. With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. As shown, there are three additional function sets - Outdoor; Law Enforcement; and Military - each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, fasterhandling "Quick Focus™" system now adjusts from spot to fl ood with about a ¼ turn of the head.

# MAGLITE® ML300LX™ LED 2-Cell D

Colors	Black	Foliage Green	Urban Gray
Article no.	ML300LX-S2CC6	ML300LX-S2RI6	ML300LX-S2RJ6
Blister Packaging*	EAN-Code 038739502649	038739502656	038739502663
Article no.	ML300LX-S2CC5	ML300LX-S2RI5	ML300LX-S2RJ5
Chipboard-Box Packaging**	EAN-Code 038739502496	038739502502	038739502519




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 32,72	362,87
Case pack*:	6	35,56 x 20 x 13,34	2.258,89
Master pack*:	60	57,15 x 42,23 x 54,29	23.632,14
Single unit**:	1	5,72 x 5,72 x 25,4	340,19
Case pack**:	6	26,67 x 19,05 x 13,34	2.109,20
Master pack**:	72	57,15 x 42,23 x 54,29	26.353,70

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® ML300LX™ fl ashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the fl ashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML300LX™ LED 3-Cell D



accessories & parts

<b>Size:</b>	29,8 cm x 5,7 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	748 grams	<b>Battery:</b>	3x D
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Whether you're a professional using a fl ashlight for work or security, an outdoor enthusiast who takes it camping, or an occasional user wanting it for emergencies at home or on the road, the ML300LX™ D-cell LED is The Light For All Your Needs. With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. As shown, there are three additional function sets - Outdoor; Law Enforcement; and Military - each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, fasterhandling "Quick Focus™" system now adjusts from spot to fl ood with about a ¼ turn of the head.

# MAGLITE® ML300LX™ LED 3-Cell D

Colors	Black	Foliage Green	Urban Gray
<b>Blister Packaging**</b>	Article no. ML300LX-S3CC6 EAN-Code 038739502977	Article no. ML300LX-S3RI6 EAN-Code 038739502984	Article no. ML300LX-S3RJ6 EAN-Code 038739502991
<b>Chipboard-Box Packaging**</b>	Article no. ML300LX-S3CC5 EAN-Code 038739502793	Article no. ML300LX-S3RI5 EAN-Code 038739502809	Article no. ML300LX-S3RJ5 EAN-Code 038739502816



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 37,8	408,23
Case pack*:	6	40,64 x 20,32 x 13,34	2.540,12
Master pack*:	60	57,15 x 42,23 x 54,29	26.444,41
Single unit**:	1	5,72 x 5,72 x 31,45	385,55
Case pack**:	6	32,07 x 19,05 x 13,34	2.358,68
Master pack**:	72	57,15 x 42,23 x 54,29	29.347,40

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML300LX™ fl ashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the fl ashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML300L™ LED 2-Cell D



accessories & parts

<b>Size:</b>	23,1 cm x 5,7 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	567 grams	<b>Battery:</b>	2x D
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Whether you're a professional using a flashlight for work or security, an outdoor enthusiast who takes it camping, or an occasional user wanting it for emergencies at home or on the road, the ML300L™ D-cell LED is The Light For All Your Needs. With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. As shown, there are three additional function sets - Outdoor; Law Enforcement; and Military - each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

# MAGLITE® ML300L™ LED 2-Cell D

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging*</b>	Article no. ML300L-S2016 EAN-Code 038739500348	Article no. ML300L-S2036 EAN-Code 038739500355	Article no. ML300L-S2096 EAN-Code 038739500362	Article no. ML300L-S2106 EAN-Code 038739500379	Article no. ML300L-S2116 EAN-Code 038739500386
<b>Chipboard-Box Packaging**</b>	Article no. ML300L-S2015 EAN-Code 038739500195	Article no. ML300L-S2035 EAN-Code 038739500201	Article no. ML300L-S2095 EAN-Code 038739500218	Article no. ML300L-S2105 EAN-Code 038739500225	Article no. ML300L-S2115 EAN-Code 038739500232



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 32,72	362,87
Case pack*:	6	35,56 x 20 x 13,34	2.290,64
Master pack*:	60	57,15 x 42,23 x 54,29	23.949,66
Single unit**:	1	5,72 x 5,72 x 25,4	340,19
Case pack**:	6	26,67 x 19,05 x 13,34	2.154,56
Master pack**:	72	57,15 x 42,23 x 54,29	26.898,01

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML300L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML300L™ LED 3-Cell D

FL 1 STANDARD			
406m	625 LUMENS	41200cd	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT
FL 1 STANDARD			
1m	16h	77h	117h
DROP RESISTANT	RUN TIME		



<b>Size:</b>	29,8 cm x 5,7 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	748 grams	<b>Battery:</b>	3x D
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Whether you're a professional using a flashlight for work or security, an outdoor enthusiast who takes it camping, or an occasional user wanting it for emergencies at home or on the road, the ML300L™ D-cell LED is The Light For All Your Needs. With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. As shown, there are three additional function sets - Outdoor; Law Enforcement; and Military - each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

# MAGLITE® ML300L™ LED 3-Cell D

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging**</b>	Article no. ML300L-S3016 EAN-Code 038739500675	Article no. ML300L-S3036 EAN-Code 038739500683	Article no. ML300L-S3096 EAN-Code 038739500690	Article no. ML300L-S3106 EAN-Code 038739500706	Article no. ML300L-S3116 EAN-Code 038739500713
<b>Chipboard-Box Packaging**</b>	Article no. ML300L-S3015 EAN-Code 038739500492	Article no. ML300L-S3035 EAN-Code 038739500508	Article no. ML300L-S3095 EAN-Code 038739500515	Article no. ML300L-S3105 EAN-Code 038739500522	Article no. ML300L-S3115 EAN-Code 038739500539



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 37,8	408,23
Case pack*:	6	40,64 x 20,32 x 13,34	2.576,40
Master pack*:	60	57,15 x 42,23 x 54,29	26.807,29
Single unit**:	1	5,72 x 5,72 x 31,45	385,55
Case pack**:	6	32,07 x 19,05 x 13,34	2.417,65
Master pack**:	72	57,15 x 42,23 x 54,29	30.027,79

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® ML300L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML300L™ LED 3-Cell D

Colors	UCP 	
Blister Packaging*	Article no.	ML300L-S3MR6
	EAN-Code	038739500720
Chipboard-Box Packaging**	Article no.	ML300L-S3MR5
	EAN-Code	038739500546




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 37,8	408,23
Case pack*:	6	40,64 x 20,32 x 13,34	2.576,40
Master pack*:	60	57,15 x 42,23 x 54,29	26.807,29
Single unit**:	1	5,72 x 5,72 x 31,45	385,55
Case pack**:	6	32,07 x 19,05 x 13,34	2.417,65
Master pack**:	72	57,15 x 42,23 x 54,29	30.027,79

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® ML300L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML300L™ 4-Cell D



accessories & parts

<b>Size:</b>	29,8 cm x 5,7 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	748 grams	<b>Battery:</b>	4x D
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

It does not matter if you use your flashlight for professional occasions, security usage, outdoor activities or in case of emergency in your car, the MAGLITE® ML300L™ LED 4 D is ready for any task. Best performance in a solid casing, an illumination range of 511 meters (almost five football fields) and a light ON time of unbelievable 434 hours! The flashlight has a sturdy (1m drop test) and water-resistant (IPX4) encasement produced of both-sided eloxed T6061 aerospace-aluminum. By twisting the flashlight's head the light beam can be focused and is ready to use in any occasion. Therefore a fast-focus system is implemented which allows you to cover the full focus-range with just a quarter turn (spot flood). In total five different pre-installed light modes are available which can be set with the electronic switch.

If you are looking for a reliable and stylish Every-Day-Carry flashlight with a high light ON time, the MAGLITE® ML300L™ LED 4 D is your choice!

# MAGLITE® ML300L™ 4-Cell D

Colors	Black
Article no.	-
Blister Packaging**	EAN-Code -
Article no.	ML300L-S4015
Chipboard-Box Packaging**	EAN-Code 038739505622



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	-	-	-
Case pack*:	-	-	-
Master pack*:	-	-	-
Single unit**:	1	5,91 x 5,91 x 36,2	544,31
Case pack**:	6	39,37 x 19,05 x 13,34	2.766,91
Master pack**:	72	57,15 x 42,23 x 54,29	28.712,37

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML300L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML300L™ LED 6-Cell D

FL 1 STANDARD				
415m	694 LUMENS	43067cd	WATER RESISTANT	
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY		
FL 1 STANDARD		HIGH	LOW	ECO
1m	71h	73h	177h	
DROP RESISTANT	RUN TIME			



<b>Size:</b>	48 cm x 5,7 cm	<b>Light modes:</b>	5 modes: Full, Low, Eco, Momentary, Strobe
<b>Weight with batteries:</b>	1.417 grams	<b>Battery:</b>	6x D
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

It does not matter if you use your flashlight for professional occasions, security usage, outdoor activities or in case of emergency in your car, the MAGLITE® ML300L™ LED 6 D is ready for any task. Best performance in a solid casing, an illumination range of 415 meters (almost four football fields) and a light ON time of unbelievable 177 hours! The flashlight has a sturdy (1m drop test) and water-resistant (IPX4) encasement produced of both-sided eloxed T6061 aerospace-aluminum. By twisting the flashlight's head the light beam can be focused and is ready to use in any occasion. Therefore a fast-focus system is implemented which allows you to cover the full focus-range with just a quarter turn (spot flood). In total five different pre-installed light modes are available which can be set with the electronic switch. If you are looking for a reliable and stylish Every-Day-Carry flashlight with a high light ON time, the MAGLITE® ML300L™ LED 6 D is your choice!

# MAGLITE® ML300L™ LED 6-Cell D

<b>Colors</b>	Article no.	Black
	Blister Packaging**	-
	EAN-Code	-
	Article no.	ML300L-S6015
<b>Chipboard-Box Packaging**</b>	EAN-Code	038739503950




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	-	-	-
Case pack*:	-	-	-
Master pack*:	-	-	-
Single unit**:	1	48 x 5,7 x 5,7	104,33
Case pack**:	-	-	-
Master pack**:	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The Mag-Lite® ML300L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML25LT™ LED 2-Cell C



accessories & parts

<b>Size:</b>	16,8 cm x 4,3 cm	<b>Light modes:</b>	2 modes: High, Low
<b>Weight with batteries:</b>	317 grams	<b>Battery:</b>	2x C
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

The New Maglite® ML25LT™ LED C-Cell Flashlight Ultra bright light in a sleek compact quality design. Simple twist head (ON/OFF - Focus). Focusing beam - turn head further to adjust from SPOT to FLOOD. Rugged machined aluminum construction, Candle Mode Hands Free Light.

# MAGLITE® ML25LT™ LED 2-Cell C

Colors	Black	Red	Gray	Silver	Blue
Article no.	ML25LT-S2016	ML25LT-S2036	ML25LT-S2096	ML25LT-S2106	ML25LT-S2116
Blister Packaging*	EAN-Code 038739880365	038739880372	038739880389	038739880396	038739880402
Article no.	ML25LT-S2015	ML25LT-S2035	ML25LT-S2095	ML25LT-S2105	ML25LT-S2115
Chipboard-Box Packaging**	EAN-Code 038739880211	038739880228	038739880235	038739880242	038739880259




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 22,54	204,12
Case pack*:	6	24,77 x 16,51 x 13,97	1.360,78
Master pack*:	72	45,72 x 45,72 x 40,64	17.304,53
Single unit**:	1	4,34 x 4,34 x 16,98	176,90
Case pack**:	6	19,69 x 14,61 x 10,16	1.247,38
Master pack**:	72	45,72 x 30,48 x 30,48	15.648,92

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML25LT™ 2-cell and 3-cell C LED flashlights are covered by U.S. Patent Nos. 7,986,112; 8,847,528 and D668,804. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlights and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.



**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# MAGLITE® ML25LT™ LED 3-Cell C



accessories & parts

**Size:** 21,8 cm x 4,3 cm

**Weight with batteries:** 408 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 mode: High

**Battery:** 3x C

**Warranty:** 10 years (limited)

The New Maglite® ML25LT™ LED C-Cell Flashlight Ultra bright light in a sleek compact quality design. Simple twist head (ON/OFF - Focus). Focusing beam - turn head further to adjust from SPOT to FLOOD. Rugged machined aluminum construction, Candle Mode Hands Free Light.

# MAGLITE® ML25LT™ LED 3-Cell C

Colors	Black	Red	Gray	Silver	Blue
Article no.	ML25LT-S3016	ML25LT-S3036	ML25LT-S3096	ML25LT-S3106	ML25LT-S3116
Blister Packaging*	EAN-Code 038739880365	038739880372	038739880389	038739880396	038739880402
Chipboard-Box Packaging**	Article no. ML25LT-S3015	ML25LT-S3035	ML25LT-S3095	ML25LT-S3105	ML25LT-S3115
	EAN-Code 038739880662	038739880679	038739880686	038739880693	038739880709



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 27,94	249,48
Case pack*:	6	30,48 x 17,15 x 13,97	1.587,57
Master pack*:	72	57,15 x 42,23 x 54,29	20.094,13
Single unit**:	1	4,34 x 4,34 x 21,91	226,80
Case pack**:	6	24,13 x 14,61 x 10,16	1.451,49
Master pack**:	72	60,96 x 25,4 x 38,1	18.052,96

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML25LT™ 2-cell and 3-cell C LED flashlights are covered by U.S. Patent Nos. 7,986,112; 8,847,528 and D668,804. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlights and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML50LX™ LED 2-Cell C

FL 1 STANDARD			
299m	490 LUMENS	22400cd	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	WATER RESISTANT
FL 1 STANDARD			
1m	15h	29h	112h
DROP RESISTANT	RUN TIME		



accessories & parts

**Size:** 20,7 cm x 5,0 cm

**Weight with batteries:** 360 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: Full, Low, Eco, Momentary, Strobe

**Battery:** 2x C

**Warranty:** 10 years (limited)

With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. There are three additional function sets – Outdoor; Law Enforcement; and Military – each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

# MAGLITE® ML50LX™ LED 2-Cell C

Colors	Black	Foliage Green	Urban Gray
<b>Blister Packaging*</b>	Article no. ML50LX-S2CC6	ML50LX-S2RI6	ML50LX-S2RJ6
	EAN-Code 038739811499	038739811505	038739811512
<b>Chipboard-Box Packaging**</b>	Article no. ML50LX-S2CC5	ML50LX-S2RI5	ML50LX-S2RJ5
	EAN-Code 038739811390	038739811406	038739811413




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 32,86	272,16
Case pack*:	6	34,93 x 19,21 x 14,13	1.859,73
Master pack*:	60	57,15 x 42,23 x 54,29	19.640,53
Single unit**:	1	5,08 x 5,08 x 21,18	240,40
Case pack**:	6	16,51 x 11,43 x 23,34	1.660,15
Master pack**:	60	60,96 x 25,4 x 38,1	17.281,86

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML50LX™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the fl ashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML50LX™ LED 3-Cell C



**Size:** 25,7 cm x 5,0 cm

**Weight with batteries:** 360 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: Full, Low, Eco, Momentary, Strobe

**Battery:** 3x C

**Warranty:** 10 years (limited)

With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. There are three additional function sets – Outdoor; Law Enforcement; and Military – each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

# MAGLITE® ML50LX™ LED 3-Cell C

Colors	Black	Foliage Green	Urban Gray
Article no.	ML50LX-S3CC6	ML50LX-S3RI6	ML50LX-S3RJ6
Blister Packaging*	EAN-Code 03873981543	038739811550	038739811567
Article no.	ML50LX-S3CC5	ML50LX-S3RI5	ML50LX-S3RJ5
Chipboard-Box Packaging**	EAN-Code 038739811444	038739811451	038739811468



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 32,86	294,83
Case pack*:	6	34,93 x 19,21 x 14,13	1.995,80
Master pack*:	60	57,15 x 42,23 x 54,29	21.001,31
Single unit**:	1	5,08 x 5,08 x 26,11	254,01
Case pack**:	6	16,51 x 11,43 x 28,1	1.850,66
Master pack**:	72	45,72 x 45,72 x 40,64	23.178,55

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML50LX™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the fl ashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML50L™ LED 2-Cell C

FL1 STANDARD			
291m	466 LUMENS	21197cd	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	
FL1 STANDARD			
1m	8h 15min	13h	109h
DROP RESISTANT	RUN TIME		



**Size:** 20,7 cm x 5,0 cm

**Weight with batteries:** 360 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: Full, Low, Eco, Momentary, Strobe

**Battery:** 2x C

**Warranty:** 10 years (limited)

# MAGLITE® ML50L™ LED 2-Cell C

Colors	Black	Red	Gray	Silver	Blue
Article no.	ML50L-S2016	ML50L-S2036	ML50L-S2096	ML50L-S2106	ML50L-S2116
Blister Packaging* EAN-Code	038739810218	038739810225	038739810232	038739810249	038739810256
Article no.	ML50L-S2015	ML50L-S2035	ML50L-S2095	ML50L-S2105	ML50L-S2115
Chipboard-Box Packaging** EAN-Code	038739810119	038739810126	038739810133	038739810140	038739810157



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 32,86	240,40
Case pack*:	6	34,93 x 19,21 x 14,13	1.859,73
Master pack*:	60	57,15 x 42,23 x 54,29	19.640,53
Single unit**:	1	5,08 x 5,08 x 21,18	240,40
Case pack**:	6	16,51 x 11,43 x 23,34	1.660,15
Master pack**:	60	60,96 x 25,4 x 38,1	17.281,86

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML50L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the fl ashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. There are three additional function sets - Outdoor; Law Enforcement; and Military - each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML50L™ LED 3-Cell C

FL 1 STANDARD			
339m	611 LUMENS	28760cd	WATER RESISTANT
BEAM DISTANCE	LUMENS	PEAK BEAM INTENSITY	
FL 1 STANDARD			
1m	16h	42h	153h
DROP RESISTANT	RUN TIME		



accessories & parts

**Size:** 25,7 cm x 5,0 cm

**Weight with batteries:** 453 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: Full, Low, Eco, Momentary, Strobe

**Battery:** 3x C

**Warranty:** 10 years (limited)

With the familiar QuickClik® system users can, within the "General" function set, choose Full Power (maximum Lumens); Low Power; or Eco Mode - a super power saving mode with greatly extended run-time. There are three additional function sets – Outdoor; Law Enforcement; and Military – each offering a different set of functions invoked in a different sequence, for quickest access to the functions the particular user prefers. The IMPROVED, faster-handling "Quick Focus™" system now adjusts from spot to flood with about a ¼ turn of the head.

# MAGLITE® ML50L™ LED 3-Cell C

Colors	Black	Red	Gray	Silver	Blue
Article no.	ML50L-S3016	ML50L-S3036	ML50L-S3096	ML50L-S3106	ML50L-S3116
Blister Packaging*	EAN-Code 038739810263	038739810270	038739810287	038739810294	038739810300
Chipboard-Box Packaging**	Article no. ML50L-S3015	ML50L-S3035	ML50L-S3095	ML50L-S3105	ML50L-S3115
	EAN-Code 038739810164	038739810171	038739810188	038739810195	038739810201



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 32,86	294,83
Case pack*:	6	34,93 x 19,21 x 14,13	1.995,80
Master pack*:	60	57,15 x 42,23 x 54,29	21.001,31
Single unit**:	1	5,08 x 5,08 x 26,11	254,01
Case pack**:	6	16,51 x 11,43 x 28,1	1.850,66
Master pack**:	72	45,72 x 45,72 x 40,64	23.178,55

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® ML50L™ flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,482,209; 8,507,819 and 9,255,696. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending on the flashlight and LED Module. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML100® LED 2-Cell C



**Size:** 23,2 cm x 5,0 cm

**Weight with batteries:** 430 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: High, Low, Strobe, SOS, Momentary

**Battery:** 2x C

**Warranty:** 10 years (limited)

Designed for optimum light output, the MAGLITE® ML100® LED flashlights deliver performance oriented features in a sleeker compact design. Available in either 2 or 3 Cell C size, these advanced lighting instruments are driven by next-generation MAG-LED Technology. Now with more features...amazingly bright and longer battery life than ever before. PERSONALIZE for QUICK ACCESS to your PREFERRED FUNCTIONS Full Power, Power Save (25%), Strobe (12/sec), SOS (Int'l Morse Code), Momentary On/Off.

# MAGLITE® ML100® LED 2-Cell

Colors	Black	
Blister Packaging*	Article no.	ML100-S2DX6
	EAN-Code	038739800233
Chipboard-Box Packaging**	Article no.	ML100-S2015
	EAN-Code	038739510071



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 32,72	467,20
Case pack*:	6	19,85 x 13,5 x 34,93	3.152,46
Master pack*:	36	45,72 x 45,72 x 40,64	19.890,01
Single unit**:	1	5,08 x 5,08 x 23,81	439,98
Case pack**:	6	16,99 x 11,59 x 26,04	2.059,31
Master pack**:	72	45,72 x 45,72 x 40,64	25.718,67

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The Mag-Lite® ML100® LED flashlight is covered by the following U.S. patents: 7,264,372; 7,334,914; 7,344,269; 7,986,112; D625,847. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® ML100® LED 3-Cell C



accessories & parts

**Size:** 28,2cm x 5,0 cm

**Weight with batteries:** 521 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: High, Low, Strobe, SOS, Momentary

**Battery:** 3x C

**Warranty:** 10 years (limited)

Designed for optimum light output, the MAGLITE® ML100® LED flashlights deliver performance oriented features in a sleeker compact design. Available in either 2 or 3 Cell C size, these advanced lighting instruments are driven by next-generation MAG-LED Technology. Now with more features...amazingly bright and longer battery life than ever before. PERSONALIZE for QUICK ACCESS to your PREFERRED FUNCTIONS Full Power, Power Save (25%), Strobe (12/sec), SOS (Int'l Morse Code), Momentary On/Off.

# MAGLITE® ML100® LED 3-Cell C

Colors	Black	
Blister Packaging*	Article no.	ML100-S3DX6
	EAN-Code	038739800288
Chipboard-Box Packaging**	Article no.	ML100-S3015
	EAN-Code	038739800189




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 37,8	589,67
Case pack*:	6	19,85 x 13,5 x 39,88	3.683,17
Master pack*:	36	45,72 x 45,72 x 40,64	23.074,23
Single unit**:	1	5,08 x 5,08 x 28,89	566,99
Case pack**:	6	16,99 x 11,59 x 30,8	2.222,60
Master pack**:	72	45,72 x 45,72 x 40,64	27.669,11

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML100® LED flashlight is covered by the following U.S. patents: 7,264,372; 7,334,914; 7,344,269; 7,986,112; D625,847. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany




**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAG-TAC® LED CR123

## CROWNED BEZEL

## PLAIN BEZEL



**Size:** 14,7 cm x 2,6 cm

**Weight with batteries:** 136 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 3 modes: Full, Momentary, Strobe (Crown); Full, Low, Momentary (Plain)

**Battery:** CR123 battery

**Warranty:** 10 years (limited)

**CROWNED BEZEL:** Designed with extensive input from military tactical consultants, yet suitable also for civilian use, the crowned-bezel version of the MAG-TAC® LED flashlight comes with a detachable pocket clip and features three modes: Momentary (in which the light stays on only while the switch button is being pressed); Full Power for a dazzling, 320-lumen beam that can light up an object two football fields away; and Strobe for a high-energy 12 Hz strobe that can disorient an opponent. All functions are selectable through Mag Instrument's tail capswitch activated QuickClick® mode selector.

**PLAIN BEZEL:** Designed with extensive input from police tactical users, yet suitable also for civilian use, this plain bezel version of the MAG-TAC® LED flashlight comes with a detachable pocket clip and features three modes: Two power levels (Full Power for extreme brightness and Power Save for prolonged battery life) plus a Momentary mode (in which the light stays on only while the switch button is being pressed) all selectable through Mag Instrument's tail cap-switch-activated QuickClick® mode selector.

# MAG-TAC® LED CR123

## Colors

Black

Foliage Green

Urban Gray

## Crowned version in Blister Packaging\*

Article no.

SG2LRA6

SG2LRB6

SG2LRC6

EAN-Code

038739670430

038739670447

038739670454

## Plain version in Blister Packaging\*

Article no.

SG2LRE6

SG2LRF6

SG2LRG6

EAN-Code

038739670638

038739670645

038739670652



## Packaging information:

Single unit\*:  
Case pack\*:  
Master pack\*:

## Volume

1  
6  
72

## Measurements (cm)

3,51 x 12,4 x 22,56  
19,85 x 13,18 x 24,45  
40,48 x 40,48 x 50,64

## Weight (g)

181,44  
1.224,70  
15.648,92

## Please note

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Includes some imported components. U.S. Pat. Nos. 8,210,710; 8,240,874 and D625,847 and patents pending. Mag Instrument's factory is located in Ontario, California. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

## Maglite Europe GmbH & Co.KG

Saline 14  
78628 Rottweil  
Germany

## Mag Instrument, Inc.

2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# Mini MAGLITE® Pro® + LED 2-Cell

**FL 1 STANDARD**

Beam Distance	LUMENS	Peak Beam Intensity	Water Resistant
181m	351	8148cd	Water Resistant
167m	281	6947cd	Water Resistant
150m	245	5600cd	Water Resistant

**Drop Resistant** | **Run Time**

Drop Resistant	Run Time
1m	2h30min
1m	2h30min
1m	2h 15min

Accessories & parts:

**Size:** 16,7 cm x 2,5 cm

**Weight with batteries:** 117 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 2 modes: High, Low

**Battery:** 2x AA

**Warranty:** 10 years (limited)

Features the same iconic beauty that has made Mini Maglite® the world's most recognizable lighting instrument for a quartercentury. And it has the same renowned, highprecision optics that the MAGLITE® brand has always stood for. But there's a "PLUS" (two, actually): (1) The PRO+® offers new, powerful electronics, driving the state-of-the-art LED light engine to an impressive lumen output at the "high" setting and (2) The PRO+® lets the user choose between two output levels – one for maximum brightness, the other to conserve power.

# Mini MAGLITE® Pro® + LED 2-Cell AA

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no. SP+P01H	Article no. SP+P03H	Article no. SP+P09H	Article no. SP+P10H	Article no. SP+P11H
	EAN-Code 038739551098	EAN-Code 038739551104	EAN-Code 038739551111	EAN-Code 038739551128	EAN-Code 038739551135
<b>Presentation-Box Packaging**</b>	Article no. SP+P017	Article no. SP+P037	Article no. SP+P097	Article no. SP+P107	Article no. SP+P117
	EAN-Code 038739551395	EAN-Code 038739551401	EAN-Code 038739551418	EAN-Code 038739551425	EAN-Code 038739551432



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44
Single unit**:	1	19,05 x 7,62 x 3,18	113,40
Case pack**:	6	19,85 x 17,31 x 11,27	1.465,10
Master pack**:	72	53,5 x 41,44 x 25,08	18.347,80

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® PRO+® 2-cell AA LED fl ashlight is covered by U.S. Patent Nos. 7,566,149; 7,986,112; D625,847; D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® Pro+® LED 2-Cell AA

Colors		Dark Green	UCP
<b>Blister Packaging* + accessories included</b>	Article no.	SP+P39H	SP+PMRH
	EAN-Code	038739551142	038739554785
<b>Presentation-Box Packaging**</b>	Article no.	SP+P397	SP+PMR7
	EAN-Code	038739553986	038739551449



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44
Single unit**:	1	19,05 x 7,62 x 3,18	113,40
Case pack**:	6	19,85 x 17,31 x 11,27	1.465,10
Master pack**:	72	53,5 x 41,44 x 25,08	18.347,80

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mini Maglite® PRO+® 2-cell AA LED fl ashlight is covered by U.S. Patent Nos. 7,566,149; 7,986,112; D625,847; D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components.  
The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® Pro® LED 2-Cell AA



**Size:** 16,7 cm x 2,5 cm  
**Weight with batteries:** 117 grams  
**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 modes: High  
**Battery:** 2x AA  
**Warranty:** 10 years (limited)

The iconic look of our original Mini Maglite® 2AA flashlight, introduced more than a quarter-century ago, is still seen in this portable lighting device. But there's one big difference: A state of the art LED light engine that provides a high intensity light beam. The Mini Maglite PRO includes the same classic simplicity of function. Twist head; On/Off and a beam that can be adjusted from an intense spot to a wide area flood. Great for EDC Every Day Carry, Convenient Belt Holster Included, Good for The Following Activities:- Outdoor, Professional, DIY, Home, Automotive. The Pro includes a lanyard ring tailcap and is built from high strength aluminum alloy tough enough to last a lifetime of use. So whether you are into outdoor activities such as, camping, hiking or are a professional, aircraft mechanic, security, technician or just need a portable light with a high powered light beam the iconic Mini Maglite Pro is second to none.

# Mini MAGLITE® Pro® LED 2-Cell AA

Colors		Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no.	SP2P01H	SP2P03H	SP2P09H	SP2P10H	SP2P11H
	EAN-Code	038739550213	038739550220	038739550237	038739550244	038739550251
<b>Presentation-Box Packaging**</b>	Article no.	SP2P017	SP2P037	SP2P097	SP2P107	SP2P117
	EAN-Code	038739550411	038739550428	038739550435	038739550442	038739550459



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44
Single unit**:	1	19,05 x 7,62 x 3,18	113,40
Case pack**:	6	19,85 x 17,31 x 11,27	1.465,10
Master pack**:	72	53,5 x 41,44 x 25,08	18.347,80

**Please note**  
 Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® PRO® 2-cell AA LED flashlight is covered by U.S. Patent Nos. 7,566,149; 7,986,112; 8,760,085; 8,733,966; D530,438; and D530,439. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A.  
 Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
 Saline 14  
 78628 Rottweil  
 Germany

**Mag Instrument, Inc.**  
 2001 South Hellmann Avenue  
 Ontario, CA91761  
 U.S.A.



# Mini MAGLITE® Pro® LED 2-Cell AA

Colors		Dark Green	UCP	Rose Gold	Pink Camo	NBCF P. Camo
Blister Packaging* + accessories included	Article no.	SP2P39H	SP2PMRH	SP2PSVH	SP2PRZH	SP2PTWH
	EAN-Code	038739554778	038739550640	038739554693	038739535593	038739536637
Presentation-Box Packaging**	Article no.	SP2P397	SP2PMR7	SP2PSV7	SP2PRZ7	SP2PTW7
	EAN-Code	038739553948	038739550689	038739554792	038739535524	038739536645



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44
Single unit**:	1	19,05 x 7,62 x 3,18	113,40
Case pack**:	6	19,85 x 17,31 x 11,27	1.465,10
Master pack**:	72	53,5 x 41,44 x 25,08	18.347,80

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® PRO® 2-cell AA LED flashlight is covered by U.S. Patent Nos. 7,566,149; 7,986,112; 8,760,085; 8,733,966; D530,438; and D530,439. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A.  
Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® Pro® LED 2-Cell AA Combo Pack

Colors		Black	Red	Gray	Silver	Blue
Blister Packaging* + accessories included	Article no.	SP2P01C	SP2P03C	SP2P09C	SP2P10C	SP2P11C
	EAN-Code	038739554815	038739554822	038739554839	038739554846	038739554853
Accessories	Pocket clip, lanyard wrist strap, lens holder, red, blue and clear lenses and two AA cell premium alkaline batteries.					



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mini Maglite® PRO® 2-cell AA LED flashlight is covered by U.S. Patent Nos. 7,566,149; 7,986,112; 8,760,085; 8,733,966; D530,438; and D530,439. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A.  
Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® LED 2-Cell AA



accessories & parts

**Size:** 16,7 cm x 2,5 cm

**Weight with batteries:** 117 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 4 modes: High, Low (25%), Blink, SOS

**Battery:** 2x AA

**Warranty:** 10 years (limited)

The Mini Maglite® LED fl ashlight delivers performance oriented features in a sleek compact design. This advanced lighting instrument is driven by the next generation of MAG-LED technology. The Multi-Mode Electronic switch offers two different power settings - a maximum-power setting that yields maximum brightness and a 25% power setting to conserve battery power for reading at night, or for a prolonged emergency. Also includes 4 Selectable Modes: High Power, Low Power (25%), Blink Mode (Blinks approx. once a sec.) and SOS.

# Mini MAGLITE® LED 2-Cell AA

Colors		Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no.	SP2201H	SP2203H	SP2209H	SP2210H	SP2211H
	EAN-Code	038739530406	038739530413	038739530420	038739530437	038739530444
<b>Presentation-Box Packaging**</b>	Article no.	SP22017	SP22037	SP22097	SP22107	SP22117
	EAN-Code	038739531342	038739531359	038739531366	038739531373	038739531380



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,33 x 12,7 x 27,94	204,12
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44
Single unit**:	1	19,05 x 7,62 x 3,18	113,40
Case pack**:	6	19,85 x 17,31 x 11,27	1.465,10
Master pack**:	72	53,5 x 41,44 x 25,08	18.347,80

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AA LED fl ashlight is covered by U.S. Patent Nos. 7,566,149; 8,169,165; 8,482,209; 8,733,966; D530,438 and D530,439. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® LED 2-Cell AA

Colors		Dark Green	UCP	Copper	Hot Pink	NBCF Pink
Blister Packaging* + accessories included	Article no.	SP2239H	SP22MRH	SP22JYH	SP22KYH	SP22MWH
	EAN-Code	038739536729	038739532424	038739535968	038739535975	038739536590
Presentation-Box Packaging**	Article no.	SP22397	SP22MR7	SP22JY7	SP22KY7	SP22MW7
	EAN-Code	038739535692	038739532394	038739536064	038739536071	038739536606



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,33 x 12,7 x 27,94	204,12
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44
Single unit**:	1	19,05 x 7,62 x 3,18	113,40
Case pack**:	6	19,85 x 17,31 x 11,27	1.465,10
Master pack**:	72	53,5 x 41,44 x 25,08	18.347,80

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AA LED fl ashlight is covered by U.S. Patent Nos. 7,566,149; 8,169,165; 8,482,209; 8,733,966; D530,438 and D530,439. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® LED 2-Cell AA Combo Pack

Colors		Black	Red	Gray	Silver	Blue
Blister Packaging* + accessories included	Article no.	SP2201C	SP2203C	SP2209C	SP2210C	SP2211C
	EAN-Code	038739536736	038739536743	038739536750	038739536767	03873536774
Accessories	Pocket clip, lanyard wrist strap, lens holder, red, blue and clear lenses and two AA cell premium alkaline batteries.					



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,33 x 12,7 x 27,94	204,12
Case pack*:	6	15,4 x 13,5 x 30,16	1.292,74
Master pack*:	90	57,15 x 42,23 x 54,29	20.638,44

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The Mini Maglite® 2-cell AA LED fl ashlight is covered by U.S. Patent Nos. 7,566,149; 8,169,165; 8,482,209; 8,733,966; D530,438 and D530,439. The LED Module is covered by U.S. Patent No. D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® fl ashlights, and the circumferential inscription on the heads of all Mag® fl ashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a fl ashlight signifies that it is an original Mag® fl ashlight and part of the Mag® family of fl ashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® fl ashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® fl ashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Solitaire® LED 1-Cell AAA




<b>Size:</b>	8,1 cm x 1,3 cm	<b>Light modes:</b>	1 High
<b>Weight with batteries:</b>	23 grams	<b>Battery:</b>	1x AAA
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

A Keychain-Size Flashlight with Big-Light Power. That describes our Maglite® Solitaire® LED Flashlight. It features the classic look of our original Solitaire® flashlight introduced in 1988. And it works in the same simple way – just twist the head to turn on, turn off and focus spot to flood. But thanks to a new, state-of-the-art LED light engine, you get something you just wouldn't expect to see coming out of a flashlight so small: A blast of power that can light up an object at the far end of the parking lot.

# Solitaire® LED 1-Cell AAA

Colors		Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no.	SJ3A016	SJ3A036	SJ3A096	SJ3A106	SJ3A116
	EAN-Code	038739600079	038739600086	038739600093	038739600109	038739600116
<b>Presentation-Box Packaging** + accessories included</b>	Article no.	J3A012	J3A032	J3A092	J3A102	J3A112
	EAN-Code	038739600321	038739600338	038739600345	038739600352	038739600369



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,03 x 12,4 x 22,56	45,36
Case pack*:	6	13,34 x 12,07 x 18,58	403,70
Master pack*:	bl. 72 (240)	57,15 x 42,23 x 54,29	17.191,14
Single unit**:	1	9,3 x 5,72 x 2,31	68,04
Case pack**:	12	14,77 x 12,38 x 11,43	875,43
Master pack**:	bl. 72 (432)	30,64 x 13,34 x 31,24	6.889,16

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany


**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Solitaire® LED

## 1-Cell AAA

Colors		Dark Green	Rose Gold	Hot Pink	NBCF Pink
<b>Blister Packaging*</b> + accessories included	Article no.	SJ3A396	SJ3ASV6	SJ3AKY6	SJ3AMW6
	EAN-Code	038739602623	038739603681	038739601274	038739603476
<b>Presentation-Box Packaging**</b> + accessories included	Article no.	J3A392	J3ASV2	J3AKY2	J3AMW2
	EAN-Code	038739603797	038739601267	038739602905	038739603483



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,03 x 12,4 x 22,56	45
Case pack*:	6	13,34 x 12,07 x 18,58	270
Master pack*:	240	57,15 x 42,23 x 54,29	10.800
Single unit**:	1	9,3 x 5,72 x 2,31	58,97
Case pack**:	12	14,77 x 12,38 x 11,43	875,43
Master pack**:	72	38,58 x 30,64 x 13,34	5.579,18

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# Mini MAGLITE® LED 2-Cell AAA



accessories & parts

**Size:** 12,7 cm x 1,9 cm

**Weight with batteries:** 49 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 2x AAA

**Warranty:** 10 years (limited)

Small, simple, but surprisingly bright. The Mini Maglite® AAA LED Flashlight. The heir to the original Mini Maglite® 2AAA flashlight launched over 30 years ago (1987), just twist the head to turn it on, turn it off and focus the beam. But thanks to a latest-generation LED light engine, it produces a beam whose intensity is nothing short of amazing from a pocket clippable flashlight that's not much bigger than a penlight.

# Mini MAGLITE® LED 2-Cell AAA

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no. SP32016 EAN-Code 038739560076	Article no. SP32036 EAN-Code 038739560083	Article no. SP32096 EAN-Code 038739560090	Article no. SP32106 EAN-Code 038739560106	Article no. SP32116 EAN-Code 038739560113
<b>Presentation-Box Packaging** + accessories included</b>	Article no. P32012 EAN-Code 038739560326	Article no. P32032 EAN-Code 038739560333	Article no. P32092 EAN-Code 038739560340	Article no. P32102 EAN-Code 038739560357	Article no. P32112 EAN-Code 038739560364



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,69 x 12,4 x 22,56	54
Case pack*:	6	13,5 x 11,11 x 24,61	324
Master pack*:	bl. 72 (180)	34,45 x 27,47 x 50,17	9.720
Single unit**:	1	16,92 x 5,56 x 3,18	58,97
Case pack**:	12	19,05 x 18,42 x 12,07	1.451,49
Master pack**:	bl. 72 (288)	39,37 x 38,1 x 19,69	9.344,00

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AAA LED flashlight is covered by U.S. Patent Nos. 7,566,149; D625,847; D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® LED

## 2-Cell AAA

Colors		Hot Pink	Rose Gold
Article no.		-	-
<b>Blister Packaging*</b>	EAN-Code	-	-
<b>Presentation-Box Packaging**</b>	Article no.	P32KY2	P32SV2
<b>+ accessories included</b>	EAN-Code	038739561394	038739562926




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	-	-	-
Case pack*:	-	-	-
Master pack*:	-	-	-
Single unit**:	1	16,92 x 5,56 x 3,18	58,97
Case pack**:	12	19,05 x 18,42 x 12,07	1.451,49
Master pack**:	bl. 72 (288)	39,37 x 38,1 x 19,69	9.344,00

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The Mini Maglite® 2-cell AAA LED flashlight is covered by U.S. Patent Nos. 7,566,149; D625,847; D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® XL50® LED 3-Cell AAA




accessories & parts

<b>Size:</b>	12,1 cm x 2,5 cm	<b>Light modes:</b>	3 modes: Full, Low, Strobe
<b>Weight with batteries:</b>	104 grams	<b>Battery:</b>	3x AAA
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Easy usage and best power values in a small space are the main specs of the MAGLITE® XL50® LED 3 AAA. Three different light modes are available: FULL, LOW, STROBE. The flashlight with tactical design has extremely resilient (1m drop test) and water-resistant (IPX4) encasement produced of both-sided eloxed T6061 aerospace-aluminum. By clicking the electronic switch on the bottom cap the MAGLITE® XL50® LED 3 AAA can be used one-handed: 1x click – FULL-mode with 100% illumination; 2x clicks LOW-mode with 25% illumination; 3x clicks STROBE-mode; 1x click to turn it off. For more challenging operations the MAGLITE® XL50® LED 3AAA offers a wide variety of accessories: hexagonal bezel, color-lens kit (red, green, blue), pocket clip. Looking at these power values and accessories it is no surprise that the National Tactical Officers Association recommends the MAGLITE® XL50® LED 3AAA for police and military use.

# MAGLITE® XL50® LED 3-Cell AAA

Colors		Black	Red	Gray	Silver	Blue
Blister Packaging*	Article no.	XL50-S3016	XL50-S3036	XL50-S3096	XL50-S3106	XL50-S3116
	EAN-Code	038739630250	038739630267	038739630274	038739630281	038739630298
Presentation-Box Packaging**	Article no.	XL50-S3017	XL50-S3037	XL50-S3097	XL50-S3107	XL50-S3117
	EAN-Code	038739630503	038739630510	038739630526	038739630534	038739632544



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	16,04 x 12,86 x 25,07	1.020,58
Master pack*:	72	39,85 x 33,18 x 52,39	12.895,62
Single unit**:	1	16,67 x 7,78 x 2,86	181,44
Case pack**:	6	17,94 x 17,31 x 11,43	1.315,42
Master pack**:	72	54,77 x 36,67 x 25,72	16.714,87

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Maglite® XL50® 3-cell AAA LED flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,507,819; 8,482,209 and D643,561. The LED Module is covered by U.S. Patent Nos. 7,986,112 and D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® XL50® LED 3-Cell AAA Tactical Pack

<b>Colors</b>		<b>Black</b> 
<b>Blister Packaging* + accessories included</b>	Article no.	XL50-S301C
	EAN-Code	038739632148
<b>Accessories</b>	Lens holder / Anti-roll device, colored lens set, pocket clip and three AAA cell premium alkaline batteries.	



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	181,44	3,51 x 12,4 x 22,56
Case pack*:	6	1.111,30	23,5 x 20,96 x 13,97
Master pack*:	16	18.824,07	57,15 x 42,23 x 54,29

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The Maglite® XL50® 3-cell AAA LED flashlight is covered by U.S. Patent Nos. 8,210,710; 8,240,874; 8,395,066; 8,507,819; 8,482,209 and D643,561. The LED Module is covered by U.S. Patent Nos. 7,986,112 and D625,847. Other patents pending. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® XL200® LED 3-Cell AAA



accessories & parts

**Size:** 12,1 cm x 2,5 cm

**Weight with batteries:** 104 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 5 modes: Full, Strobe, Night-Light, Blink, SOS

**Battery:** 3x AAA

**Warranty:** 10 years (limited)

The MAGLITE® XL200® LED 3 AAA offers a compact, tactical design and convinces with a variety of light modes which are available by clicking the electronic switch on the bottom cap or per motion sensors:

- 1 click: FULL (100%), dimmable by turning your wrist, Memory-function
- 2 clicks: STROBE, changeable frequency by turning your wrist, Memory-Function
- 3 clicks: Night-light function. Automatically dims and turns off. Automatically turning on with motion
- 4 clicks: Blink-mode
- 5 clicks: SOS-mode

For more challenging operations the MAGLITE® XL200® LED 3AAA offers a wide variety of accessories: hexagonal bezel, color-lens kit (red, green, blue), pocket clip. Looking at these power values and accessories it is no surprise that the National Tactical Officers Association recommends the MAGLITE® XL200® LED 3AAA for police and military use.

# MAGLITE® XL200® LED 3-Cell AAA

Colors	Black	Red	Gray	Blue
Article no.	XL200-S3016	XL200-S3036	XL200-S3096	XL200-S3116
Blister Packaging*	EAN-Code 038739661506	038739661513	038739661520	038739661544
Article no.	XL200-S3017	XL200-S3037	XL200-S3097	XL200-S3117
Presentation-Box Packaging**	EAN-Code 038739661750	038739661766	038739661773	038739661797



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	6	16,04 x 12,86 x 25,07	1.020,58
Master pack*:	72	39,85 x 33,18 x 52,39	12.895,62
Single unit**:	1	16,67 x 7,78 x 2,86	181,44
Case pack**:	6	17,94 x 17,31 x 11,43	1.315,42
Master pack**:	72	54,77 x 36,67 x 25,72	16.714,87

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Maglite® XL200® 3-cell AAA LED flashlight is covered by U.S. Patent No. D643,561. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® XL200® LED 3-Cell AAA Tactical Pack

Colors		Black	Red	Gray	Silver
Blister Packaging* + accessories included	Article no.	XL200-S301C	XL200-S303C	XL200-S309C	XL200-S311C
	EAN-Code	038739663722	038739663791	038739663807	038739663814

**Accessories** Lens holder / Anti-roll device, colored lens set, pocket clip and three AAA cell premium alkaline batteries.




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	181,44
Case pack*:	6	23,5 x 20,96 x 13,97	1.111,30
Master pack*:	100	57,15 x 42,23 x 54,29	18.824,07

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Maglite® XL200® 3-cell AAA LED flashlight is covered by U.S. Patent No. D643,561. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Maglite Spectrum Series®



## Blue LED





Solitaire® LED  
1AAA





Mini Maglite® LED  
2AAA



Mini Maglite® LED  
2AA



XL50® LED  
3AAA



accessories & parts

# Maglite Spectrum Series®

## Blue LED

Colors	Solitaire® AAA*	Mini Maglite® AAA*	Mini Maglite® AA**	XL50® AAA**
<b>Presentation-Box Packaging + accessories included</b>	J3ASX2 038739603247	P32SX2 038739563190	SP22SX7 038739536255	XL50-S3SX7 038739632551
<b>Packaging information:</b>	<b>Volume</b>	<b>Measurements (cm)</b>	<b>Weight (g)</b>	
Single unit:	1		on request	
Case pack:	6* ; 12**	on request	on request	
Master pack:	72			

The Maglite Spectrum Series® LED flashlights, feature a blue beam. Blue is the preferred light source for pilots. Great for reading maps in low light or no light environments. Blue light provides great detail and does not wash out symbols, notes, or elevation markers on maps. Used by hunters for blood tracking. Forensic personnel and crime scene technicians use blue light to detect bodily fluids.

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2018 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany


**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.




# Maglite Spectrum Series® Green LED



Solitiare® LED  
1AAA






Mini Maglite® LED  
2AAA



Mini Maglite® LED  
2AA



XL50® LED  
3AAA



page  
130

accessories & parts

# Maglite Spectrum Series® Green LED

Colors	Solitiare® AAA*	Mini Maglite® AAA*	Mini Maglite® AA**	XL50® AAA**
<b>Presentation-Box Packaging + accessories included</b>	J3ASY2	P32SY2	SP22SY7	XL50-S3SY7
Article no.	J3ASY2	P32SY2	SP22SY7	XL50-S3SY7
EAN-Code	038739603254	038739563206	038739536262	038739632568
<b>Packaging information:</b>	<b>Volume</b>	<b>Measurements (cm)</b>	<b>Weight (g)</b>	
Single unit:	1			
Case pack:	6* ; 12**	on request	on request	
Master pack:	72			

The Maglite Spectrum Series® LED flashlights, feature a green beam. Green is great for outdoors as animals, insects and fish typically do not react to seeing a green led light source. Visually your eye responds better to green and blue color lighting. Protects your night vision and avoids eye strain typically associated with using white LED's for an extended period of time. Great rescue light for both the professional rescuer as well as the average consumer, green LED flashlights can be seen up to a mile away.

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2018 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany


**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.







# Maglite Spectrum Series®


## Red LED



Solitaire® LED  
1AAA



XL50® LED  
3AAA



page  
144

accessories & parts

# Maglite Spectrum Series®

## RED LED

Colors	Solitaire® AAA*	XL50® AAA**	
<b>Presentation-Box Packaging + accessories included</b>	Article no. J3ASW2 EAN-Code 038739603230	Article no. XL50-S3SW7 EAN-Code 038739632544	
	 SPOT TO FLOOD  IPX7 Waterproof	 HANDS-FREE CANDLE MODE  QuickClick® electronic switch  IPX4 Water Resistant  Multi-Mode	
<b>Packaging information:</b>	<b>Volume</b>	<b>Measurements (cm)</b>	<b>Weight (g)</b>
Single unit: Case pack: Master pack:	1 6* ; 12** 72	on request	on request

The Maglite Spectrum Series® LED flashlights, feature a red beam. This is the best light source for protecting a person's night vision. Reduces eye strain in low level light situations. Provides greater contrast to objects it illuminates so you can see finer details. Does not interfere with night vision technology. Great lighting source for aircraft cockpits, truck cabins, confined spaces.

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2018 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.




# Maglite Spectrum Series®


## Warm white LED





Solitaire® LED  
1AAA




Mini Maglite® LED  
2AAA




Mini Maglite® LED  
2AA



Mini Maglite® LED  
2AA



XL50® LED  
3AAA



accessories & parts

# Maglite Spectrum Series®

## Warm white LED

Colors	Solitaire® AAA*	Mini Maglite® AAA*	Mini Maglite® AA**	XL50® AAA**
<b>Presentation-Box Packaging + accessories included</b>	J3ASZ2	P32SZ2	SP22SZ7	XL50-S3SZ7
Article no.	J3ASZ2	P32SZ2	SP22SZ7	XL50-S3SZ7
EAN-Code	038739603261	038739563213	038739536279	038739632575

Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit:	1		
Case pack:	6* ; 12**	on request	on request
Master pack:	72		

The Maglite Spectrum Series® LED flashlights, feature a warm white beam for consistency; all other Spectrum Series Warm white light is the ideal light source for working in tight spaces. Preferred light for electronic technicians, because warm white LEDs allow for the full color spectrum to be seen in detail on wires/cables. Cool white Light LEDs make browns, blacks and reds look the same, warm White LEDs do not mask color. For situations in which a flashlight is going to be used for an extended period of time, warm white LEDs avoid eye strain because it is a natural light similar to the sun's ray unlike regular white LEDs.

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2018 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® LED



**Solitaire®  
LED  
Pack\***

**US1  
POCKET  
KNIFE**



**Mini  
Maglite®  
LED  
Pack\***

**US1  
POCKET  
KNIFE**



**XL50®  
LED  
Pack\***

**SHARKBELLY  
KNIFE**



**ML50LX™  
LED  
Pack\***

**MULTI  
PLIER  
600**

\*Seasonal Item subject to Availability

# MAGLITE® GERBER® Packs LED

Colors	Solitaire® AAA	Mini Maglite® AAA	XL50® AAA	ML50LX® C
Article no.	SJ3ATMK	SP32TRK	XL50-S3TNK	ML50LX-S2TPT
Blister Packaging EAN-Code	038739603445	038739563329	038739632704	038739813615



### Packaging information:

Single unit:  
Case pack:  
Master pack:

Volume	Measurements (cm)	Weight (g)
1		
6	on request	on request
6 (ML50 only)		

### Please note

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

For further details please see the specific product information.



accessories & parts

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® LED

# SABRE®



Solitaire®  
LED  
Pack\*

SABRE®  
ALARM  
120dB



Mini  
Maglite®  
Pro® LED  
Pack\*

SABRE®  
ALARM  
120dB



\*Seasonal Item subject to Availability

# MAGLITE® SABRE® Packs LED

Colors	Article no.	Solitaire® AAA	Mini Maglite® Pro®
		SJ3AUD6	SP2PUF6
Blister Packaging	EAN-Code	038739603445	038739563329
Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit:	1		
Case pack:	12	on request	on request
Master pack:	72		

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


For further details please see the specific product information.



accessories & parts

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Incandescent



Solitaire®  
Pack

Victorinox®  
Knife



Mini  
Maglite®  
AAA  
Pack

Victorinox®  
Knife



Mini  
Maglite®  
AA  
Pack

Victorinox®  
Knife

# MAGLITE® Victorinox® Packs Incandescent

Colors	Article no.	Solitaire® AAA	Mini Maglite® AAA	Mini Maglite® AA
		K3A492	M3A49L	M2A49L
Blister Packaging	EAN-Code	038739202622	038739162339	038739033349



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit:	1	on request	on request
Case pack:	12		
Master pack:	72		

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

For further details please see the specific product information.



accessories & parts



accessories & parts

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® LED



Mini Maglite® LED Pack



ML25LT™ LED Pack



ML50L™ LED Pack



ML300L™ LED Pack

# MAGLITE® Safety Packs LED

Colors	Mini Maglite® AA	ML25LT™	ML50L™	ML300L™
Blister Packaging + accessories included	Article no. IP2201G	ML25LT-J201G	ML50L-I201G	ML300L-I201G
	EAN-Code 038739536392	038739882048	038739813578	038739504490



**Packaging information:**

Single unit:  
Case pack:  
Master pack:

Volume	Measurements (cm)	Weight (g)
1	on request	on request
6 (12 ML25LT™)		
-		

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

For further details please see the specific product information.



accessories & parts

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# MAGLITE® LED



Mini Maglite®LED Pack



ML25LT™ LED Pack



ML50L™ LED Pack



ML300L™ LED Pack

# MAGLITE® Outdoor Packs LED

Colors	Mini Maglite® AA	ML25LT™	ML50L™	ML300L™
Blister Packaging + accessories included	Article no. IP22TQG	ML25LT-I2TQG	ML50L-I2TQG	ML300L-I2TQG
	EAN-Code 038739536439	03873982123	03873981465	038739505503



**Packaging information:**

Single unit:  
Case pack:  
Master pack:

Volume	Measurements (cm)	Weight (g)
1 6 (12 ML25LT™)	on request	on request

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

For further details please see the specific product information.



accessories & parts


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# MAGLITE® INCANDESCENT 2-Cell D



accessories & parts



accessories & parts

**Size:** 25,4 cm x 5,7 cm

**Weight with batteries:** 674 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 2x D

**Warranty:** 10 years (limited)

Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® D-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.

# MAGLITE® INCANDESCENT 2-Cell D

Colors	Black	Red	Gray	Silver	Blue
Article no.	S2D016	S2D036	S2D096	S2D106	S2D116
Blister Packaging* EAN-Code	038739011851	038739012308	038739010380	038739026107	038739019178
Chipboard-Box Packaging** Article no.	S2D015	S2D035	S2D095	S2D105	S2D115
EAN-Code	038739012599	038739012711	038739010373	038739021508	038739018386



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 32,72	467,20
Case pack*:	12	35,56 x 38,74 x 13,34	5.760,62
Master pack*:	60	57,15 x 42,23 x 54,29	29.846,35
Single unit**:	1	5,72 x 5,72 x 25,4	439,98
Case pack**:	12	27,94 x 24,77 x 19,05	5.420,42
Master pack**:	72	57,15 x 42,23 x 54,29	33.565,81

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® INCANDESCENT 2-Cell D

Colors		Dark Green	Purple	Midnight Blue
	Article no.	S2D396	S2D986	S2DFD6
<b>Blister Packaging*</b>	EAN-Code	038739023823	038739025759	038739013527
<b>Chipboard-Box Packaging**</b>	Article no.	S2D395	-	-
	EAN-Code	038739024097	-	-



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 32,72	467,20
Case pack*:	12	35,56 x 38,74 x 13,34	5.760,62
Master pack*:	60	57,15 x 42,23 x 54,29	29.846,35
Single unit**:	1	5,72 x 5,72 x 25,4	439,98
Case pack**:	12	27,94 x 24,77 x 19,05	5.420,42
Master pack**:	72	57,15 x 42,23 x 54,29	33.565,81

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.



The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® INCANDESCENT 3-Cell D



**Size:** 31,3 cm x 5,7 cm

**Weight with batteries:** 856 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 3x D

**Warranty:** 10 years (limited)

Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® D-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.

# MAGLITE® INCANDESCENT 3-Cell D

Colors	Black	Red	Gray	Silver	Blue
Article no.	S3D016	S3D036	S3D096	S3D106	S3D116
Blister Packaging* EAN-Code	038739011868	038739012179	038739029658	038739017785	038739018300
Chipboard-Box Packaging** Article no.	S3D015	S3D035	S3D095	S3D105	S3D115
EAN-Code	038739012636	038739012759	038739029641	038739017815	038739018393



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 37,8	526,17
Case pack*:	12	39,37 x 38,74 x 13,34	6.477,29
Master pack*:	60	57,15 x 42,23 x 54,29	33.429,73
Single unit**:	1	5,72 x 5,72 x 31,45	498,95
Case pack**:	12	33,66 x 24,77 x 19,05	6.078,13
Master pack**:	72	57,15 x 42,23 x 54,29	37.512,06

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® INCANDESCENT 3-Cell D

Colors		Dark Green	Purple	Camo	UCP
	Article no.	S3D396	S3D986	S3D026	S3DMR6
<b>Blister Packaging*</b>	EAN-Code	038739015729	038739026190	038739026336	038739020600
	Article no.	S3D395	S3D985	-	S3DMR5
<b>Chipboard-Box Packaging**</b>	EAN-Code	038739017723	038739026251	-	038739020594



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 37,8	526,17
Case pack*:	12	39,37 x 38,74 x 13,34	6.477,29
Master pack*:	60	57,15 x 42,23 x 54,29	33.429,73
Single unit**:	1	5,72 x 5,72 x 31,45	498,95
Case pack**:	12	33,66 x 24,77 x 19,05	6.078,13
Master pack**:	72	57,15 x 42,23 x 54,29	37.512,06

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® INCANDESCENT 4-Cell D



accessories & parts



accessories & parts

**Size:** 37,5 cm x 5,7 cm

**Weight with batteries:** 1.043 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 4x D

**Warranty:** 10 years (limited)

Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® D-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.

# MAGLITE® INCANDESCENT 4-Cell D

Colors	Black	Red	Gray	Silver	Blue
Article no.	S4D016	S4D036	S4D096	S4D106	S1D116
Blister Packaging* EAN-Code	038739011875	038739012391	038739011226	038739012513	038739019192
Article no.	S4D015	S4D035	S4D095	S4D105	S4D115
Chipboard-Box Packaging** EAN-Code	038739012674	038739012797	038739028828	038739028842	038739019932




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 42,88	580,60
Case pack*:	12	44,45 x 38,74 x 13,34	7.076,04
Master pack*:	48	57,15 x 42,23 x 54,29	29.347,40
Single unit**:	1	5,72 x 5,72 x 37,47	557,92
Case pack**:	12	39,37 x 24,77 x 19,05	6.803,88
Master pack**:	72	57,15 x 42,23 x 54,29	41.866,54

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® INCANDESCENT 5-Cell D



accessories & parts



accessories & parts

**Size:** 43,4 cm x 5,7 cm

**Weight with batteries:** 1.233 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 5x D

**Warranty:** 10 years (limited)

Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® D-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.

# MAGLITE® INCANDESCENT 5-Cell D

Colors		Black	Red
	Article no.	S5D016	S5D036
<b>Blister Packaging*</b>	EAN-Code	038739011882	038739012186
	Article no.	S5D015	S5D035
<b>Chipboard-Box Packaging**</b>	EAN-Code	038739015217	038739015231




Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 48,9	644,10
Case pack*:	12	51,44 x 38,74 x 13,34	7.847,14
Master pack*:	48	57,15 x 42,23 x 54,29	32.431,83
Single unit**:	1	5,72 x 5,72 x 43,66	616,89
Case pack**:	12	45,72 x 24,77 x 19,05	7.529,63
Master pack**:	48	57,15 x 42,23 x 54,29	31.161,77

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® INCANDESCENT 6-Cell D



accessories & parts



accessories & parts

**Size:** 49,5 cm x 5,7 cm

**Weight with batteries:** 1.417grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 6x D

**Warranty:** 10 years (limited)

Every Maglite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Maglite® D-Cell flashlight includes two high intensity Xenon Lamps for enhanced brilliance and extended range.

# MAGLITE® INCANDESCENT 6-Cell D

Colors		Black	Red
	Article no.	S6D016	S6D036
<b>Blister Packaging*</b>	EAN-Code	038739011899	038739012346
	Article no.	S6D015	S6D035
<b>Chipboard-Box Packaging**</b>	EAN-Code	038739015224	038739015248



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,72 x 12,7 x 54,61	712,14
Case pack*:	12	55,88 x 38,74 x 13,34	8.663,61
Master pack*:	48	57,15 x 42,23 x 54,29	35.697,69
Single unit**:	1	5,72 x 5,72 x 49,68	680,39
Case pack**:	12	51,44 x 24,77 x 19,05	8.323,41
Master pack**:	48	57,15 x 42,23 x 54,29	34.336,91

**Please note**

Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® flashlight is covered by U.S. Patent No. 5,749,645. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# ML25IT™ INCANDESCENT 2-Cell C



**Size:** 16,8 cm x 4,3 cm

**Weight with batteries:** 317 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 2 modes: High, Low

**Battery:** 2x C

**Warranty:** 10 years (limited)

Sleek compact quality design. Simple twist head (ON/OFF - Focus), focusing beam - turn head further to adjust from SPOT to FLOOD, rugged machined aluminum construction, Candle Mode.

# ML25IT™ INCANDESCENT 2-Cell C

Colors	Black	Red	Gray	Silver	Blue
Article no.	ML25IT-2016	ML25IT-2036	ML25IT-2096	ML25IT-2106	ML25IT-2116
Blister Packaging* EAN-Code	038739860411	038739860428	038739860435	038739860442	038739860459
Chipboard-Box Packaging** Article no.	ML25IT-2015	ML25IT-2035	ML25IT-2095	ML25IT-2105	ML25IT-2115
EAN-Code	038739860268	038739860275	038739860282	038739860299	038739860305



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 22,54	204,12
Case pack*:	6	30,48 x 24,13 x 13,97	2.676,19
Master pack*:	60	60,96 x 25,4 x 38,1	14.152,07
Single unit**:	1	4,34 x 4,34 x 16,98	176,90
Case pack**:	6	19,05 x 18,73 x 14,61	2.449,40
Master pack**:	144	45,72 x 45,72 x 40,64	30.367,98

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mag-Lite® ML25IT™ 2-cell and 3-cell C Incandescent flashlights are covered by U.S. Patent No. D668,804. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.






# ML25IT™ INCANDESCENT 3-Cell C



accessories & parts



accessories & parts

**Size:** 21,8 cm x 4,3 cm

**Weight with batteries:** 408 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 mode: High

**Battery:** 3x C

**Warranty:** 10 years (limited)

Sleek compact quality design. Simple twist head (ON/OFF - Focus), focusing beam - turn head further to adjust from SPOT to FLOOD, rugged machined aluminum construction, Candle Mode.

# ML25IT™ INCANDESCENT 3-Cell C

Colors	Black	Red	Gray	Silver	Blue
Article no.	ML25IT-3016	ML25IT-3036	ML25IT-3096	ML25IT-3106	ML25IT-3116
Blister Packaging*	EAN-Code 038739860718	EAN-Code 038739860725	EAN-Code 038739860732	EAN-Code 038739860749	EAN-Code 038739860756
Chipboard-Box Packaging**	Article no. ML25IT-3015	Article no. ML25IT-3035	Article no. ML25IT-3095	Article no. ML25IT-3105	Article no. ML25IT-3115
	EAN-Code 038739860565	EAN-Code 038739860572	EAN-Code 038739860589	EAN-Code 038739860596	EAN-Code 038739860602



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	5,08 x 12,7 x 27,94	249,48
Case pack*:	6	30,48 x 29,85 x 13,97	3.129,78
Master pack*:	60	45,72 x 45,72 x 40,64	16.510,75
Single unit**:	1	4,34 x 4,34 x 21,91	226,80
Case pack**:	6	24,13 x 18,73 x 14,61	2.902,99
Master pack**:	120	45,72 x 45,72 x 40,64	29.982,43

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mag-Lite® ML25IT™ 2-cell and 3-cell C Incandescent flashlights are covered by U.S. Patent No. D668,804. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AA



**Size:** 14,6 cm x 2,5 cm  
**Weight with batteries:** 107 grams  
**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High  
**Battery:** 2x AA  
**Warranty:** 10 years (limited)

Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® AA flashlight. Now an icon of classic American design, and famous around the world for its quality, durability, and dependability.

# Mini MAGLITE® INCANDESCENT 2-Cell AA

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging*</b>	Article no. M2A016 EAN-Code 038739031668	Article no. M2A036 EAN-Code 038739031675	Article no. M2A096 EAN-Code 038739043708	Article no. M2A106 EAN-Code 038739032009	Article no. M2A116 EAN-Code 038739031699
<b>Presentation-Box Packaging**</b>	Article no. M2A01L EAN-Code 038739033068	Article no. M2A03L EAN-Code 038739033141	Article no. M2A09L EAN-Code 038739043652	Article no. M2A10L EAN-Code 038739033226	Article no. M2A11L EAN-Code 038739033264



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,33 x 12,4 x 22,56	68,04
Case pack*:	12	24,13 x 20,96 x 13,34	1.769,01
Master pack*:	72	43,82 x 41,91 x 25,4	11.203,72
Single unit**:	1	16,92 x 8,26 x 3,18	136,08
Case pack**:	12	19,05 x 17,15 x 17,78	2.404,04
Master pack**:	72	52,07 x 42,23 x 52,39	29.891,71

**Please note**  
 Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
 Saline 14  
 78628 Rottweil  
 Germany

**Mag Instrument, Inc.**  
 2001 South Hellmann Avenue  
 Ontario, CA91761  
 U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AA

Colors	Dark Green	Purple	Hot Pink	Midnight Blue	UCP	
Article no.	M2A396	M2A986	M2AKY6	M2AFD6	M2AMR6	
<b>Blister Packaging*</b>	EAN-Code	038739035116	038739037172	038739130958	038739043579	038739047812
Article no.	M2A39L	M2A98L	M2AKYL	M2AFDL	M2AMRL	
<b>Presentation-Box Packaging**</b>	EAN-Code	038739035123	038739035512	038739047225	038739043517	038739047742



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,33 x 12,4 x 22,56	68,04
Case pack*:	12	24,13 x 20,96 x 13,34	1.769,01
Master pack*:	72	43,82 x 41,91 x 25,4	11.203,72
Single unit**:	1	16,92 x 8,26 x 3,18	136,08
Case pack**:	12	19,05 x 17,15 x 17,78	2.404,04
Master pack**:	72	52,07 x 42,23 x 52,39	29.891,71

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AA

Colors	Black	Red	Gray	Silver	Blue	
Article no.	M2A01H	M2A03H	M2A09H	M2A10H	M2A11H	
<b>Blister Packaging* + accessories included</b>	EAN-Code	038739060521	038739060538	038739065168	038739061573	038739060552
Article no.	-	-	-	-	-	
<b>Presentation-Box Packaging**</b>	EAN-Code	-	-	-	-	



Packaging information:	Volume	Measurements (cm)	Weight (Kg)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	12	24,93 x 16,83 x 25,08	2.050,24
Master pack*:	72	51,12 x 49,24 x 26,99	13.199,53
Single unit**:	-	-	-
Case pack**:	-	-	-
Master pack**:	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AA

Colors		Dark Green	Purple	UCP
Blister Packaging* + accessories included	Article no.	M2A39H	M2A98H	M2AMRH
	EAN-Code	038739061474	038739063614	038739068930
Presentation-Box Packaging**	Article no.	-	-	-
	EAN-Code	-	-	-



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,51 x 12,4 x 22,56	158,76
Case pack*:	12	24,93 x 16,83 x 25,08	2.050,24
Master pack*:	72 bl., UCP (120)	51,12 x 49,24 x 26,99	13.199,53
Single unit**:	-	-	-
Case pack**:	-	-	-
Master pack**:	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AA Combo Pack

Colors		Black	Red	Camo	UCP	Blue
Blister Packaging* + accessories included	Article no.	M2A01C	M2A03C	M2A02C	M2AMRC	M2A11C
	EAN-Code	038739060569	038739060576	038739060613	038739069050	038739060590
Presentation-Box Packaging**	Article no.	-	-	-	-	-
	EAN-Code	-	-	-	-	-



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	3,38 x 12,4 x 22,56	154,22
Case pack*:	12	33,97 x 22,7 x 14,45	2.018,48
Master pack*:	96 (72 bl.)	42,86 x 34,93 x 47,31	12.927,37
Single unit**:	-	-	-
Case pack**:	-	-	-
Master pack**:	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


The Mini Maglite® 2-cell AA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Solitaire® Incandescent 1-Cell AAA




accessories & parts

<b>Size:</b>	8,1 cm x 1,3 cm	<b>Light modes:</b>	1 High
<b>Weight with batteries:</b>	23 grams	<b>Battery:</b>	1x AAA
<b>Encasement:</b>	Lifetime Tough® anodized aluminum body	<b>Warranty:</b>	10 years (limited)

Weighing less than 22 grams (with battery) and about 8 cm in length, the Solitaire® 1-Cell AAA flashlight offers the same precision engineering and craftsmanship found in every Maglite® flashlight. With its unique shape, the Solitaire® flashlight fits conveniently into pockets, purses, attache cases, etc.

# Solitaire® Incandescent 1-Cell AAA

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no. K3A016 EAN-Code 038739201689	Article no. K3A036 EAN-Code 038739201696	Article no. K3A096 EAN-Code 038739212531	Article no. K3A106 EAN-Code 038739201900	Article no. K3A116 EAN-Code 038739201719
<b>Presentation-Box Packaging** + accessories included</b>	Article no. K3A012 EAN-Code 038739202503	Article no. K3A032 EAN-Code 038739202428	Article no. K3A092 EAN-Code 038739212489	Article no. K3A102 EAN-Code 038739202503	Article no. K3A112 EAN-Code 038739202541



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,03 x 12,4 x 16,51	45,36
Case pack*:	12	21,59 x 16,83 x 14,29	734,82
Master pack*:	72	51,75 x 22,54 x 29,53	4.853,43
Single unit**:	1	9,3 x 5,72 x 2,31	68,04
Case pack**:	24	28,58 x 12,38 x 11,43	1.610,25
Master pack**:	72	57,15 x 42,23 x 54,29	30.027,79

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.


**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Solitaire® Incandescent 1-Cell AAA

Colors		Dark Green	Purple	Hot Pink	NBCF Pink	Amber
<b>Blister Packaging* + accessories included</b>	Article no.	K3A396	K3A986	K3AKY6	K3AMW6	-
	EAN-Code	038739204376	038739207056	038739215532	038739216980	-
<b>Presentation-Box Packaging** + accessories included</b>	Article no.	K3A392	K3A982	K3AKY2	K3AMW2	K3ALD2
	EAN-Code	038739202389	038739205021	038739215372	038739217019	038739216287



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,03 x 12,4 x 16,51	45,36
Case pack*:	12	21,59 x 16,83 x 14,29	734,82
Master pack*:	72	51,75 x 22,54 x 29,53	4.853,43
Single unit**:	1	9,3 x 5,72 x 2,31	68,04
Case pack**:	24	28,58 x 12,38 x 11,43	1.610,25
Master pack**:	72	57,15 x 42,23 x 54,29	30.027,79

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.


Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AAA



accessories & parts



accessories & parts

**Size:** 12,7 cm x 1,9 cm

**Weight with batteries:** 49 grams

**Encasement:** Lifetime Tough® anodized aluminum body

**Light modes:** 1 High

**Battery:** 2x AAA

**Warranty:** 10 years (limited)

Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® flashlight. Now an icon of classic American design, and famous around the world for its brightness, quality, durability, and dependability. The Mini Maglite® 2-Cell AAA flashlight has all the same features and functions as the Mini Maglite® AA flashlight in a smaller, lighter version for ease of use and storage.

# Mini MAGLITE® INCANDESCENT 2-Cell AAA

Colors	Black	Red	Gray	Silver	Blue
<b>Blister Packaging* + accessories included</b>	Article no. M3A016 EAN-Code 038739161396	Article no. M3A036 EAN-Code 038739161402	Article no. M3A096 EAN-Code 038739167398	Article no. M3A106 EAN-Code 038739161617	Article no. M3A116 EAN-Code 038739161426
<b>Presentation-Box Packaging** + accessories included</b>	Article no. M3A012 EAN-Code 038739162056	Article no. M3A032 EAN-Code 038739162094	Article no. M3A092 EAN-Code 038739167341	Article no. M3A102 EAN-Code 038739162179	Article no. M3A112 EAN-Code 038739162216



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,69 x 12,4 x 22,56	54,43
Case pack*:	12	24,13 x 20,96 x 13,34	1.088,62
Master pack*:	72	44,51 x 41,91 x 25,4	7.030,68
Single unit**:	1	3,18 x 5,72 x 16,92	90,72
Case pack**:	12	19,05 x 18,42 x 12,07	1.451,49
Master pack**:	72	39,37 x 38,1 x 19,69	9.344,00

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AAA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# Mini MAGLITE® INCANDESCENT 2-Cell AAA

Colors		Dark Green	Purple	Hot Pink	Midnight Blue
<b>Blister Packaging* + accessories included</b>	Article no.	M3A396	M3A986	M3AKY6	M3AFD6
	EAN-Code	038739163369	038739164793	038739169590	038739168128
<b>Presentation-Box Packaging** + accessories included</b>	Article no.	M3A392	M3A982	-	M3AFD2
	EAN-Code	038739163376	038739163406	-	038739168029



Packaging information:	Volume	Measurements (cm)	Weight (g)
Single unit*:	1	2,69 x 12,4 x 22,56	54,43
Case pack*:	12	24,13 x 20,96 x 13,34	1.088,62
Master pack*:	72	44,51 x 41,91 x 25,4	7.030,68
Single unit**:	1	3,18 x 5,72 x 16,92	90,72
Case pack**:	12	19,05 x 18,42 x 12,07	1.451,49
Master pack**:	72	39,37 x 38,1 x 19,69	9.344,00

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

The Mini Maglite® 2-cell AAA flashlight is covered by U.S. Patent Nos. D530,438; D530,439. Flashlight designed and manufactured in the U.S.A. Mag Instrument's factory is located in Ontario, California. Includes some imported components. The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscription on the heads of all Mag® flashlights, are trademarks of Mag Instrument. The circumferential inscription on the head of a flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the circumferential inscription and the shape, style and overall appearance of Mag® flashlights include Reg. Nos. 1,808,998, 2,074,795, 2,687,693, 2,745,460, 2,765,978 and 2,765,979. The ornamental patterns of knurling on Maglite® flashlights are trademarks of Mag Instrument (see U.S. Trademark Reg. No. 3,839,734). ©2017 MAG INSTRUMENT, INC.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# MAGLITE® Replacement Lamps

<b>Article</b>	C or D Cell Lamp 2 Cell Xenon	C or D Cell Lamp 3 Cell Xenon	C or D Cell Lamp 4 Cell Xenon	C or D Cell Lamp 5 Cell Xenon	C or D Cell Lamp 6 Cell Xenon
	1/pkg.	1/pkg.	1/pkg.	1/pkg.	1/pkg.
<b>Article no.</b>	LMXA201	LMXA301	LMXA401	LMXA501	LMXA601
<b>EAN-Code</b>	038739107172	038739107189	038739107196	038739107202	038739107219
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	12	12	12	12
Master pack:	1.512	1.512	1.512	1.512	1.512
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	1,52 x 4,69 x 10,8	1,52 x 4,69 x 10,8	1,52 x 4,69 x 10,8	1,52 x 4,69 x 10,8	1,52 x 4,69 x 10,8
Case pack:	9,53 x 4,76 x 11,11	9,53 x 4,76 x 11,11	9,53 x 4,76 x 11,11	9,53 x 4,76 x 11,11	9,53 x 4,76 x 11,11
Master pack:	59,06 x 34,93 x 36,2	59,06 x 34,93 x 36,2	59,06 x 34,93 x 36,2	59,06 x 34,93 x 36,2	59,06 x 34,93 x 36,2
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	4,54	4,54	4,54	4,54	4,54
Case pack:	90,72	90,72	90,72	90,72	90,72
Master pack:	12.133,59	12.133,59	12.133,59	12.133,59	12.133,59

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Replacement Lamps

<b>Article</b>	MAG-LITE® Solitaire®	Mini Maglite® AA/ AAA Xenon	MAG Charger® Rech. Halogen
	2/pkg.	2/pkg.	1/pkg.
<b>Article no.</b>	LK3A001	LM2A001	LR00001
<b>EAN-Code</b>	038739070384	038739107035	038739107011
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1
Case pack:	12	12	12
Master pack:	2.520	2.520	1.512
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	0,64 x 4,69 x 10,8	0,64 x 4,69 x 10,8	0,97 x 4,69 x 10,8
Case pack:	4,76 x 4,76 x 11,11	4,76 x 4,76 x 11,11	9,53 x 4,76 x 11,11
Master pack:	59 x 34,9 x 31,75	59 x 34,9 x 31,75	59,06 x 34,93 x 36,2
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	2,27	4,54	4,54
Case pack:	49,90	49,90	63,50
Master pack:	10.818,17	10.954,25	8.391,45

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## Mini Maglite® AAA | AA



Article	Nylon Full Flap Holster	Plain Leather Holster	Nylon Full Flap Holster	Nylon Full Flap Holster
Article no.	Mini Maglite® AAA AM3A026	Mini Maglite® AA AM2A026	Mini Maglite® AA AM2A056	Mini Maglite® AA AM2A886
EAN-Code	038739108735	038739108520	038739108551	038739088020
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1
Case pack:	12	12	12	12
Master pack:	144	108	144	144
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	2,24 x 12,4 x 22,56	4,45 x 12,4 x 22,56	2,24 x 12,4 x 22,56	0,95 x 5,08 x 16,51
Case pack:	26,67 x 13,5 x 24,77	30,8 x 17,15 x 19,37	26,67 x 13,5 x 24,77	26,67 x 13,5 x 24,77
Master pack:	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	113,40	45,36	408,23	45,36
Case pack:	680,39	839,15	748,43	748,43
Master pack:	9.207,92	8.595,57	10.024,38	10.024,38

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## Mini Maglite® AAA | AA



Article	Nylon Full Flap Holster	Nylon Full Flap Holster	Heavy Duty Holster (Flashlight + Knife)
Article no.	Mini Maglite® AA AP2X136*	Mini Maglite® AA AP2X106*	Mini Maglite® AA AM2A346*
EAN-Code	038739088051	038739087825	038739080901
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1
Case pack:	12	12	12
Master pack:	144	144	60
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	2,24 x 12,4 x 22,56	2,24 x 12,4 x 22,56	5,08 x 13,97 x 9,53
Case pack:	26,67 x 13,5 x 24,77	26,67 x 13,5 x 24,64	41,9 x 34,29 x 13,34
Master pack:	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	113,40	113,40	136,08
Case pack:	1.451,49	1.451,49	2.018,48
Master pack:	18.461,19	18.461,1954,29	11.135,68

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



\*flashlight/knife not included

# MAGLITE® Accessories

## Mini Maglite® AAA | AA



Article	Mounting Brackets (2/pkg.)	Accessory Pack	NVG lens with holder	IR lens covert with holder	Glass lens
Mini Maglite® AA	Mini Maglite® AA	Mini Maglite® AA	Mini Maglite® AA	Mini Maglite® AA	Mini Maglite® AA
Article no.	AM2A496	AM2A016	108-000-614	108-000-615	108-000-617
EAN-Code	038739085388	038739081076	038739086149	038739086156	038739086170
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	12	1	1	1
Master pack:	144	192	-	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	3,81 x 16,51 x 12,4	2,69 x 12,4 x 16,51	2,22 x 2,24 x 0,08	2,22 x 2,24 x 0,08	2,22 x 2,24 x 0,08
Case pack:	24,45 x 14,29 x 18,7	21,27 x 13,3 x 18,73	2,22 x 2,24 x 0,08	2,22 x 2,24 x 0,08	2,22 x 2,24 x 0,08
Master pack:	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	-	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	158,76	45,36	0,91	0,91	0,91
Case pack:	544,31	521,63	0,91	0,91	0,91
Master pack:	7.574,99	9.389,35	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## Mini Maglite® AAA | AA



Article	Wand red	Wand yellow	Wand white
Mini Maglite® AA	Mini Maglite® AA	Mini Maglite® AA	Mini Maglite® AA
Article no.	AM2ABPB	AM2ABRB	AM2ABSB
EAN-Code	038739208374	038739208381	038739208398
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1
Case pack:	1	1	1
Master pack:	150	150	150
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	17,46 x 3,18	17,46 x 3,18	17,46 x 3,18
Case pack:	17,46 x 3,18	17,46 x 3,18	17,46 x 3,18
Master pack:	45,7 x 30,48 x 20,32	45,7 x 30,48 x 20,32	45,7 x 30,48 x 20,32
	<b>Weight (Kg)</b>	<b>Weight (Kg)</b>	<b>Weight (Kg)</b>
Single unit:	22,68	22,68	22,68
Case pack:	22,68	22,68	22,68
Master pack:	5.148,27	5.148,27	5.148,27

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## MAG-TAC®



Article	Nylon belt Holster	Clip & Tool	Charging unit	12 Volt DC Cigarette adapter	USB cable
Article no.	MAG-TAC® AG2R026	MAG-TAC® 108-000-965	MAG-TAC® AJXX015	MAG-TAC® AJXX035	MAG-TAC® AJXX045
EAN-Code	038739089867	038739089652	038739089805	038739180656	038739180663
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	-	-	-	-
Master pack:	72	-	-	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	5,72 x 22,56 x 12,4	-	-	-	-
Case pack:	39,5 x 23,34 x 19,05	-	-	-	-
Master pack:	-	-	-	-	-
	<b>Weight (g)</b>	<b>Weight (Kg)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	90,72	-	-	-	-
Case pack:	1.256,45	-	-	-	-
Master pack:	-	-	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## MAG-TAC®




Article	230 Volt Converter	LiFePO4 Battery	Wand red	Wand yellow	Wand white
Article no.	MAG-TAC® AJXX075	MAG-TAC® AJXX065	MAG-TAC® AGXX03B	MAG-TAC® AGXX04B	MAG-TAC® AGXX05B
EAN-Code	038739180694	038739180687	038739208343	038739208350	038739208367
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	-	-	1	1	1
Master pack:	-	-	150	150	150
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	-	6,9 x 1,8	17,46 x 3,33	17,46 x 3,33	17,46 x 3,33
Case pack:	-	-	17,46 x 3,33	17,46 x 3,33	17,46 x 3,33
Master pack:	-	-	TBD	TBD	TBD
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	-	41	23	23	23
Case pack:	-	-	23	23	23
Master pack:	-	-	3.450	3.450	3.450

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## ML150LR(X)™ ML150LRS(X)™



Article	Belt Holder Plain Leather	Ballistic Holster	Charging unit	12 Volt DC Cigarette adapter	230 Volt Converter
Article no.	ML150LR(S)(X)™ ASXC046	ML150LR(S)(X)™ AY32146	ML150LR(S)(X)™ ML150-A2015	ML150LR(S)(X)™ ML150-A2205	ML150LR(S)(X)™ ML150-A2185
EAN-Code	038739108063	038739183077	038739089836	038739182902	038739182964
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	-	-	-	-
Master pack:	144	-	-	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	2,87 x 12,4 x 16,51	-	13,6 x 4,5 x 4,6	9,5 x 3,8 x 1,9	9 x 8,9 x 2,9
Case pack:	32,07 x 13,34 x 18,7	-	-	-	-
Master pack:	57,15 x 42,2 x 54,29	-	-	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	54,43	-	76	61	193
Case pack:	657,71	-	-	-	-
Master pack:	8.935,76	-	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## ML150LR(X)™ ML150LRS(X)™




Article	LiFePO4 Battery	LiFePO4 Battery	Wand red	Wand yellow	Wand white
Article no.	ML150LRS(X)™ -	ML150LR(X)™ ML150LR-A2155	ML150LR(S)(X)™ AX2409B	ML150LR(S)(X)™ AX2410B	ML150LR(S)(X)™ AX2411B
EAN-Code	-	038739182810	038739208732	038739208749	038739208756
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	-	-	1	1	1
Master pack:	-	-	125	125	125
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	-	13,1 x 2,6	17,46 x 5,8	17,46 x 5,8	17,46 x 5,8
Case pack:	-	-	17,46 x 5,8	17,46 x 5,8	17,46 x 5,8
Master pack:	-	-	-	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	-	164	59	59	59
Case pack:	-	-	59	59	59
Master pack:	-	-	7.375	7.375	7.375

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## ML150LR(X)™ ML150LRS(X)™



Mounting Brackets



Barrel Storage



NVG lens with holder



IR lens cover with holder




Glass lens

Article	ML150LR(S)(X)™	ML150LR(S)(X)™	ML150LR(S)(X)™	ML150LR(S)(X)™	ML150LR(S)(X)™
Article no.	ASXCAT6	ML50-AE148	108-000-612	108-000-613	108-000-081
EAN-Code	038739085326	038739182742	038739086125	038739086132	038739080819
<b>Packaging:</b>					
	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	-	-	-	-
Master pack:	144	-	-	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	5,08 x 16,51 x 12,4	20,96 x 15,86 x 3,18	5,23 x 5,23 x 0,15	5,23 x 5,23 x 0,15	5,23 x 5,23 x 0,15
Case pack:	32,07 x 13,34 x 18,7	-	-	-	-
Master pack:	57,15 x 42,2 x 54,29	-	-	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	58,97	110	2,27	2,27	2,27
Case pack:	748,43	-	-	-	-
Master pack:	10.024,38	-	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## C-Cell flashlights



Article	Belt Holder Plain Leather	Ballistic Holster	Mounting Brackets	Barrel Storage	Glass lens
	for all C-Cell lights	for all C-Cell lights	for all C-Cell lights	for all C-Cell lights	for all C-Cell lights
Article no.	ASXC046	AY32146	ASXCAT6	ML50-AE148	108-000-081
EAN-Code	038739108063	038739183077	038739085326	038739182742	038739080819
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	-	12	-	-
Master pack:	144	-	144	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	2,87 x 12,4 x 16,51	-	5,08 x 16,51 x 12,4	20,96 x 15,86 x 3,18	5,23 x 5,23 x 0,15
Case pack:	32,07 x 13,34 x 18,7	-	32,07 x 13,34 x 18,7	-	-
Master pack:	57,15 x 42,2 x 54,29	-	57,15 x 42,2 x 54,29	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	54,43	-	58,97	110	2,27
Case pack:	657,71	-	748,43	-	-
Master pack:	8.935,76	-	10.024,38	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## C-Cell flashlights



Article	NVG lens with holder	IR lens cover with holder	Wand red	Wand yellow	Wand white
	for all C-Cell lights	for all C-Cell lights	for all C-Cell lights	for all C-Cell lights	for all C-Cell lights
Article no.	108-000-612	108-000-613	AX2409B* <small>*not for ML25</small>	AX2410B* <small>*not for ML25</small>	AX2411B* <small>*not for ML25</small>
EAN-Code	038739086125	038739086132	038739208732	038739208749	038739208756
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	-	-	1	1	1
Master pack:	-	-	125	125	125
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	5,23 x 5,23 x 0,15	5,23 x 5,23 x 0,15	17,46 x 5,87	17,46 x 5,87	17,46 x 5,87
Case pack:	-	-	17,46 x 5,87	17,46 x 5,87	17,46 x 5,87
Master pack:	-	-	45,7 x 30,48 x 20,32	45,7 x 30,48 x 20,32	45,7 x 30,48 x 20,32
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	2,27	2,27	58,97	58,97	58,97
Case pack:	-	-	58,97	58,97	58,97
Master pack:	-	-	7.348,19	7.348,19	7.348,19

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## D-Cell flashlights



Article	Belt Holder Plain Leather	Belt Holder Basketweave	Mounting Brackets	Barrel Storage	Glass lens
	for all D-Cell lights	for all D-Cell lights	for all D-Cell lights	for all D-Cell lights	for all D-Cell lights
Article no.	ASXD036	ASXD056	ASXD026	ML300-AL728	108-000-081
EAN-Code	038739108056	038739108568	038739080079	038739182704	038739080819
<b>Packaging:</b>					
	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	12	12	-	-
Master pack:	144	144	144	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	2,87 x 12,4 x 16,51	2,87 x 12,4 x 16,51	16,51 x 5,08 x 12,4	20,96 x 15,86 x 3,18	5,23 x 5,23 x 0,15
Case pack:	32,07 x 13,3 x 18,73	32,07 x 13,3 x 18,73	33,3 x 17,46 x 14,29	-	-
Master pack:	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	58,97	58,97	45,36	110	2,27
Case pack:	703,07	703,07	952,54	-	-
Master pack:	9.480,07	9.480,07	12.473,78	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



# MAGLITE® Accessories

## D-Cell flashlights



Article	NVG lens with holder	IR lens cover with holder	Wand red	Wand yellow	Wand white
	for all D-Cell lights	for all D-Cell lights	for all D-Cell lights	for all D-Cell lights	for all D-Cell lights
Article no.	108-000-612	108-000-613	ASXX07B	ASXX08B	ASXX09B
EAN-Code	038739086125	038739086132	038739080024	038739080031	03873908161
<b>Packaging:</b>					
	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	-	-	1	1	1
Master pack:	-	-	75	75	75
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	5,23 x 5,23 x 0,15	5,23 x 5,23 x 0,15	19,05 x 6,05	19,05 x 6,05	19,05 x 6,05
Case pack:	-	-	19,05 x 6,05	19,05 x 6,05	19,05 x 6,05
Master pack:	-	-	30,5 x 30,5 x 30,5	30,5 x 30,5 x 30,5	30,5 x 30,5 x 30,5
	<b>Weight (Kg)</b>	<b>Weight (Kg)</b>	<b>Weight (Kg)</b>	<b>Weight (Kg)</b>	<b>Weight (Kg)</b>
Single unit:	2,27	2,27	49,90	49,90	49,90
Case pack:	-	-	49,90	49,90	49,90
Master pack:	-	-	4.118,62	4.118,62	4.118,62

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.





# MAGLITE® Accessories for various models



Article	Accessory Pack	Belt Holder Basketweave	Wand red	Wand yellow	Wand white
	for all D-Cell lights	XL® Series	for all ML25 lights	for all ML25 lights	for all ML25 lights
Article no.	ASXX376	XLXXX-A3046	AFXC04B	AFXC05B	AFXC06B
EAN-Code	038739081052	038739088570	038739080703	038739080710	038739080727
<b>Packaging:</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>	<b>Volume</b>
Single unit:	1	1	1	1	1
Case pack:	12	12	1	1	1
Master pack:	72	72	-	-	-
	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>	<b>Meassurem. (cm)</b>
Single unit:	4,32 x 12,4 x 22,56	4,45 x 5,72 x 15,24	17,46 x 5,08	17,46 x 5,08	17,46 x 5,08
Case pack:	34,9 x 26,67 x 13,97	34,4 x 23,34 x 19,05	17,46 x 5,08	17,46 x 5,08	17,46 x 5,08
Master pack:	57,15 x 42,2 x 54,29	57,15 x 42,2 x 54,29	-	-	-
	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>	<b>Weight (g)</b>
Single unit:	45,36	68,04	45,36	45,36	45,36
Case pack:	1.655,61	1.088,62	45,36	45,36	45,36
Master pack:	10.976,93	7.665,70	-	-	-

**Please note**  
Due to continuous product enhancements by Mag Instrument, adjustments on existing product will be done which could have influence on the flashlight's performance. The hereby shown ANSI-test results and technical specs are current to the time of printing the datasheet. Current performance specs can be found on the product packaging or product labeling.

**Maglite Europe GmbH & Co.KG**  
Saline 14  
78628 Rottweil  
Germany

**Mag Instrument, Inc.**  
2001 South Hellmann Avenue  
Ontario, CA91761  
U.S.A.



**INDEX: Groups Page**

**COLORED LEDs**

Maglite Spectrum Series® .....76, 77, 78, 79, 80, 81, 82, 83

**PACKS**

Maglite® GERBER® Packs .....84, 85  
 Maglite® OUTDOOR Packs .....94, 95  
 Maglite® SAFETY Packs .....90, 91  
 Maglite® SABRE® Packs .....86, 87  
 Maglite® TACTICAL Packs .....55, 59, 70, 71, 74, 75, 119  
 Maglite® VICTORINOX® Packs .....88, 89

**RECHARGEABLES**

MAG-TAC® Rechargeable (LED) .....12, 13  
 ML125™ Rechargeable (LED) .....14, 15  
 ML150LR(X)™ Rechargeable (LED) .....08, 09  
 ML150LRS(X)™ Rechargeable (LED) .....10, 11

**SPECIAL & FEATURED**

MAG-TAC® Rechargeable (LED) .....12, 13  
 Mini Maglite® Pro® (LED).....52, 53, 54, 55, 86, 87  
 ML25LT™ 2C Cell (LED) .....30, 31, 90, 91, 94, 95  
 ML50LX™ 2C Cell (LED) .....34, 35, 84, 85  
 ML50LX™ 3C Cell (LED) .....36, 37  
 ML125™ Rechargeable (LED) .....14, 15  
 ML150LR(X)™ Rechargeable (LED) .....08, 09  
 ML150LRS(X)™ Rechargeable (LED) .....10, 11  
 ML300L™ 4D Cell (LED) .....26, 27  
 ML300L™ 6D Cell (LED) .....28, 29  
 ML300LX™ 2D Cell (LED) .....16, 17  
 ML300LX™ 3D Cell (LED) .....18, 19  
 XL200® (LED) .....72, 73, 74, 75



**INDEX: Flashlights Page**

MAG-LITE® 2D Cell (Incandescent) .....96, 97, 98, 99  
 MAG-LITE® 3D Cell (Incandescent) .....100, 101, 102, 103  
 MAG-LITE® 4D Cell (Incandescent) .....104, 105  
 MAG-LITE® 5D Cell (Incandescent) .....106, 107  
 MAG-LITE® 6D Cell (Incandescent) .....108, 109  
 MAG-TAC® CR123A (LED) .....46, 47  
 MAG-TAC® Rechargeable (LED) .....12, 13  
 Mini Maglite® AAA (Incandescent) .....88, 89, 124, 125, 126, 127  
 Mini Maglite® AAA (LED) .....64, 65, 66, 67, 76, 77, 78, 79, 82, 83, 84, 85  
 Mini Maglite® AA (Incandescent) .....88, 89, 114, 115, 116, 117, 118, 119  
 Mini Maglite® AA (LED) .....56, 57, 58, 59, 76, 77, 78, 79, 82, 83, 90, 91, 94, 95  
 Mini Maglite® Pro® (LED).....52, 53, 54, 55, 86, 87  
 Mini Maglite® Pro® + (LED) .....48, 49, 50, 51  
 ML25IT™ 2C Cell (Incandescent).....110, 111  
 ML25IT™ 3C Cell (Incandescent) .....112, 113  
 ML25LT™ 2C Cell (LED) .....30, 31, 90, 91, 92, 94, 95  
 ML25LT™ 3C Cell (LED) .....32, 33  
 ML50L™ 2C (LED) .....38, 39, 90, 91, 94, 95  
 ML50L™ 3C (LED) .....40, 41  
 ML50LX™ 2C Cell (LED) .....34, 35, 84, 85  
 ML50LX™ 3C Cell (LED) .....36, 37  
 ML100® 2C Cell (LED) .....42, 43  
 ML100® 3C Cell (LED) .....44, 45  
 ML125™ Rechargeable (LED) .....14, 15  
 ML150LR(X)™ Rechargeable (LED) .....08, 09  
 ML150LRS(X)™ Rechargeable (LED) .....10, 11  
 ML300L™ 2D Cell (LED) .....20, 21, 90, 91, 94, 95  
 ML300L™ 3D Cell (LED) .....22, 23, 24, 25  
 ML300L™ 4D Cell (LED) .....26, 27  
 ML300L™ 6D Cell (LED) .....28, 29  
 ML300LX™ 2D Cell (LED) .....16, 17  
 ML300LX™ 3D Cell (LED) .....18, 19  
 Solitaire® AAA (Incandescent) .....88, 89, 120, 121, 122, 123  
 Solitaire® AAA (LED) .....60, 61, 62, 63, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87  
 XL50® (LED) .....68, 69, 70, 71, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85  
 XL200® (LED) .....72, 73, 74, 75

**INDEX: Accessories & Spare Parts**

Maglite® C - Cell flashlight.....140, 141  
 Maglite® D - Cell flashlight.....142, 143  
 MAG-TAC® .....134, 135  
 Mini Maglite® .....130, 131, 132, 133  
 ML150LR(X)™ | ML150LRS(X)™ .....136, 137, 138, 139  
 Several Maglite® flashlights.....144, 145  
 Maglite® Replacement Lamps.....128, 129  
 Other spare parts.....on request

**INDEX: Flashlights by Model no.**

IP2201G.....91	M2A116..... 115	ML25IT-2096..... 111	ML300L-S2116.....21
IP22TQG.....95	M2A11C..... 119	ML25IT-2105..... 111	ML300L-S3015.....23
J3A012..... 61	M2A11H..... 117	ML25IT-2106..... 111	ML300L-S3016.....23
J3A032..... 61	M2A11L..... 115	ML25IT-2115..... 111	ML300L-S3035.....23
J3A092..... 61	M2A396..... 116	ML25IT-2116..... 111	ML300L-S3036.....23
J3A102..... 61	M2A39H..... 118	ML25IT-3015..... 113	ML300L-S3095.....23
J3A112..... 61	M2A39L..... 116	ML25IT-3016..... 113	ML300L-S3096.....23
J3A392..... 62	M2A49L.....89	ML25IT-3035..... 113	ML300L-S3105.....23
J3AKY2..... 62	M2A986..... 116	ML25IT-3036..... 113	ML300L-S3106.....23
J3AMW2..... 62	M2A98H..... 118	ML25IT-3095..... 113	ML300L-S3115.....23
J3ASV2..... 62	M2A98L..... 116	ML25IT-3096..... 113	ML300L-S3116.....23
J3ASW2..... 81	M2AFD6..... 116	ML25IT-3105..... 113	ML300L-S3MR5..... 24
J3ASX2..... 77	M2AFDL..... 116	ML25IT-3106..... 113	ML300L-S3MR6..... 24
J3ASY2..... 79	M2AKYL..... 116	ML25IT-3115..... 113	ML300L-S4015.....27
J3ASZ2..... 83	M2AMR6..... 116	ML25IT-3116..... 113	ML300L-S6015.....29
K3A012..... 121	M2AMRC..... 119	ML25LT-I2TQG..... 95	ML300LX-S2CC5..... 17
K3A016..... 121	M2AMRH..... 118	ML25LT-J201G..... 91	ML300LX-S2CC6..... 17
K3A032..... 121	M2AMRL..... 116	ML25LT-J2TSG..... 93	ML300LX-S2RI5..... 17
K3A036..... 121	M3A012..... 125	ML25LT-S2015..... 31	ML300LX-S2RI6..... 17
K3A092..... 121	M3A016..... 125	ML25LT-S2016..... 31	ML300LX-S2RJ5..... 17
K3A096..... 121	M3A032..... 125	ML25LT-S2035..... 31	ML300LX-S2RJ6..... 17
K3A102..... 121	M3A036..... 125	ML25LT-S2036..... 31	ML300LX-S3CC5..... 19
K3A106..... 121	M3A092..... 125	ML25LT-S2095..... 31	ML300LX-S3CC6..... 19
K3A112..... 121	M3A096..... 125	ML25LT-S2096..... 31	ML300LX-S3RI5..... 19
K3A116..... 121	M3A102..... 125	ML25LT-S2105..... 31	ML300LX-S3RI6..... 19
K3A392..... 122	M3A106..... 125	ML25LT-S2106..... 31	ML300LX-S3RJ5..... 19
K3A396..... 122	M3A112..... 125	ML25LT-S2115..... 31	ML300LX-S3RJ6..... 19
K3A492..... 89	M3A116..... 125	ML25LT-S2116..... 31	ML50L-I201G..... 91
K3A982..... 122	M3A392..... 126	ML25LT-S3015..... 33	ML50L-I2TQG..... 95
K3A986..... 122	M3A396..... 126	ML25LT-S3016..... 33	ML50L-S2015..... 39
K3AKY2..... 122	M3A49L.....89	ML25LT-S3035..... 33	ML50L-S2016..... 39
K3AKY6..... 122	M3A982..... 126	ML25LT-S3036..... 33	ML50L-S2035..... 39
K3ALD2..... 122	M3A986..... 126	ML25LT-S3095..... 33	ML50L-S2036..... 39
K3AMW2..... 122	M3AFD2..... 126	ML25LT-S3096..... 33	ML50L-S2095..... 39
K3AMW6..... 122	M3AFD6..... 126	ML25LT-S3105..... 33	ML50L-S2096..... 39
M2A016..... 115	M3AKY6..... 126	ML25LT-S3106..... 33	ML50L-S2105..... 39
M2A01C..... 119	ML100-S2015..... 43	ML25LT-S3115..... 33	ML50L-S2106..... 39
M2A01H..... 117	ML100-S2DX6..... 43	ML25LT-S3116..... 33	ML50L-S2115..... 39
M2A01L..... 115	ML100-S3015..... 45	ML300L-I201G..... 91	ML50L-S2116..... 39
M2A02C..... 119	ML100-S3DX6..... 45	ML300L-I2TQG..... 95	ML50L-S3015..... 41
M2A036..... 115	ML125-35014..... 15	ML300L-I2TSG..... 93	ML50L-S3016..... 41
M2A03C..... 119	ML150LR-4019..... 9	ML300L-S2015..... 21	ML50L-S3035..... 41
M2A03H..... 117	ML150LRS-4019..... 11	ML300L-S2016..... 21	ML50L-S3036..... 41
M2A03H..... 117	ML150LRSX-4019..... 11	ML300L-S2035..... 21	ML50L-S3095..... 41
M2A03L..... 115	ML150LRX-4019..... 9	ML300L-S2036..... 21	ML50L-S3096..... 41
M2A096..... 115	ML25IT-2015..... 111	ML300L-S2095..... 21	ML50L-S3105..... 41
M2A09L..... 115	ML25IT-2016..... 111	ML300L-S2096..... 21	ML50L-S3106..... 41
M2A106..... 115	ML25IT-2035..... 111	ML300L-S2105..... 21	ML50L-S3115..... 41
M2A10H..... 117	ML25IT-2036..... 111	ML300L-S2106..... 21	ML50L-S3116..... 41
M2A10L..... 115	ML25IT-2095..... 111	ML300L-S2115..... 21	ML50LX-S2CC5..... 35

**INDEX: Flashlights by Model no.**

ML50LX-S2CC6..... 35	S3D986..... 102	SP2201H..... 57	SP2PTWH..... 54
ML50LX-S2RI5..... 35	S3DMR5..... 102	SP22037..... 57	SP2PUF6..... 87
ML50LX-S2RI6..... 35	S3DMR6..... 102	SP2203C..... 59	SP32016..... 65
ML50LX-S2RJ5..... 35	S4D015..... 105	SP2203H..... 57	SP32036..... 65
ML50LX-S2RJ6..... 35	S4D016..... 105	SP22097..... 57	SP32096..... 65
ML50LX-S2TPT..... 85	S4D035..... 105	SP2209C..... 59	SP32106..... 65
ML50LX-S3CC5..... 37	S4D036..... 105	SP2209H..... 57	SP32116..... 65
ML50LX-S3CC6..... 37	S4D115..... 105	SP22107..... 57	SP32TRK..... 85
ML50LX-S3RI5..... 37	S4D116..... 105	SP2210C..... 59	TRM4RA4..... 13
ML50LX-S3RI6..... 37	S5D015..... 107	SP2210H..... 57	TRM4RE4..... 13
ML50LX-S3RJ5..... 37	S5D016..... 107	SP22117..... 57	XL200-S3016..... 73
ML50LX-S3RJ6..... 37	S5D035..... 107	SP2211C..... 59	XL200-S3017..... 73
P32012..... 65	S5D036..... 107	SP2211H..... 57	XL200-S301C..... 74
P32032..... 65	S6D015..... 109	SP22397..... 58	XL200-S3036..... 73
P32092..... 65	S6D016..... 109	SP2239H..... 58	XL200-S3037..... 73
P32102..... 65	S6D035..... 109	SP22JY7..... 58	XL200-S303C..... 74
P32112..... 65	S6D036..... 109	SP22JYH..... 58	XL200-S3096..... 73
P32KY2..... 66	SG2LRA6..... 47	SP22KY7..... 58	XL200-S3097..... 73
P32SV2..... 66	SG2LRB6..... 47	SP22KYH..... 58	XL200-S309C..... 74
P32SX2..... 77	SG2LRC6..... 47	SP22MR7..... 58	XL200-S3116..... 73
P32SY2..... 79	SG2LRE6..... 47	SP22MRH..... 58	XL200-S3117..... 73
P32SZ2..... 83	SG2LRF6..... 47	SP22MW7..... 58	XL200-S311C..... 74
S2D015..... 97	SG2LRG6..... 47	SP22MWH..... 58	XL50-S3016..... 69
S2D016..... 97	SJ3A016..... 61	SP22SX7..... 77	XL50-S3017..... 69
S2D035..... 97	SJ3A036..... 61	SP22SY7..... 79	XL50-S301C..... 70
S2D036..... 97	SJ3A096..... 61	SP22SZ7..... 83	XL50-S3036..... 69
S2D095..... 97	SJ3A106..... 61	SP2P017..... 53	XL50-S3037..... 69
S2D096..... 97	SJ3A116..... 61	SP2P01C..... 55	XL50-S3096..... 69
S2D105..... 97	SJ3A396..... 62	SP2P01H..... 53	XL50-S3097..... 69
S2D106..... 97	SJ3AKY6..... 62	SP2P037..... 53	XL50-S3106..... 69
S2D115..... 97	SJ3AMW6..... 62	SP2P03C..... 55	XL50-S3107..... 69
S2D116..... 97	SJ3ASV6..... 62	SP2P03H..... 53	XL50-S3116..... 69
S2D395..... 98	SJ3ATMK..... 85	SP2P097..... 53	XL50-S3117..... 69
S2D396..... 98	SJ3AUD6..... 87	SP2P09C..... 55	XL50-S3SW7..... 81
S2D986..... 98	SP+P017..... 49	SP2P09H..... 53	XL50-S3SX7..... 77
S2DFD6..... 98	SP+P01H..... 49	SP2P107..... 53	XL50-S3SY7..... 79
S3D015..... 101	SP+P037..... 49	SP2P10C..... 55	XL50-S3SZ7..... 83
S3D016..... 101	SP+P03H..... 49	SP2P10H..... 53	XL50-S3TNK..... 85
S3D026..... 102	SP+P097..... 49	SP2P117..... 53	
S3D035..... 101	SP+P09H..... 49	SP2P11C..... 55	
S3D036..... 101	SP+P107..... 49	SP2P11H..... 53	
S3D095..... 101	SP+P10H..... 49	SP2P397..... 54	
S3D096..... 101	SP+P117..... 49	SP2P39H..... 54	
S3D105..... 101	SP+P11H..... 49	SP2PMR7..... 54	
S3D106..... 101	SP+P397..... 51	SP2PMRH..... 54	
S3D115..... 101	SP+P39H..... 51	SP2PRZ7..... 54	
S3D116..... 101	SP+PMR7..... 51	SP2PRZH..... 54	
S3D395..... 102	SP+PMRH..... 51	SP2PSV7..... 54	
S3D396..... 102	SP22017..... 57	SP2PSVH..... 54	
S3D985..... 102	SP2201C..... 59	SP2PTW7..... 54	

## CONNECT WITH US

# MAGLITENATION™

Building a brand community....

based on sharing life experiences.

A global place where Maglite users come together.

Being a part of the MAGLITENATION™ Subscriber List allows us to keep YOU up to date with the latest news of MAGLITE®.

Be part of the next Generation of MAGLITE®.

JOIN MAGLITENATION™ TODAY: [www.maglite.eu](http://www.maglite.eu)



Facebook  
@Maglite



Instagram  
@Maglite



Twitter  
@Maglite



Pinterest  
@Maglite



You Tube  
magliteflashlights



LinkedIn  
mag-instrument-inc



## SERVICE & CONTACT

### CUSTOMER SERVICE

The Customer Service department is the first point of contact for you, no matter if you're a new Maglite® customer or you have already your Maglite® flashlight.

Our international customer advisers use a sophisticated and professional system in order to record and display all of the relevant information without delay. Here you will receive advice, information and assistance with your enquiries. We also connect you with a local distributor and/or dealer in your country to offer you the best service we can provide.

---

Sales International	+49 8294 662989 - 0
Fax	+49 8294 306394 - 1
e-Mail	<a href="mailto:info@maglite.eu">info@maglite.eu</a>

---

### TECHNICAL SUPPORT and QUALITY ASSURANCE

If problems occur with our products, our distributors and technical support teams are ready to help. If a technical defect occurs, our teams will perform a thorough check of your equipment and repair it if possible.

---

Technical Support	+49 8294 662989 - 0
e-Mail	<a href="mailto:technical.support@maglite.eu">technical.support@maglite.eu</a>

---





## Icon Methodology



### Rechargeable Flashlight:

While the initial cost of a rechargeable battery is significant, it is engineered to withstand up to a many charge/discharge cycles.



### ECO Mode™:

Ultra-low-power-drain mode that, thanks to excellent flashlight optics, still provides useful light while greatly extending run time.



### Multi-Mode:

Some Maglite® flashlights are simple on-off flashlights. Others, however, allow the user to choose from a variety of functional modes.



### QuickClik®:

Most of Maglite® LED flashlights have electronic switches that offer a wider range of functions than typical mechanical-switch flashlights.



### Quick Focus™:

An advanced, fast-handling beam focus system adjusts across the full range of focal settings in about 1/4 turn of the head.



### Spot to Flood Beam Focusing:

Adjust the beam's focus as needed, simply by rotating the flashlight's head.



### Candle Mode:

Several Maglite® flashlights convert quickly to a free standing candle mode, for convenient, hands-free light whenever needed.



### Activity-Based Function Sets:

These Maglite® LED flashlight models offer five different functional modes – Full Power, Low Power, Strobe, Eco and Momentary.



### Water Resistant:

These Maglite® flashlight models have successfully passed the "Water Resistant" test by ANSI Standard.



### Waterproof:


These Maglite® flashlight models have successfully passed the "1-Meter Water Resistant" test by ANSI Standard.



### National Tactical Officers Association:

It indicates that the referenced product has achieved "Recommended" status under the NTOA's Member Tested & Recommended Program, based on field-testing and scoring by tactical police officers.

### Light Modes:



### Function Sets:

Function Set	1 GENERAL (Default)	2 OUTDOOR	3 LAW ENFORCEMENT	4 TACTICAL
1 CLICKS	Full Power	Full Power	Momentary	Momentary
2 CLICKS	Low Power	Low Power	Full Power	Full Power
3 CLICKS	Eco	Strobe	Eco	Strobe



MAGLITE® - World Headquarters, Ontario California, U.S.A.



Anthony Maglica  
President & Founder

Every flashlight made by Mag Instrument, Inc., represents one man's abiding commitment to product quality, and to the cause of keeping flashlight-industry manufacturing jobs in America. A champion of free enterprise and U.S.-based manufacturing, Anthony Maglica is the president of Mag Instrument, Inc. and the creator of the MAGLITE® flashlight, now an icon of classic American design. Mr. Maglica knows the difference between good quality and great quality, and he knows what makes that difference — an abiding commitment to real, true product excellence. Further, he understands that quality is not a goal but a process; not an endpoint but a dogged, relentless pursuit — all day, every day. Since 1979, MagLite® flashlights have been synonymous with built-in-America quality. Every flashlight we build represents the culmination of more than 40 years of research, development and refinement.

# Thank You for choosing MAGLITE®!





**European Headquarter**  
for Europe, Middle East and Africa

**MAGLITE Europe GmbH & Co. KG**  
Saline 14  
78628 Rottweil  
Germany

Phone: +49 8294 662989 - 0  
Fax: +49 8294 306394 - 1  
e-Mail: [info@maglite.eu](mailto:info@maglite.eu)  
web: [www.maglite.eu](http://www.maglite.eu)